National Center for Emerging and Zoonotic Infectious Diseases



Introduction to the Lyme Disease Vaccines Work Group

Grace E. Marx, MD, MPH Lead, Lyme Disease Vaccines Work Group

April 15, 2025 Advisory Committee on Immunization Practices

Public Health Problem – Lyme disease

- Most common vector-borne disease in the U.S.
- An estimated 476,000 people in the U.S. diagnosed and treated for Lyme disease each year¹
- Estimated to cost \$345–968 million annually in health care costs²

Kugeler K *et al.* Emerg Infect Dis 2021: 27(2):616–619.
Hook S. *et al.* Emerg Infect Dis 2022: 28(6):1170–1179.

Lyme Disease Vaccines Development

• 1990s

- Several vaccines developed, each containing OspA antigens from Borrelia burgdorferi
- OspA antibodies neutralize spirochete in the tick midgut, thus preventing transmission
- LYMErix[®] licensed 1998; available 1998 2002 until discontinued by manufacturer due to low demand

• 2010s – 2020's

- Steady increase in Lyme disease incidence, with expansion outward from highincidence areas in the Northeast, mid-Atlantic, and Midwest
- VLA15, a multivalent recombinant protein vaccine, currently in phase 3 clinical trials
- mRNA vaccine candidates in early clinical trials

ACIP Lyme Disease Vaccines Work Group Objectives

- Review epidemiology and burden of Lyme disease
- Review data about risk for Lyme disease
- Review safety, immunogenicity, and efficacy data for Lyme disease vaccine candidates
- Review economic analyses related to Lyme disease vaccination
- Develop Lyme disease vaccination policy options
- Identify areas where additional data are needed

ACIP Lyme Disease Vaccines Work Group

- Chair and work group members
 - TBD
- Lead
 - Grace Marx

ACIP Lyme Disease Vaccines Work Group Initial Timeline

- May 2025 first work group meeting
- June 2025 ACIP presentation
 - Epidemiology, burden, and clinical manifestations of Lyme disease

Thank you.

For more information, contact CDC 1-800-CDC-INFO (232-4636) TTY: 1-888-232-6348 www.cdc.gov

The findings and conclusions in this report are those of the authors and do not necessarily represent the official position of the Centers for Disease Control and Prevention.

