ANTIMICROBIAL RESISTANCE THREATS in the United States, 2021-2022

CDC used new data¹ to analyze the U.S. burden of the following antimicrobial-resistant pathogens typically found in healthcare settings:



Carbapenem-resistant Enterobacterales (CRE)

Methicil Staphyl (MRSA)

Methicillin-resistant Staphylococcus aureus (MRSA) Carbapenem-resistant Acinetobacter



Candida auris (C. auris)

Extended-spectrum beta-lactamase (ESBL)producing Enterobacterales

CDC previously reported that the burden of these pathogens increased in the United States in 2020 in the <u>COVID-19 Impact Report</u>. The information below describes the burden in the two following years, 2021 and 2022, and compares against 2019 data.

Key Findings

20%

5X

Bacterial antimicrobial-resistant hospital-onset infections caused by the pathogens listed above increased by a combined 20% during the COVID-19 pandemic compared to the pre-pandemic period, peaking in 2021. In 2022, rates for all but one of these pathogens (MRSA) remained above pre-pandemic levels.

The number of reported clinical cases of *C. auris* increased nearly five-fold from 2019 to 2022. Clinical cases are identified when specimens collected from patients during routine clinical care test positive for *C. auris*.

Impact of COVID-19 on AR

The increases in antimicrobial resistance (AR) burden seen in 2020 and 2021 are likely due in part to the impact of COVID-19, which pushed healthcare facilities, health departments, and communities near their breaking points. The pandemic resulted in longer hospital stays for hospitalized patients (including those diagnosed with COVID-19), challenged the implementation of infection prevention and control practices, and increased inappropriate antibiotic use.

As the pandemic continued, healthcare providers and public health professionals took aggressive action to prevent infections and protect lives, helping to reduce the burden of AR from its 2021 peak. CDC supported many of these efforts through American Rescue Plan Act funding to health-department Healthcare-Associated Infections and Antimicrobial Resistance (HAI/AR) Programs, Antibiotic Stewardship Programs, and CDC's Antimicrobial Resistance Laboratory Network (AR Lab Network) in all U.S. states, as well as some large cities and territories.

¹ Databases used for bacterial pathogens analyzed were the PINC-AI Healthcare Database and the BD Insights Research Database. CDC is working on a future publication that will include more detailed data analysis for bacterial pathogens discussed in this fact sheet. C. auris data was obtained by monthly reporting through jurisdiction public health departments. ² Data shown reflect activities from the first year of American Rescue Plan supplements, October 2021-August 2022.

Actions Against AR

Supported by American Rescue Plan Act funding, health departments invested in proven strategies and initiatives including:



More than **9,000** preventionbased infection control assessments in healthcare facilities.²



More than **50,000** outbreak responses to novel multidrug-resistant germs.²



More than **90,000** healthcare workers trained in infection prevention and control.²



In 2021 and 2022, CDC's AR Lab Network received more than 230,000 patient samples for detection and characterization of resistant organisms. This testing helped inform efforts to stop spread and protect patients.

Additional Action is Critical

We can and must do more to combat antimicrobial resistance by investing in the preventionfocused public health actions that we know work, including:

- Appropriate antibiotic and antifungal use •
- Effective infection prevention and control

Accurate laboratory detection

Innovative prevention strategies

Rapid response

AR Threats

	Threat	Change in Rates or Number of Infections***			
	Inteat	2020 vs. 2019	2021 vs. 2020	2022 vs. 2021	2022 vs. 2019
*	Hospital-onset CRE	Increase	Increase	Stable	Increase
URGEN	Hospital-onset Carbapenem- resistant <i>Acinetobacter</i>	Stable	Stable	Stable	Increase**
	Clinical Cases of <i>C. auris</i>	Increase	Increase	Increase	Increase
SERIOUS*	Hospital-onset MRSA	Increase	Stable	Decrease	Stable
	Hospital-onset VRE	Increase	Increase	Stable	Increase
	Hospital-onset ESBL- producing Enterobacterales	Increase	Stable	Stable	Increase
	Hospital-onset MDR Pseudomonas aeruginosa	Increase	Increase	Stable	Increase

* Threat level for each pathogen, as categorized in CDC's <u>Antibiotic Resistance Threats in the United States, 2019</u>. ** There was no statistically significant difference in rate of hospital-onset carbapenem-resistant Acinetobacter in 2020, 2021, and 2022 when compared to the previous year. However, there was a statistically significant increase in rate of hospital-onset carbapenem-resistant Acinetobacter in 2022 when compared to 2019. *** Hospital-onset rates were described using multivariable models for all threats except C. auris. Please note that in above table, stable indicates there was no statistically significant

increase or decrease, decrease indicates a statistically significant decrease where p<0.05, and increase indicates a statistically significant increase where p<0.05, for all threats except for C. auris. Increases or decreases in C. auris were indicated by changes in the number of clinical cases reported nationally without hypothesis testing.

The Future of CDC AR Threats Reporting

- CDC's previous AR Threats Reports, published in 2013 and 2019, were important resources to guide U.S. policy for and investments in combating antimicrobial resistance.
- In 2026, CDC will release estimates for at least 19 antimicrobial resistance threats and an update on the U.S. burden of antimicrobial resistance in a new electronic format.
- Going forward, CDC will release new estimates for the burden of these threats at least every two years.
- Data are critical to guide efforts to combat AR, and CDC is committed to providing the high-quality data required to steer this important work.





For More Information on Antimicrobial Resistance: https://www.cdc.gov/antimicrobial-resistance

