

CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF ACCREDITATION

LABORATORY NAME AND ADDRESS
CDC/CGH/DGHA INTERNATIONAL LABORATORY
ATTENTION: DR. DAVID TURGEON
1600 CLIFTON ROAD, MS H15- 2,BUILDING 15, RM 2611E
ATLANTA, GA 30333

CLIA ID NUMBER
11D1061576

EFFECTIVE DATE
12/28/2023

LABORATORY DIRECTOR
DAVID K TURGEON Ph.D.

EXPIRATION DATE
12/27/2025

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown herein (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Monique Spruill

Monique Spruill, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality

260 certs2_112823

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>	<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
MYCOBACTERIOLOGY (115)	07/22/2011		
GENERAL IMMUNOLOGY (220)	12/28/2007		



FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.

CLIA ID Number: 11D1061576

CDC/CGH/DGHA INTERNATIONAL LABORATORY
ATTENTION: DR. DAVID TURGEON
1600 CLIFTON ROAD, MS H15- 2,BUILDING 15, RM 2611E
ATLANTA, GA 30333

STATE AGENCY ADDRESS AND PHONE NUMBER:

GA DHR/HEALTHCARE FACILITY REGULATION DIV
DIAGNOSTIC SERVICE UNIT/CLIA
2 PEACHTREE ST NW 31-447
ATLANTA, GA 30303-3142
(404)657-5447

LABORATORY MAILING ADDRESS: