TABLE OF CONTENTS

SECTION I – INTRODUCTION

A.	Introduction	. 1
B.	Medical Certification	6
	Excerpt from U.S. Standard Certificate of Death	. 7
	U.S. Standard Certificate of Death	
	-	

SECTION II – GENERAL INSTRUCTIONS

А.	Intr	roduction	. 11
	1.	Excessive Codes	. 11
	2.	Created Codes	. 13
	3.	"Dagger and asterisk" codes	. 23
В.	Ger	neral coding concept	. 24
	1.	Definitions and types of diagnostic entities	. 24
		a. One-term entity	. 24
		b. Multiple one-term entity	
		c. Adjectival modifier reported with multiple conditions	
	2.	Parenthetical entries	. 29
	3.	Special diagnostic entities	. 30
	4.	Plural form of disease	. 31
	5.	Implied "disease"	. 31
C.	For	mat	. 32
	1.	"Due to" relationships involving more than four causally	
		related conditions	
	2.	Connecting terms	
		a. "Due to" written in or implied	
		b. Not indicating a "due to" relationship	
	3.	Condition entered above line I(a)	
	4.	Condition reported between lines in Part I	
	5.	Condition reported as due to I(a), I(b), or I(c)	
	6.	Conditions reported in Part II	
	7.	Deletion of "due to" on the death certificate	
	8.	Deletion of "Part II" on death certificate	
	9.	Numbering of causes reported in Part I	
	10.	Punctuation marks	
	11.	Conditions in the duration box	. 42

D.	Dou	1 btful diagnosis
	1.	J = J = J
	2.	Interpretation of "eitheror"
Е.	Cor	nditions specified as "healed" or "history of"
F.	Coc	ling entries such as "same," "ditto (")," "as above"
G.	Cor	nditions qualified by "postmortem, " "rule out,"
		"ruled out," "r/o"
H.	Nor	n-indexed and illegible entries 50
	1.	Terms that are not indexed
	2.	Illegible entries
I.	Coc	ling one-character reject codes 51
	1.	Reject code 1-5 – Inconsistent duration
	2.	Reject code 9 – More than four "due to" statements 53
J.	Incl	usion of additional information (AI) to mortality
		source documents
К.		ended certificates
L.	Eff	ect of age of decedent on classification
	1.	NEWBORN OR NEONATAL means less than 28 days
		of age at the time of death 58
	2.	INFANT OR INFANTILE means less than 1 year of age at
		the time of death
	3.	CHILD or CHILDHOOD means less than 18 years of age at
		the time of death
	4.	Congenital anomalies (Q00-Q99)
	5.	Congenital syphilis
	6.	Age limitation
М.		limitations
N.	Effe	ect of duration on assignment of codes
	1.	Qualifying conditions as acute or chronic
	2.	Subacute
	3.	Acute exacerbation
	4.	Acute and chronic
	5.	Qualifying conditions as congenital or acquired
	6.	Two conditions with one duration
	7.	Conflict in durations
	8.	Span of dates

0.	Relating and modifying conditions	69
	1. Implied site of disease	69
	a. General instructions for implied site of a disease	69
	b. Relating specific categories	
	c. Exceptions to relating and modifying instructions	74
	2. Coding conditions classified to injuries as disease conditions	76
SECTION	N III – INTENT OF CERTIFIER	80
1.	Spinal Abscess (A180)	81
2.	Charcot's Arthropathy (A521)	
3.	General Paresis (A521)	83
4.	Viral Hepatitis (B169, B171, B178)	85
5.	Organisms and Infection NOS (B99)	86
6.	Erythremia (C940)	92
7.	Polycythemia (D45)	93
8.	Hemolytic Anemia (D589)	94
9.	Sideroblastic Anemia (D643)	95
10.	Hemorrhagic Purpura NOS (D693)	
11.	Thrombocytopenia (D696)	97
12.	Hyperparathyroidism (E213)	
13.	Hyperaldosteronism (E269)	
14.	Lactase Deficiency (E730)	
15.	Alcohol (F101, F109, R780, R826, R893)	
16.	Korsakov's Disease, Psychosis, or Syndrome (F106)	
17.	Drug Use NOS - Named Drug Use (F11-F16, F18-F19)	105
18.	Tobacco Use (F179)	
	Psychosis (any F29)	
21.		
22.	Personality Disorder (F609), Personality Change (Enduring) (F629)	
23.	Mental Disorder (any F99)	
24.	Parkinson's Disease (G20)	
25.	Cerebral Sclerosis (G379)	
26.	Myopathy (G729)	
27.	Brain Damage, child (G809)	
28.	Paralysis (any G81, G82, or G83 excluding senile paralysis)	
29.	Cataract (H269)	119
30.	Varices NOS and Bleeding Varices (I839)	120

31	Pneumonia in J188 or J189, Bronchopneumonia (J180),
	Lobar pneumonia, organism unspecified only in J181 121
32.	Pneumoconiosis (J64) 122
33.	Alveolar Hemorrhage (Diffused) (K088) 123
34.	Diaphragmatic Hernia in K44 124
35.	Laennec's Cirrhosis NOS (K703) 125
36.	Biliary Cirrhosis NOS (K745) 126
37.	Lupus Erythematosus (L930), Lupus (L930) 127
38.	Gout (M109)
39.	Polyarthrosis (M159) 129
40.	Coxarthrosis (M169)130
41.	Gonarthrosis (M179) 131
42.	Arthrosis (M199) 132
43.	Kyphosis (M402) 133
44.	Scoliosis (M419) 134
45.	Osteonecrosis (M879) 135
46.	Dysmenorrhea (N946) 136
47.	Cesarean Delivery for Inertia Uterus (O622),
	Cervical Dystocia (0622), Hypotonic Labor (0622),
	Hypotonic Uterus Dysfunction (O622),
	Inadequate Uterus Contraction (O622),
	Uterine Inertia during Labor (O622),
48.	Brain Damage, newborn (P112) 138
49.	Intracranial Nontraumatic Hemorrhage of Fetus
	and Newborn (P52)
50.	Septal Defect (atrial), (auricular), (heart), (ventricular)
	(Q210, Q211, Q212, Q219)
51.	Hypoplasia or Dysplasia of Lung NOS (Q336) 141
	Injury (S000-T149)
	Fracture (any site) (T142)
54.	Starvation NOS (T730) 145
SECTION	N IV – CLASSIFICATION OF CERTAIN ICD CATEGORIES
	Neoplasms (C00-D48)

reopn								
A. Ma	lignant Neoplasms (C00-C96)	148						
	Neoplasms stated to be secondary							
2.								
3.	Site specific neoplasms	153						
4.	Other morphological types of neoplasms	154						

		5. Independent (primary) sites	. 155
		6. Metastases	. 158
	,	7. Multiple sites	160
	:	8. Metastatic neoplasms	163
		9. Primary site unknown	. 174
		10 Implication of malignancy	176
		11. Sites with prefixes or imprecise definitions	. 177
		12. Malignant neoplasms described with "either/or"	. 177
		13. Mass or lesion with malignant neoplasms	178
B.	Rh	eumatic Heart Diseases	
	1.	Heart diseases considered to be described as rheumatic	180
	2.	Distinguishing between active and chronic rheumatic	
		heart disease	
	3.	Valvular diseases jointly reported	
	4.	Valvular diseases not indicated to be rheumatic	
C.		egnancy, Childbirth and the Puerperium (O00-O99)	
	1.	General Information	
	2.	Pregnancy or childbirth without mention of complication	
	3.	Pregnancy with abortive outcome (O000-O089)	. 188
	4.	Other complications of pregnancy, childbirth and	100
	_	puerperium (O00-O99)	
	5.	Delivery reported with anesthetic death or anesthesia	
P	6.	Operative delivery	
D.		ngenital Conditions	
E.		nditions of Early Infancy (P000-P969)	
F.			
	1.	B900-B909 Sequela of tuberculosis	
	2.	B91 Sequela of acute poliomyelitis	
	3.	B92 Sequela of leprosy	
	4.	B940 Sequela of trachoma	
	5.	B941 Sequela of viral encephalitis	
	6. 7	B942 Sequela of viral hepatitis	204
	7.	B948 Sequela of other specified infectious and parasitic diseases	
		B949 Sequela of unspecified infectious and parasitic diseases	204
	8.	E640-E649 Sequela of malnutrition and other	
		nutritional deficiencies	
	9.	E68 Sequela of hyperalimentation	206

	10. G09 Sequela of inflammatory diseases of central									
	nervous system	206								
	11. I690-I698 Sequela of cerebrovascular disease									
	12. O97 Sequela of direct obstetric cause									
G.	Ill-Defined and Unknown Causes									
	1. Sudden infant death syndrome (R95)									
	2. Other sudden death and other unspecified									
	cause (R960-R961, R98-R99)									
	3. Unknown cause (R97)									
SECTION	N V –EFFECTS OF EXTERNAL CAUSE OF INJURY AND									
	EXTERNAL CAUSES OF INJURY AND POISONING									
Δ	External Cause Code (E-Code) Concept	214								
<i>1</i> X •	1. Use of Index									
	 Use of Tabular List 									
	 Ose of Tubular Elstein Place of occurrence of external cause 									
	 Manner of death (Item 37) on death certificate 									
	 Nature of injury and external cause code lists 									
В.	Placement of nature of injury and external cause codes									
С.	Use of ampersand									
D.	Certifications with mention of nature of injury and									
	without mention of external cause	227								
Е.	Conditions qualified as traumatic	230								
F.	Assumption of nature of injury code									
G.	Multiple injuries (T00-T07)									
H.	Burns: Multiple degrees of burns/percentage of body									
	surface burned	240								
I.	Specified types and sites of injuries	242								
J.	Transportation accidents (V01-V99)									
	1. Use of Index and Tabular List	244								
	2. Classifying accidents as traffic or nontraffic	245								
	3. Status of victim									
	4. Coding categories V01-V89									
	5. Additional examples									
	6. Occupant of special all-terrain or other motor vehicle designed									
	primarily for off-road use, injured in transport accident (V86)	250								

	7.	Traffic accident of specified type but victim's mode of													
		transport unknown (V87), Nontraffic accident of specified type but victim's mode of													
		transport unknown (V88) 2													
	0														
	8.	Water transport accidents (V90-V94)													
	9.	Air and space transport accidents (V95-V97)													
•77	10.														
К.		-													
	1.	Other fall on same level (W18)													
т	2.	Unspecified fall (W19)													
L.		tural and environmental factors													
	1.	Lightning													
Л	2.	Exposure, cold exposure or hypothermia													
I VI.		earms and firearm injuries													
	1.	Coding specific types of firearms													
	2.	External cause code													
	3.	Nature of injury code													
N.	4. Chi	Other firearm examples ild abuse, battering and other maltreatment (Y070-Y079)													
N. O.		ides for differentiating between effects of external	203												
0.		causes classifiable to Chapters I – XVIII and Chapter XIX	265												
Р.		reats to breathing													
1.	1.	Table 1. Drowning and submersion													
	1. 2.	Table 2. Hanging and mechanical strangulation	.200												
	2.	(by external means)	270												
	3.	Table 3. Fires (includes burns, gases, fumes in association with													
	5.	burns and fires)													
	4.	Table 4. Ingestion, inhalation of gases, fumes, vapors (without	_/ .												
		fires, burns)	278												
	5.	Table 5. Compression chest, crushed chest by external means													
	6.	Table 6. Aspiration NOS, ingestion NOS, inhalation NOS,													
		or aspiration, ingestion, inhalation of substances													
		or objects (W78, W79, W80)	282												
Q.	Poi	soning													
-	1.	Poisoning by substances other than drugs													
		a. Carbon monoxide poisoning													
		b. Inhalation and sniffing sprays and aerosol substances													
		c. Intoxication by certain substances or toxic poisoning													
		due to disease	290												

		d. Condition qualified as "toxic" with poisoning reported 29	91
	2.	Poisoning by drugs	
	3.	Percentage of drug(s) in blood	
	4.	Poisoning by alcohol and drugs	
	5.	Intoxication (acute) NOS due to specified substances	
R.	Cor	nplications of medical and surgical care (Y40-Y84)	
	1.	Drugs, medicaments, and biological substances causing	
		adverse effects in therapeutic use (Y40-Y59))2
	2.	Surgical procedures as the cause of abnormal reaction	
		of the patient or later complication (Y83)	12
		a. Complications of surgical procedures	
		b. Condition necessitating surgery	26
		c. Conditions qualified as postoperative	
		d. Complication as first entry on lowest used line	
		in Part I	38
		e. Ill-defined condition as first entry on lowest used line	
		in Part I	42
		f. Relating condition for which surgery was performed	
		to the site of the surgery	52
		g. Complications of amputation and amputation stump	54
	3.	Complications of medical procedures other than	
		surgical (Y84)	55
	4.	Complications of procedures involving administration of	
		drugs, radiation, and instruments	52
	5.	Complications of radiation during medical care (Y842) 36	54
	6.	Misadventures to patients during surgical and	
		medical care (Y60-Y69) 36	57
S.	Seq	uela of injuries, poisonings, and other consequences	
	of e	xternal causes	70
	1.	Sequela of injuries, poisoning, and other consequences	
		of external causes (T900-T983) 37	70
	2.	Sequela of external causes (Y850-Y899) 37	72

APPEND	IX A - STANDARD ABBREVIATIONS AND SYMBOLS	
APPEND	IX B - SYNONYMOUS SITES	
APPEND	IX C - GEOGRAPHIC CODES	
APPEND	IX D - CODE FOR PLACE OF OCCURRENCE	396
APPEND	IX E - ACTIVITY CODES	405
APPEND	IX F - INVALID AND SUBSTITUTE CODES	407
	IX G - CODES FOR SPECIAL PURPOSES (U00-U99)	
1.	Terrorism classification (*U01-*U03)	
2.	Severe acute respiratory syndrome [SARS] (U04)	419
APPEND	IX H - ADDITIONAL DRUG EXAMPLES	420
INDEX		

SECTION I

Introduction

A. INTRODUCTION

This manual provides instructions to mortality medical coders and nosologists for coding multiple causes of death from death certificates filed in the states. These mortality coding instructions are used by both the State vital statistics programs and the National Center for Health Statistics (NCHS), which is the Federal agency responsible for the compilation of U.S. statistics on causes of death. NCHS is part of the Centers for Disease Control and Prevention.

In coding causes of death, NCHS adheres to the World Health Organization Nomenclature Regulations specified in the most recent revision of the International Statistical Classification of Diseases and Related Health Problems (ICD). NCHS also uses the ICD international rules for selecting the underlying cause of death for primary mortality tabulation in accordance with the international rules.

Beginning with deaths occurring in 1999, the Tenth Revision of the ICD (ICD-10) is being used for coding and classifying causes of death. This revision of the Classification is published by the World Health Organization (WHO) and consists of three volumes. Volume 1 contains a list of three-character categories, the tabular list of inclusions, and the four-character subcategories. The supplementary Z code appears in Volume 1 but is not used for classifying mortality data. Optional fifth characters are provided for certain categories and an optional independent four-character coding system is provided to classify histological varieties of neoplasm, prefixed by the letter M (for morphology) and followed by a fifth character indicating behavior. These optional codes, except those for place of occurrence of external cause and activity code are used as supplementary codes rather than as additional characters. Volume 2 includes the international rules and notes for use in classifying and tabulating underlying cause-of-death data. Volume 3 is an alphabetical index containing a comprehensive list of terms for use in coding. Copies of these volumes may be purchased in hard-copy or on diskette from the following address:

WHO Publications Center 49 Sheridan Avenue Albany, New York 12210 Tel. 518-436-9686

SECTION I

Introduction

NCHS has prepared an updated version of Volume 1 and Volume 3 to be used for both underlying and multiple cause-of-death coding. The major purpose of the updated version is to provide a single published source of code assignments including terms not indexed in Volume 3 of ICD-10. NCHS has included all nonindexed terms encountered in the coding of deaths during 1979-1994, under the Ninth Revision of the International Classification of Diseases (ICD-9). With the availability of the updated Volumes 1 and 3, NCHS will discontinue publishing the Part 2e manual, <u>Nonindexed Terms, Standard Abbreviations, and State Geographic Codes Used in Mortality Data Classification</u>, which was first published in 1983. Due to copyright considerations, the updated Volumes 1 and 3 may not be reproduced for distribution outside of NCHS and State vital statistics agencies.

The basic purpose of this manual is to document concepts and instructions for coding multiple causes of death, which were developed by NCHS for use with the Eighth Revision of the ICD adapted for use in the United States (ICDA-8), and which were updated to ICD-9, and subsequently to ICD-10. The coding concepts are generally consistent with provisions of ICD-10. Thus, this manual should be used with ICD-10, Volumes 1 and 3 as updated by NCHS. The list of abbreviations used in medical terminology (Appendix A), the list of synonymous sites (Appendix B), and the list of geographic codes (Appendix C) are included in this publication.

NCHS does not use the "dagger and asterisk" system which WHO introduced in ICD-9 and continued in ICD-10. For some medical conditions, this system provides two codes, which distinguish between the etiology or underlying disease process and the manifestation or complication for selected conditions. The etiology or underlying disease codes is denoted with a dagger (†) and the manifestation or complication code by an asterisk (*) following the code. For example, Coxsackie myocarditis has a code (B33.2†) marked with a dagger in the chapter for infectious and parasitic diseases and a different code (I41.1*) marked with an asterisk in the chapter for diseases of the circulatory system. Similarly, diabetic nephropathy has a dagger code (E14.2 †) in the chapter relating to endocrine disease and an asterisk code (N08.3*) in the genitourinary system chapter. Under ICD-9, limited use was made of the asterisk codes in classifying mortality data for data years 1979-1982. Effective July 1982 the use of asterisk codes in mortality coding was discontinued and will not be used in the 10th revision for mortality coding. NCHS assigns only the dagger code to such conditions.

SECTION I

Introduction

The multiple cause-of-death codes are used as inputs to the ACME program (Automated Classification of Medical Entities) developed by NCHS to automatically select the underlying cause of death, and the TRANSAX program (Translation of Axes) used to produce multiple cause-of-death statistics, beginning with deaths occurring in 1968. As inputs, the computer programs require codes for each condition reported on the death certificate, usually in the order in which the information is recorded.

The outputs of the ACME program are the traditional underlying cause-of-death codes selected according to the selection and modification rules of the Classification, the same cause that would be selected using manual underlying cause-of-death coding instructions specified in Instruction Manual Part 2a. Thus, a single cause is associated with each decedent.

Using the same input codes, the TRANSAX program generates two sets of outputs: "entityaxis" codes that reflect the placement of each condition on the certificate for each decedent; and "record-axis" codes that, where appropriate, link two or more diagnostic conditions to form composite codes that are classifiable to a single code, according to the provisions of the Classification. Record axis codes are preferred for multiple cause tabulation to better convey the intent of the certifier, and to eliminate redundant cause-of-death information (see Instruction Manual Part 2f).

SECTION I

Introduction

Major Revisions from Previous Manuals

- 1. Corrections have been made to clarify instructions, spelling, and format throughout the manual. These changes are not specifically noted.
- 2. F100 will not be used by the US registration areas beginning in 2007. Certain terms involving alcohol, such as alcohol intoxication and intoxication NOS, will be considered as alcohol poisoning, and coded to N and E codes, T510-T519 and X45. Instructions and examples in appropriate sections throughout the manual reflect these changes.
- External category X59 has been expanded from a 3-character category to:
 X590 Exposure to unspecified factor causing fracture
 X599 Exposure to unspecified factor causing other and unspecified injury
 Examples throughout the manual have been corrected to reflect these changes.
- 4. Section II, Part A, Created Codes, added created codes for multiple intracerebral hemorrhages, multiple cerebral infarctions, multiple strokes, and sequela of each of these categories modified as "multiple".
- 5. Section II, Part A, Created Codes, deleted created code G3500 for advanced, grave, or severe multiple sclerosis.
- 6. Section II, Part L, Effect of Age of Decedent on Classification, added "neonatorum" to the list of terms meaning less than 28 days of age.
- 7. Section III, Intent of Certifier, added category #1 for coding spinal abscess as nontuberculous spinal abscess.
- 8. Section III, Intent of Certifier, added category #33 for coding alveolar hemorrhage to lung hemorrhage.
- 9. Section III, Intent of Certifier, added category #48 for coding brain damage, newborn to anoxic brain damage.
- Section IV, Part G, Ill-Defined and Unknown Causes, added the term "natural causes, cause unknown" to list of terms coded to R99. An example is also added. Deleted example with "natural causes, cause unknown" from instructions for coding Unknown cause, (R97).
- 11. Section V, Part A, External Cause Code Concept, N\E Code List, added "Abuse (child) (elder) (spousal)".

SECTION I

- 12. Section V, Part R, Complications of Medical and Surgical Care, Condition necessitating surgery, added "radical neck dissection" to list of surgical procedures to not assume a disease condition when the reason for surgery is not reported.
- 13. Appendix A, added symbols for "less than" and "greater than".

Other manuals relating to coding causes of death are:

Part 2a, NCHS Instructions for Classifying the Underlying Cause of Death, 2007

Part 2c, ICD-10 ACME Decision Tables for Classifying the Underlying Causes of Death, 2007

Part 2s, SuperMICAR Data Entry Instruction, 2007

Medical Certification

B. MEDICAL CERTIFICATION

The U. S. Standard Certificate of Death provides spaces for the certifying physician, coroner, or medical examiner to record pertinent information concerning the diseases, morbid conditions, and injuries which either resulted in or contributed to death as well as the circumstances of the accident or violence which produced any such injuries. The medical certification portion of the death certificate includes items 32-44. It is designed to obtain the opinion of the certifier as to the relationship and relative significance of the causes, which he reports.

A cause of death is the morbid condition or disease process, abnormality, injury, or poisoning leading directly or indirectly to death. The underlying cause of death is the disease or injury, which initiated the train of morbid events leading directly or indirectly to death or the circumstances of the accident or violence, which produced the fatal injury. A death often results from the combined effect of two or more conditions. These conditions may be completely unrelated, arising independently of each other or they may be causally related to each other; that is, one cause may lead to another which in turn leads to a third cause, etc.

The order in which the certifier is requested to arrange the causes of death upon the certification form facilitates the selection of the **underlying cause** when two or more causes are reported. He is requested to report in Part I on line (a) the immediate cause of death and the antecedent conditions on lines (b), (c), and (d) which gave rise to the cause reported on I(a), **the underlying cause** being <u>stated</u> lowest in the sequence of events. However, no entry is necessary on I(b), I(c), or I(d) if the immediate cause of death, stated on I(a) describes completely the sequence of events. If the decedent had more than four causally related conditions relating to death, the certifier is requested to add lines (e), (f), etc., so all conditions related to the immediate cause of death are entered in Part I with only one condition to a line.

Any other significant condition which unfavorably influenced the course of the morbid process and thus contributed to the fatal outcome but not resulting in the underlying cause given in Part I is entered in Part II.

SECTION I

Medical Certification

EXCERPT FROM U.S. STANDARD CERTIFICATE OF DEATH (Rev.11/2003)

10	CAL FILE NO.			L	J.S. STA	NDARD	CERTIFIC	ATE OF	DEATH	ł	OTA				
	1. DECEDENT'S LEGA	L NAME (Incl	ude AKA's i	f any) (First, M	liddle, Last)		2. SE	x	3. SOCIAL SE		TE FILE NO. TY NUMBER			
	4a. AGE-Last Birthday	4b. UNDER	1 VEAD	4c. UNDER	1.044			David			ed Chat	or Foreign Cou			
	(Years)	Months	Days	Section and the section of the secti		J. DAIL		orbayrri)	0. DINTI	IFLACE (City an	no State	e or Foreign Cou	ntry)		
	7a. RESIDENCE-STAT	and a main and	Days	Hours N 7b. COUNT	linutes	L		170 CIT	OR TOM	(N)					
	A. RESIDENCE-STAT			70. COUNT				10. 011	I OH TOP	and .					
	7d. STREET AND NUM	BER		1	7e. APT.	. NO.	7f. ZIP COD	E			7g.	INSIDE CITY LI	AITS?	Yes 🗆 No)
	8. EVER IN US ARMED	FORCES?		L STATUS AT				10. SUF	WIVING S	POUSE'S NAM	E (If w	ite, give name p	rior to first n	narriage)	
	□ Yes □ No □ Married, but separated □ Widowed □ Divorced □ Never Married □ Unknown														
sd By:	11. FATHER'S NAME (First, Middle, Last) 12. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last)												le, Last)		
Completed vertied	13a. INFORMANT'S NAME 13b. RELATIONSHIP TO DECEDENT 13c. MAILING ADDRESS (Street and Number, City, State, Zip Code)											de)			
BID	14. PLACE OF DEATH (Check only one; see instructions)														
BAL	IF DEATH OCCURRED IN A HOSPITAL: IF DEATH OCCURRED SMEWHERE OTHER THAN A HOSPITAL: IF DEATH OCCURRED SMEWHERE OTHER THAN A HOSPITAL: IF DEATH OCCURRED SMEWHERE OTHER THAN A HOSPITAL: IF DEATH OCCURRED IN A														
FUNE	Inpatient Emerge T5. FACILITY NAME (If						OWN, STATE			n care facility		dent's home		KITY OF DE	ATH
	18. METHOD OF DISPO				19. PL	ACE OF D	ISPOSITION	(Name of	cemetery,	crematory, othe	er place)	L		
	Other (Specify): 20. LOCATION-CITY, TOWN, AND STATE 21. NAME AND COMPLETE ADDRESS OF FUNERAL FACILITY														
	22. SIGNATURE OF FUNERAL SERVICE LICENSEE OR OTHER AGENT 23. LICENSE NUMBER (OF LICENSE NUMBER (OF LICENSE NUMBER))													Of License	
-	ITEMS 24-28 MUST BE COMPLETED BY PERSON 24. DATE PRONOUNCED DEAD (Mo/Day/Yr) 25. TIME PRON													OUNCED	
	WHO PRONOUNC				Jon					,					
	26. SIGNATURE OF PE	RSON PRON	OUNCING I	DEATH (Only)	when applic	cable)		27. LICE	NSE NUN	IBER		2	B. DATE SI	GNED (Mo/	Day/Yr)
	29. ACTUAL OR PRESU (Mo/Day/Yr) (Spell I		OF DEATH		30.	ACTUAL	OR PRESUME	D TIME C	OF DEATH		3	1. WAS MEDICA CORONER C			
		Normany										CONUMERIC	UNTAGTEL		
	32. PART I. Enter the <u>chain of events</u> -diseases, injuries, or complications-that directly caused the death. DO NOT enter terminal events such as cardiac interva arrest, respiratory arrest, or ventricular fibrillation without showing the eticlogy. DO NOT ABBREVIATE. Enter only one cause on a line. Add additional Onset												roximate rval: et to deat		
	lines if necessary.														
	IMMEDIATE CAUSE (Final disease or condition ————————————————————————————————————											_ _			
-	resulting in death)				Due to (or	as a cons	equence of):								
	Sequentially list condition if any, leading to the ca				Que to (or	as a cons	equence of):							_ -	
	listed on line a. Enter t	he			540 10 (0)	us a cons	ioquanca cij.								
	(disease or injury that				Due to (o	r as a cons	sequence of):							- -	
	initiated the events resu in death) LAST	ulting d							. L					_	
	PART II. Enter other significant conditions contributing to death but not resulting in the underlying cause given in PART I										BEORMED	12			
												0	Yes ON	b	
-												34. WERE AUT COMPLETE TH			
E	35. DID TOBACCO US TO DEATH?	E CONTRIBU		F FEMALE:	within and					37. MANNER	OF DE	атн			
CERTIFI				Not pregnant						C Natural	🗆 Ho	micide			
LCE	Yes Probabl	у		Pregnant at ti	me of deat	h				C Accident	🗆 Pe	nding Investigati	on		
DICAL	No Unknown O Not pregnant, but pregnant within 42 days of death														
MEDI	Not pregnant, but pregnant 43 days to 1 year before death														
				Unknown if p	pregnant wi	ithin the pa	ast year								
ſ	 DATE OF INJURY (Mo/Day/Yr) (Spell Mo 		E OF INJUR	RY 40	. PLACE C	OF INJURY	(e.g., Decede	ent's home	; construc	tion site; restau	irant; w	ooded area)	41.	INJURY A	
															- 140
ł	42. LOCATION OF INJU	RY: State:				City or To	own:								
	Street & Number:							А	partment I	No.:		Zip Code			
	43. DESCRIBE HOW IN	JURY OCCUP	RRED:									44. IF TRANS	ORTATION	INJURY,	SPECIFY:
												Driver/Open Passenger Pedestrian			
1	•	and the second										Other (Spec	ify)		

SECTION I

Medical Certification

LO	CAL FILE NO. 1. DECEDENT'S LEGAL NAME (Include a		ENTIFICATE OF DEATH	STATE FILE NO.	<u> </u>
	4a. AGE-Last Birthday 4b. UNDER 1 YE	AR 4. UNDER 1 DAY 5. DATE OF	BIBTH (MorDev/Col6, BIBTH	PLACE (City and State or Foreign Country)	
	(Years) Months Day				
	76. RESIDENCE STATE	75. COUNTY	76. CITY OR TOW	N .	
	7d. STREET AND NUMBER	7e. APT. NO. 7f.	ZIP CODE	7g. INSIDE CITY LIMITS?	
	O Yes O No D	MARITAL STATUS AT TIME OF DEATH Married D Married, but separated D Widow	10. SURVIVING S	POUSE'S NAME (If wife, give name prior to :	irst marriage)
:*	11. FATHER'S NAME (First, Niddlo, Last)	Divorced D Never Married D Unknown	12. MOTHER'S	NAME PRIOR TO FIRST MARRIAGE (First,	Middle, Last)
OR	13p. INFORMANT'S NAME	36. RELATIONSHIP TO DECEDENT	13c, MAILING /	ADDRESS (Street and Number, City, Stale, Zi	p Code)
To Be Completed' Verified By: FUNERAL DIRECTOR		14. PLACE OF DEATH (Check only	v one: see instructions)		
Compl	IF DEATH OCCURRED IN A HOSPITAL Dispetient D Emergency Room/Outpati- 15. FACELITY NAME (II not institution, give	IF DEATH OCC	CURRED SOMEWHERE OTH ity D Nursing home/Long tem	n care inclity D Decedent's home D Other	(Specify):
To Be	15. FACILITY NAME (If not institution, give	streel & number) 15. CITY OF TOW	N, STATE, AND ZIP CODE	17. (COUNTY OF DEATH
	18. METHOD OF DISPOSITION: Dur Donation D Entombrent D Remov	val from State	OSITION (Name of cemetery,	crematory, other place)	
	Constant (Specify): 20. LOCATION-CITY, TOWN, AND STAT	E 21. NAME AND COMPI	LETE ADDRESS OF FUNERA	NE FACILITY	
-	22. SIGNATURE OF FUNERAL SERVICE	LICENSEE OR OTHER AGENT		23. LICE	NSE NUMBER (Of Licer
in produced	ITEMS 24-28 MUST BE COMPI		EPRONOUNCED DEAD (Mol	Day/Yr)	25. TIME PRONOUNCE
	WHO PRONOUNCES OR CER 26. SIGNATURE OF PERSON PRONOUT		27. LICENSE NU	MBER 28 DA	TE SIGNED (Mo/Day/Yr
	29. ACTUAL OR PRESUMED DATE OF I	DEATH 30 ACTUALOB	PRESUMED TIME OF DEATH	1 31. WAS MEDICAL EX	AMINER OR
	(Mo/Day/Yr) (Spell Month)				CTED? I Yes I No
	 PART I. Enter the chain of events arrest, respiratory arrest, or ventricul 	CAUSE OF DEATH (See Instruction diseases, injuries, or complicationsthat directly ar libritation without showing the eticlogy. DO	y caused the death. DO NOT	enter terminal events such as cardiac ily one cause on a line. Add additional	Approximal interval: Onset to de
	lines if necessary. IMMEDIATE CAUSE (Final				
	disease or condition> c resulting in death)	Due to for as a consequ	unce of):		
	Sequentially list conditions, b If any, leading to the cause	Due to (or as a consequ	uence of):		
	listed on line a. Enter the UNDERLYING CAUSE c (disease or injury that	Due to (or as a conseq	Lence of):		
	initiated the events resulting in death) LAST d				<u></u>
	PART II. Enter other stonilicant conditions	contributing to death but not resulting in the un	idenlying cause given in PART	D Yes	SY PERFORMED? D No FINDINGS AVAILABLI
25	35. DID TOBACCO USE CONTRIBUTE	36. IF FEMALE:		COMPLETE THE CAN 37. MANNER OF DEATH	JSE OF DEATH? DY
To Be Completed By: MEDICAL CERTIFIER	TO DEATH?	 Not pregnant within past year Pregnant at time of death 	D Natural D Homicide		
Se Corr		O Not pregnant, but prognant within 42	days of death	Accident Pending Investigation Suicide Could not be determined	
		C Noi pregnant, but pregnant 43 days to			
F 2	38. DATE OF INJURY 39. TIME C	DF INJURY 40. PLACE OF INJURY (e	year .g., Decedent's home; constru	ction site; restaurant; wooded area)	41. INJURY AT WO
F 3					
F 2	(MorDay/Yr) (Spel Month)		r.		
E 3	42. LOCATION OF INJURY: State: Street & Number:	City or Town	Aparlment	No.: Zip Code:	
F3	42. LOCATION OF INJURY: State:		Aparlment	44. IF TRANSPORT Driver/Operator	ATION INJURY, SPECI
F3	42. LOCATION OF INJURY: State: Street & Number:		Aparlment	Driven/Operator Dessenger Pedestrian	ATION INJURY, SPECI
F3	42. LOCATION OF INJURY: Slate: Street & Number: 73. DESCRIBE HOW INJURY OCCURRE 45. CERTIFIER (Chack only one). D Centiving physician To the best of m	ED: Ty knowledge, death occurrad due to the cause	(5) and manner stated	□ Driver/Operator □ Passenger □ Pactestian □ Other (Specify)	ATION INJURY, SPECI
- 3	LOCATION OF INJURY: State Street & Number: A3. DESCRIBE HOW INJURY OCCURRE G. CERTIFICE (Chack only one): Medical Examiner/Ceroner-On the b	iD:	r(s) and manner stated It fire firre, data, and place, an	□ Driver/Operator □ Passencer □ Pactentian □ C Cther (Specify) d due to the cause(s) and manner stated.	
	42. LOCATION OF INJURY: State: Streat & Number: 43. DESCRIBE HOW INJURY OCCUPRE 45. CERTIFIER (Chack only one): 10 Centione physician-To the best of m Dronounding & Centione physician- 10 Medical Examiner/Concern-On the b Signature of certition:	ED: ny knowledge, death occurrad due to the cause To the bed of my knowledge, death occurrad a asis of examination, ant/or investigation, hr my	(5) and manner stated if the fine, data, and places, an r opinion, death occurred at th	□ Driver/Operator □ Passencer □ Pactentian □ C Cther (Specify) d due to the cause(s) and manner stated.	
63	LOCATION OF INJURY: State: Street & Number: A3. DESCRIBE HOW INJURY OCCURRE CERTIFIER (Chack only one): D Contlying physician: To the best of m D Pronouncing & Certifying physician D Medical Examinant/Contrar-On the b Signature of confiler	D: y knowledge, death occurrad due to the cause To the best of my knowledge, death occurrad a nails of examination, ant/or investigation, in my PF PERSON COMPLETING CAUSE OF DEAT	(6) and manner stated If the fired, data, and place, an y opinion, death occurred at th H (Item 32)	d due to the cause(s) and manner stated. e time, data, and place, and due to the cause(s) and manner stated.
63	42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRE 45. CERTIFIER (Chack only one): 10 Contrying physician - to the best of m 10 Pronouncing & Certifyren 10 Weilcal Examiner/Contrar-On the best 58 gnature of continent Contrar-On the best 68 gnature of continent Contrar-On the best 46. NALE, ADCRESS, AND ZIP CODE O 47. TITLE OF CENTIFIER 46. LICENS 48. LICENS	D: To the best of my knowledge, death occurred due to the eause To the best of my knowledge, death occurred a sais of examination, and/or investigation, in my of PERSON COMPLETING CAUSE OF DEAT SE NUMBER 49. DATE CERTI	(G) and manner stated. If the firme, data, and place, an rophrian, death occurrad at th 	d due to the cause(s) and manner stated. e time, data, and place, and due to the cause(s) and manner stated. e time, data, and place, and due to the cause(s) 50. FOR REGISTRAR ON	s) and manner stated. LY- DATE FILED (Mo/D
63	42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRE 45. CERTIFIER (Chack only one): 10 Contrying physician - to the best of m 10 Contrying physician - to the best of m 10 Control Control & Certifien - to best of m 10 Control Control & Certifien - to best of m 10 Control Control & Certifien - to best of m 10 Control Control & Certifien - to best of m 10 Control Centrifier - to best of m 10 Control Centrifier - to best of m 10 Control -	D: To the beat of my knowledge, death occurred flue to the cause To the beat of my knowledge, death occurred a lasis of examination, and/or investigation, in my PF PERSON COMPLETING CAUSE OF DEATH SE NUMBER [49. DATE CERTIN SE NUMBER [49. DATE CERTIN Se NUMBER [52. DECEDEN] OF INSPANDIO the Second of Sector Annual Cancer Charles	(c) and manner stated If the fine, data, and place, an rephtion, death occurred at th H (Item 32) FIED (MorDay/Yr) GRAY Chack the box decement is the TWC tox it	Chiver/Operator Dissencer Chier (Specify) d due to the cause(c) and manner stated. e time, data, and place, and due to the cause(c) 60. FOR REGISTRAR ON 50. FOR REGISTRAR ON 53. DECEDENT'S RACE (Chack on an are decedent considered himself or herself	s) and manner stated. LY- DATE FILED (Me/C re races 15 indicate wis
	42. LOCATION OF INJURY: State: Streat & Number: 43. DESCRIBE HOW INJURY OCCURRE 45. CERTIFIER (Chack only one): 10 Dentying prysician : to be best of m 10 Dentying a constraint of the best of m 10 Dentying a constraint of the best of the b	ID: y knowledge, death occurred due to the cause To the best of my knowledge, death occurred a asis of examination, anctor investigation, in my FPERSON COMPLETING GAUSE OF DEATH SE NUMBER [9. DATE CERTIF 4. DATE CERTIF	(c) and manner stated If the fine, data, and place, an rephtion, death occurred at th H (Item 32) FIED (MorDay/Yr) GMY Chark the box decement is the TwC tox it	Chiver.Operator Passenger Chier (Specify) d due to the cause(s) and manner stated. If me, data, and place, and due to the cause(s) S0. FOR REGISTRAR ON S3. DECEDENT'S RACE (Chack one or mo decedent considered himself or herself	s) and manner stated. LY- DATE FILED (Me/C re races 15 indicate wis
	42. LOCATION OF INJURY: State: Streat & Number: 43. DESCRIBE HOW INJURY OCCURRE 45. CERTIFIER (Chack only one): 11 Centrying physician: To the best of m 11 Centrying physician: To the best of the best of m 11 Centrying physician: To the best of m 11 Centrying physician: To the best of the	D: To the best of my knowledge, death occurred asis of examination, and/or investigation, in my FPERSON COMPLETING CAUSE OF DEAT SE NUMBER abox [82, DECEDENT OF NISPANIC CRI hel best decorbse workhor the Spenie/Nispanic/Latino. Check decodon is not Spenish/Hispanic/Latino.	(g) and manner stated it he fire, data, and place, an ropinion, death occurred at th H (Item 32) FIED (Mor/Day/Yr) GNV Check the box decodord is the "No" box it Statine.	Convertigerator Dessenger Decession Convertigerator Decession Convertigerator Converted on principala Information	s) and manner stated. LY- DATE FILED (Me/C re races 15 indicate wis
erection of the second s	42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRE 45. CERTIFIER (Clasck only one): 11 Carthyng physician: To the best of m 11 Carthyng physician: To the best of m 12 Control & Certifier 12 Medical Examiner/Contron-On the best 51 gnature of certifier 46. NAME, ADDRESS, AND ZIP CODE O 47. TITLE OF CERTIFIER 48. LICENS 51. DECDENT'S EQUCATION Check in mat best decimates in highert degree of best 51. DECDENT'S EQUCATION Check in 12 Bit grade or less 19 - 12 high action of bioma 11 High school graduate or GED complete 51. Second in the of the or or deployment 12 Bit grade or less 10 Second actions 11 High school graduate or GED complete 12 Second Intercord the targe degree of the complete 12 Second the complete of the complete 13 Second Intercord the targe degree of the complete 14 Second the complete of the complete 14 Second the complete of the complete 14 Second the complete 15 Second the complete 1	b)	(g) and manner stated it he fire, data, and place, an ropinion, death occurred at th H (Item 32) FIED (Mor/Day/Yr) GNV Check the box decodord is the "No" box it Statine.	Chiver/Operator Passenger Cate to the cause(s) and manner statest clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and the clime, and the c	s) and manner stated. LY- DATE FILED (Me/C re races 15 indicate wis
erection of the second s	42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRE 45. CERTIFIER (Clasck only one): 11 Carthyng physician: To the best of m 11 Carthyng physician: To the best of m 12 Control & Certifier 12 Medical Examiner/Contron-On the best 51 gnature of certifier 46. NAME, ADDRESS, AND ZIP CODE O 47. TITLE OF CERTIFIER 48. LICENS 51. DECDENT'S EQUCATION Check in mat best decimates in highert degree of best 51. DECDENT'S EQUCATION Check in 12 Bit grade or less 19 - 12 high action of bioma 11 High school graduate or GED complete 51. Second in the of the or or deployment 12 Bit grade or less 10 Second actions 11 High school graduate or GED complete 12 Second Intercord the targe degree of the complete 12 Second the complete of the complete 13 Second Intercord the targe degree of the complete 14 Second the complete of the complete 14 Second the complete of the complete 14 Second the complete 15 Second the complete 1	D: To the best of my knowledge, death occurred asis of examination, and/or investigation, in my FPERSON COMPLETING CAUSE OF DEAT SE NUMBER abox [82, DECEDENT OF NISPANIC CRI hel best decorbse workhor the Spenie/Nispanic/Latino. Check decodon is not Spenish/Hispanic/Latino.	(g) and manner stated it he fire, data, and place, an ropinion, death occurred at th H (Item 32) FIED (Mor/Day/Yr) GNV Check the box decodord is the "No" box it Statine.	Chiver/Operator Passenger Cate to the cause(s) and manner statest clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and due to the cause(clime, data, and place, and the clime, and the c	s) and manner stated. LY- DATE FILED (Me/C re races 15 indicate wis
erection of the second s	42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRE 45. CERTIFIEN (Clusck only one). 11 Canthyng physician - Die best of m Dronoundig & Certiyng physician U detical Examiner/Ceroner-On the b Signature of destifien	b)	(G) and manner stated if the fire, data, and place, an repinten, death occurred at the H (Item 92) FIED (Mo/Day/Yr) GRIV Chack the box decodent is the "No" box II Sulatino.	Chreat Construction of the cause (c) Cher (Suecify) due to the cause (c) and manner stated. e time, data, and place, and due to the cause (c) for the cause (c) and manner stated. for the cause (c) and manner stated (c) and mann	s) and manner stated. LY- DATE FILED (Me/C re races 15 indicate wis
	42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRE 45. CERTIFIER (Clasck only one): 11 Carthyng physician: To the best of m 11 Carthyng physician: To the best of m 12 Control & Certifier 12 Medical Examiner/Contron-On the best 51 gnature of certifier 46. NAME, ADDRESS, AND ZIP CODE O 47. TITLE OF CERTIFIER 48. LICENS 51. DECDENT'S EQUCATION Check in mat best decimates in highert degree of best 51. DECDENT'S EQUCATION Check in 12 Bit grade or less 19 - 12 high action of bioma 11 High school graduate or GED complete 51. Second in the of the or or deployment 12 Bit grade or less 10 Second actions 11 High school graduate or GED complete 12 Second Intercord the targe degree of the complete 12 Second the complete of the complete 13 Second Intercord the targe degree of the complete 14 Second the complete of the complete 14 Second the complete of the complete 14 Second the complete 15 Second the complete 1	b)	(G) and manner stated if the fire, data, and place, an repinten, death occurred at the H (Item 92) FIED (Mo/Day/Yr) GRIV Chack the box decodent is the "No" box II Sulatino.	Chiver.Operator Diver.Operator Diver.O	s) and manner stated. LY- DATE FILED (Me/C re races 15 indicate wis

SECTION I

Medical Certification

In the following example, there are three causes reported. On line I(c) the underlying cause is entered—congenital heart disease. Congenital heart disease gave rise to congestive heart failure (line I(b)) which in turn led to a myocardial infarction (line I(a)) -- the immediate cause of death.

- I (a) Myocardial infarction
 - (b) Congestive heart failure
 - (c) Congenital heart disease
- (d)

Π

As demonstrated by the following example, the certifier may not always list one cause per line:

- I (a) Myocardial infarction and pulmonary embolism with congestive heart failure
 - (b) (c) (d)
- Π

Likewise, the causes may not be reported in an acceptable sequence. In the following example, cancer is reported as due to diabetes.

I (a) Cancer (b) Diabetes (c) (d) II

To date, the causes of the majority of cancers are still unknown so the causal relationship tables stored in the NCHS computers preclude the assumption that diabetes caused the cancer. Cancer is selected as the underlying cause of death from this certification for statistical purposes. However, the selection of the underlying cause of death is not relevant for this manual. For coding purposes, the order and position of each cause of death reported on the death certificate must be interpreted accurately so the computer software can then determine the correct underlying cause of death.

SECTION I

Medical Certification

There is an average of three causes listed per certificate. Approximately 20 percent have only one cause of death and 45 percent have three or more causes. Frequently, a cause will be reported on I(a) in Part I and a cause in Part II with no other reported causes. For other records, several causes may all be reported on a single line of the certificate or they may be entered on several lines in Part I. Rarely, the only cause(s) reported may be in Part II. Representative examples follow.

- I (a) Pneumonia
 - (b)
 - (c)
 - (d)
- II Diabetes
- I (a) Cancer
 - (b)
 - (c) (d)
- II
- I (a)
 - (b)
 - (c)
 - (d)
- II Diabetes

I (a)

(b) Acute myocardial infarction

(c)

- II Renal disease
- I (a) AMI, renal disease, pulmonary embolism

Part A

A. Introduction

Code all information reported in the medical certification section of the death certificate and any other information pertaining to the medical certification, when reported elsewhere on the certificate. In Volumes 1 and 3 of ICD-10, the fourth-character subcategories of three-character categories are preceded by a decimal point. For coding purposes, omit the decimal point.

Enter codes in the same order and location as the entries they represent appear on the death certificate. Enter the codes for entries in Part II in the order the entries are reported, proceeding from the entry reported uppermost in Part II downward and from the left to right. If the uppermost line in Part II is an obvious continuation of a line below, enter the codes accordingly.

For instructions on placement of codes when the certifier states or implies a "due to" relationship between conditions not reported in sequential order, refer to Section II, Part C, <u>Format</u>. For instructions on placement of nature of injury (N-code) and external cause codes (E-codes), refer to Section V, Part B, <u>Placement of Nature of Injury and External Cause Codes</u>.

When an identical code applies to more than one condition reported on the same line, enter the code for the first-mentioned of these conditions only. When conditions classifiable to the same code are reported on different lines of the certificate, enter the code for each of the reported conditions. (This does not apply to external cause of morbidity and mortality (E-codes)).

1. Excessive Codes

- a. When a single line in Part I or Part II requires more than eight codes, delete the excessive codes (any over eight) for the line using the following criteria in the order listed:
 - Delete ill-defined conditions (I469, I959, I99, J960, J969, P285, R00-R94, R96, R98) except when this code is the first code on a line, proceeding right to left.
 - (2) Delete nature of injury codes (S000-T983) except for the first one entered on a line, proceeding right to left.
 - (3) If, after applying the preceding criteria, any single line still has more than eight codes, delete beginning with the last code on the line until only 8 remain.

Introduction

I (a) I460 (b) I219 I739 (c) (d)
II &E109 I739 T811 &Y835 R18 R33 N19 C475 N359 I490 I493 J181
After deleting excessive codes: I (a) I460 (b) I219 I739 (c) (d) II &E109 I739 T811 &Y835 N19 C475 N359 I490
$\prod_{i=1}^{n} \alpha \prod_{i=1}^{n} (i) \prod_{i=1}^{n} \alpha \prod_{i=1}^{n} (i) $
Delete (1) R33, (2) R18, (3) J181 and (4) I493

- b. When a single record requires more than 14 codes, delete the excessive codes using the following criteria in the order listed:
 - Delete ill-defined conditions (I469, I959, I99, J960, J969, P285, R00 R94, R96, R98) except when this code is the first code on a line, beginning with the last code in Part II, proceeding right to left then upward right to left on each line (Part II, line e, line d, line c, line b, line a).
 - (2) Delete nature of injury codes (S000-T983) except for the first one entered on a line beginning with the last code in Part II, proceeding right to left then upward right to left on each line (Part II, line e, line d, line c, line b, line a).
 - (3) Delete repetitive codes except when it is the first code on a line beginning with the last code in Part II, proceeding right to left then upward right to left on each line (Part II, line e, line d, line c, line b, line a).
 - (4) If after applying the preceding criteria, any record still has more than 14 codes, delete beginning with the last code in Part II, proceeding upward right to left on each line (Part II, line e, line d, line c, line b, line a).

I	(a)	C80	I460	R57()			
	(b)	R098	R53					
	(c)	R54	F09	F03				
	(d)	I709	I635					
Π	I11	9 C473	R200	I258	I251	D539	R798	I635

Part A

After deleting excessive codes:

Ι	(a)	C80	I460				
	(b)	R098					
	(c)	R54	F09	F0	3		
	(d)	I709	I635				
Π	I119	9 C47	3 I2	58	I251	D539	I635

Delete (1) R798, (2) R200, (3) R53 and (4) R570

2. <u>Created Codes</u>

To facilitate automated data processing, the following ICD-10 codes have been amended for use in coding and processing the multiple cause data. Special five character subcategories are for use in coding and processing the multiple cause data; however, they will not appear in official tabulations.

A169	Respiratory tuberculosis, unspecified Excludes: Any term indexed to A169 not qualified as respiratory or pulmonary (A1690)					
	*A1690 Tuberculosis NOS					
	Includes: Any term indexed to A169 not qualified as respiratory or pulmonary					
E039	Hypothyroidism, unspecified					
	Excludes: Any term indexed to E039 qualified as advanced, grave, severe, or with a similar qualifier (E0390)					
	*E0390 Advanced hypothyroidism					
	Grave hypothyroidism					
	Severe hypothyroidism					
	Includes: Any term indexed to E039 qualified as advanced, grave, severe, or with a similar qualifier					
G122	Motor neuron disease					
	Excludes: Any term indexed to G122 qualified as advanced, grave, severe, or wi					

Excludes: Any term indexed to G122 qualified as advanced, grave, severe, or with a similar qualifier (G1220)

- *G1220 Advanced motor neuron disease Grave motor neuron disease Severe motor neuron disease
 - **Includes:** Any term indexed to G122 qualified as advanced, grave, severe, or with a similar qualifier

G20	 Parkinson's disease Excludes: Any term indexed to G20 qualified as advanced, grave, severe, or with a similar qualifier (G2000) *G2000 Advanced Parkinson's disease Grave Parkinson's disease Severe Parkinson's disease Includes: Any term indexed to G20 qualified as advanced, grave, severe, or with a similar qualifier
G309	 Alzheimer's disease, unspecified Excludes: Any term indexed to G309 qualified as advanced, grave, severe, or with a similar qualifier (G3090) *G3090 Advanced Alzheimer's disease Grave Alzheimer's disease Severe Alzheimer's disease Includes: Any term indexed to G309 qualified as advanced, grave, severe, or with a similar qualifier
I420	Dilated cardiomyopathy Excludes: Any term indexed to I420 qualified as familial, idiopathic, or primary (I4200) *I4200 Familial dilated cardiomyopathy Idiopathic dilated cardiomyopathy Primary dilated cardiomyopathy Includes: Any term indexed to I420 qualified as familial, idiopathic, or primary
I421	 Obstructive hypertrophic cardiomyopathy Excludes: Any term indexed to I421 qualified as familial, idiopathic, or primary (I4210) *I4210 Familial obstructive hypertrophic cardiomyopathy Idiopathic obstructive hypertrophic cardiomyopathy Primary obstructive hypertrophic cardiomyopathy Includes: Any term indexed to I421 qualified as familial, idiopathic, or primary
I422	Other hypertrophic cardiomyopathy Excludes: Any term indexed to I422 qualified as familial, idiopathic, or primary (I4220) *I4220 Familial other hypertrophic cardiomyopathy Idiopathic other hypertrophic cardiomyopathy Primary other hypertrophic cardiomyopathy Includes: Any term indexed to I422 qualified as familial, idiopathic, or primary

1425		 ictive cardiomyopathy Any term indexed to I425 qualified as familial, idiopathic, or primary (I4250) Familial other restrictive cardiomyopathy Idiopathic other restrictive cardiomyopathy Primary other restrictive cardiomyopathy Includes: Any term indexed to I425 qualified as familial, idiopathic, or primary
I428		 any term indexed to I428 qualified as familial, idiopathic, or primary (I4280) Familial other cardiomyopathies Idiopathic other cardiomyopathies Primary other cardiomyopathies Includes: Any term indexed to I428 qualified as familial, idiopathic, or primary
I429	•	 pathy, unspecified Any term indexed to I429 qualified as familial, idiopathic, or primary (I4290) Familial cardiomyopathy Idiopathic cardiomyopathy Primary cardiomyopathy Includes: Any term indexed to I429 qualified as familial, idiopathic, or primary
1500	•	 heart failure Any term indexed to I500 qualified as advanced, grave, severe, or with a similar qualifier (I5000) Advanced congestive heart failure Grave congestive heart failure Severe congestive heart failure Includes: Any term indexed to I500 qualified as advanced, grave, severe, or with a similar qualifier

Part A

Introduction

I514	Myocarditis, unspecified					
	Excludes:	Any term indexed to I514				
		qualified as arteriosclerotic (I5140)				
	*I5140	Arteriosclerotic myocarditis				
		Includes: Any term indexed to I514 qualified				
		as arteriosclerotic				
I515	Myocardia	l degeneration				
	•	Any term indexed to I515				
		qualified as arteriosclerotic (I5150)				
	*I5150	Arteriosclerotic myocardial degeneration				
		Includes: Any term indexed to I515 qualified				
		as arteriosclerotic				
I600	Subarachn	oid hemorrhage from carotid siphon and bifurcation				
1000		Ruptured carotid aneurysm (into brain) (I6000)				
	*I6000	Ruptured carotid aneurysm (into brain)				
I606		oid hemorrhage from other intracranial arteries				
		Ruptured aneurysm (congenital) circle of Willis (I6060)				
	*I6060	Ruptured aneurysm (congenital) circle of Willis				
I607	Subarachne	oid hemorrhage from intracranial artery, unspecified				
	Excludes:	Ruptured berry aneurysm (congenital) brain (I6070)				
		Ruptured miliary aneurysm (I6070)				
	*I6070	Ruptured berry aneurysm (congenital) brain				
		Ruptured miliary aneurysm				
I608	Other suba	rachnoid hemorrhage				
		Ruptured aneurysm brain meninges (I6080)				
		Ruptured arteriovenous aneurysm (congenital) brain (I6080)				
		Ruptured (congenital) arteriovenous aneurysm cavernous sinus (I6080)				
	*I6080	Ruptured aneurysm brain meninges				
		Ruptured arteriovenous aneurysm (congenital) brain				
		Ruptured (congenital) arteriovenous aneurysm cavernous sinus				
I609	Subarachn	oid hemorrhage, unspecified				
		Ruptured arteriosclerotic cerebral aneurysm (I6090)				
		Ruptured (congenital) cerebral aneurysm NOS (I6090)				
		Ruptured mycotic aneurysm brain (I6090)				
	*I6090	Ruptured arteriosclerotic cerebral aneurysm				
		Ruptured (congenital) cerebral aneurysm NOS				
		Ruptured mycotic aneurysm brain				

Part A		Introduction
I610	Intracerebral hemorrhage in hemisphere, subcortical Excludes: Any term indexed to I610 qualified as multiple (I6100) *I6100 Multiple intracerebral hemorrhages in hemisphere, subcortical Includes: Any term indexed to I610 qualified as multiple	
I611	 Intracerebral hemorrhage in hemisphere, cortical Excludes: Any term indexed to I611 qualified as multiple (I6110) *I6110 Multiple intracerebral hemorrhages in hemisphere, cortical Includes: Any term indexed to I611 qualified as multiple 	
I612	 Intracerebral hemorrhage in hemisphere, unspecified Excludes: Any term indexed to I612 qualified as multiple (I6120) *I6120 Multiple intracerebral hemorrhages, unspecified Includes: Any term indexed to I612 qualified as multiple 	
I613	 Intracerebral hemorrhage in brain stem Excludes: Any term indexed to I613 qualified as Multiple (I6130) *I6130 Multiple intracerebral hemorrhages in brain stem Includes: Any term indexed to I613 qualified as multiple 	
I614	 Intracerebral hemorrhage in cerebellum Excludes: Any term indexed to I614 qualified as multiple (I6140) *I6140 Multiple intracerebral hemorrhages in cerebellum Includes: Any term indexed to I614 qualified as multiple 	
I615	 Intracerebral hemorrhage, intraventricular Excludes: Any term indexed to I615 qualified as multiple (I6150) *I6150 Multiple intracerebral hemorrhages, intraventricular Includes: Any term indexed to I615 qualified as multiple 	

Part A

Introduction

I618	Other intra	cerebral hemorrhage	
	Excludes:	Any term indexed to I618 qualified as multiple (I6180)	
	*I6180	Multiple other intracerebral hemorrhages	
	10100	Includes: Any term indexed to I618 qualified	
		as multiple	
I619	Intracerebra	al hemorrhage, unspecified	
		Any term indexed to I619 qualified as	
		multiple (I6190)	
	*I6190	Multiple intracerebral hemorrhages, unspecified	
		Includes: Any term indexed to I619 qualified	
		as multiple	
I630		farction due to thrombosis of precerebral arteries	
	Excludes:	Any term indexed to I630 qualified as	
	*16200	multiple (I6300)	
	*I6300	Cerebral infarction due to multiple thrombi of precerebral arteries	
		Includes: Any term indexed to I630 qualified	
		as multiple	
		as multiple	
I631	Cerebral infarction due to embolism of precerebral arteries		
		Any term indexed to I631 qualified as	
		multiple (I6310)	
	*I6310	Cerebral infarction due to multiple emboli of precerebral	
		arteries	
		Includes: Any term indexed to I631 qualified	
		as multiple	
1600	C 1 1 .		
I632		farction due to unspecified occlusion or stenosis of	
	precerebral	Any term indexed to I632 qualified as	
	Excludes.	multiple (I6320)	
	*I6320	Cerebral infarction due to multiple unspecified occlusions	
	10320	or stenosis of precerebral arteries	
		Includes: Any term indexed to I632 qualified	
		as multiple	
		*	
I633	Cerebral in	farction due to thrombosis of cerebral arteries	
	Excludes:	Any term indexed to I633 qualified as	
		multiple (I6330)	
	*I6330	Cerebral infarction due to multiple thrombi	
		of cerebral arteries	
		Includes: Any term indexed to I633 qualified as multiple.	

General Instructions

Part A	

I634		 farction due to embolism of cerebral arteries Any term indexed to I634 qualified as multiple (I6340) Cerebral infarction due to multiple emboli of cerebral arteries Includes: Any term indexed to I634 qualified as multiple 		
I635	Excludes:	farction due to unspecified occlusion or stenosis of cerebral arteries Any term indexed to I635 qualified as multiple (I6350)		
	*I6350	Cerebral infarction due to multiple unspecified occlusions or stenosis of cerebral arteries		
		Includes: Any term indexed to I635 qualified as multiple		
I636		farction due to cerebral venous thrombosis, nonpyogenic Any term indexed to I636 qualified as multiple (I6360)		
	*I6360	Cerebral infarction due to multiple cerebral venous thrombi, nonpyogenic Includes: Any term indexed to I636 qualified as multiple		
I638	Other cerel	oral infarction		
1000		Any term indexed to I638 qualified as multiple (I6380)		
	*I6380	Multiple other cerebral infarctions		
		Includes: Any term indexed to I638 qualified as multiple		
I639	Cerebral infarction, unspecified			
	Excludes:	Any term indexed to I639 qualified as multiple (I6390)		
	*I6390	Multiple cerebral infarctions, unspecified		
		Includes: Any term indexed to I639 qualified as multiple		
I64	Stroke, not	specified as hemorrhage or infarction		
	Excludes:	Any term indexed to I64 qualified as multiple (I6400)		
	*I6400	Multiple strokes, not specified as hemorrhage or infarction Includes: Any term indexed to I64 qualified		
		as multiple		

I691	Sequelae of intracerebral hemorrhage Excludes: Any term indexed to I691 qualified as multiple (I6910)
	*I6910 Sequela of multiple intracerebral hemorrhages Includes: Any term indexed to I691 qualified as multiple
I693	Sequelae of cerebral infarction Excludes: Any term indexed to I693 qualified as multiple (I6930)
	*I6930 Sequela of multiple cerebral infarctions Includes: Any term indexed to I693 qualified as multiple
I694	Sequelae of stroke, not specified as hemorrhage or infarction Excludes: Any term indexed to I694 qualified as multiple (I6940)
	*I6940 Sequela of multiple strokes, not specified as hemorrhage or infarction Includes: Any term indexed to I694 qualified
	as multiple
J101	Influenza with other respiratory manifestations, influenza virus identified Excludes: Influenza, flu, grippe (viral), influenza virus identified (without specified manifestations) (J1010)
	*J1010 Influenza, flu, grippe (viral), influenza virus identified (without specified manifestations)
J111	Influenza with other respiratory manifestations, virus not identified Excludes: Influenza, flu, grippe (viral), influenza virus not identified (without specified manifestations) (J1110)
	*J1110 Influenza, flu, grippe (viral), influenza virus not identified (without specified manifestations)
J841	Other interstitial pulmonary diseases with fibrosis Excludes: Chronic pneumonia, not elsewhere classified (J8410) *J8410 Chronic pneumonia, not elsewhere classified
J849	Interstitial pulmonary disease, unspecified Excludes: Interstitial pneumonia, not elsewhere classified (J8490) *J8490 Interstitial pneumonia, not elsewhere classified

General Instructions

J984	Other disorders of lung		
	Excludes:	Lung disease (acute) (chronic) NOS (J9840)	
	*J9840	Lung disease (acute) (chronic) NOS	
K319		stomach and duodenum, unspecified	
	Excludes:	Disease, stomach NOS (K3190)	
		Lesion, stomach NOS (K3190)	
	*K3190	Disease, stomach NOS	
		Lesion, stomach NOS	
V550		ular disandars of intersting	
K550		ular disorders of intestine	
	Excludes:	Any term indexed to K550 qualified as embolic (K5500)	
	*K5500	Acute embolic vascular disorders of intestine	
		Includes: Any term indexed to K550 qualified	
		as embolic	
K631	Darforation	of intesting (nontroumstic)	
K 031	Perforation of intestine (nontraumatic)		
	Excludes:	Intestinal penetration, unspecified part (K6310)	
		Intestinal perforation, unspecified part (K6310) Intestinal rupture, unspecified part (K6310)	
	*K6310	Intestinal penetration, unspecified part	
	*K0310		
		Intestinal perforation, unspecified part	
		Intestinal rupture, unspecified part	
K720	Acute and subacute hepatic failure		
		Acute hepatic failure (K7200)	
	*K7200	Acute hepatic failure	
K721	Chronic hepatic failure		
	Excludes:	Chronic hepatic failure (K7210)	
	*K7210	Chronic hepatic failure	
K729	Hepatic failure, unspecified		
	Excludes:	Hepatic failure (K7290)	
	*K7290	Hepatic failure	
	$\mathbf{x}_1 \mathbf{z}_2 0$		

M199	Arthrosis, unspecified		
	Excludes:	Any term indexed to M199 qualified as advanced, grave, severe,	
		or with a similar qualifier (M1990)	
	*M1990	Advanced arthrosis	
		Grave arthrosis	
		Severe arthrosis	
		Includes: Any term indexed to M199 qualified as advanced, grave, severe, or with a similar qualifier	
Q278	Other spec	ified congenital malformations of peripheral vascular system	
X =70	1	Congenital aneurysm (peripheral) (Q2780)	
	*Q2780	Congenital aneurysm (peripheral)	
Q282	Arterioven	ous malformation of cerebral vessels	
	Excludes:	Congenital arteriovenous cerebral aneurysm (nonruptured) (Q2820)	
	*Q2820	Congenital arteriovenous cerebral aneurysm (nonruptured)	
0000	0.1 10		
Q283		formations of cerebral vessels	
		Congenital cerebral aneurysm (nonruptured) (Q2830)	
	*Q2830	Congenital cerebral aneurysm (nonruptured)	
R58	Hemorrhad	e, not elsewhere classified	
K 50		Hemorrhage of unspecified site (R5800)	
	*R5800	Hemorrhage of unspecified site	
	10000		
R99	Other ill-de	efined and unspecified causes of mortality	
		Cause unknown (R97)	
	*R97	Cause unknown	

Part A

3. "Dagger and asterisk" codes

ICD-10 provides for the classification of certain diagnostic statements according to two different axes-etiology or underlying disease process and manifestation or complication. Thus, there are two codes for diagnostic statements subject to dual classification. The etiology or underlying disease codes are marked with a dagger (†) and the manifestations or complication codes are marked with an asterisk (*) following the code. The terms classified to codes with an asterisk are to be coded to the dagger code for the term only. These codes will not appear in official tabulations on multiple cause data.

I (a) Salmonella meningitis A022

Use only the dagger code for multiple cause-of-death coding.

Do not use the following ICD-10 codes for multiple cause coding:

D63*	H03*	I68*	M36*
D77*	H06*	I79*	M49*
E35*	H13*	I98*	M63*
E90*	H19*	J17*	M68*
F00*	H22*	J91*	M73*
F02*	H28*	J99*	M82*
G01*	H32*	K23*	M90*
G02*	H36*	K67*	N08*
G05*	H42*	K77*	N16*
G07*	H45*	K87*	N22*
G13*	H48*	K93*	N29*
G22*	H58*	L14*	N33*
G26*	H62*	L45*	N37*
G32*	H67*	L54*	N51*
G46*	H75*	L62*	N74*
G53*	H82*	L86*	P75*
G55*	H94*	L99*	
G59*	I32*	M01*	
G63*	I39*	M03*	
G73*	I41*	M07*	
G94*	I43*	M09*	
G99*	I52*	M14*	

Part B

B. General coding concept

The coding of cause-of-death information for the ACME system consists of the assignment of the most appropriate ICD-10 code(s) for each diagnostic entity that is reported on the death certificate. In order to arrive at the appropriate code for a diagnostic entity, code each entity separately. Do not apply provisions in ICD-10 for linking two or more diagnostic terms to form a composite diagnosis classifiable to a single ICD-10 code.

	I (a) Cholecystitis with cholelithiasis	K819	K802
	<u>Code</u> each entity separately even though the Index has provided combination code for cholecystitis with cholelithiasis.	l for a	
	I (a) Malignant neoplasm of colon with rectum	C189	C20
	<u>Code</u> malignant neoplasm of colon and malignant neoplasm of rectum separately even though the Index has provided for a combination code for malignant neoplasm of colon with rectum.		
<u>Place</u> 9	I (a) Injury of intra-abdominal and intrathoracic organs II	S369 &X599	S279

<u>Code</u> injury of each site separately even though the Index has provided for a combination code for intra-abdominal and intrathoracic injury.

1. Definitions and types of diagnostic entities

A diagnostic entity is a single term or a composite term, comprised of one word or of two or more adjoining words, that is used to describe a disease, nature of injury, or other morbid condition. In this manual diagnostic entity and diagnostic term are used interchangeably. A diagnostic entity may indicate the existence of a condition classifiable to a single ICD-10 category or it may contain elements of information that are classifiable to different ICD-10 categories. For coding purposes, it is necessary to distinguish between two different kinds of diagnostic entities – a "one-term entity," and a "multiple one-term entity."

a. One-term entity

(1) A one-term entity is a diagnostic entity that is classifiable to a single ICD-10 code.

Ι	(a) Pneumonia	J189
	(b) Arteriosclerosis	I709
	(c) Emphysema	J439

These terms are codable one-term entities.

General Instructions

Part B		General Coding Concept		
	I (a) Allergic vasculi	tis D690		
	This condition is indexe	This condition is indexed as one-term entity under "vasculitis."		
	I (a) Cerebral arterios	sclerosis I672		
	This condition is indexe	ed as one-term entity.		
	(2) A diagnostic term that contains one of the following adjectival mo indicates the condition modified has undergone certain changes an considered to be a one-term entity.			
	For code assignment, ap (a) If the modifier and I (a) Embolic <u>Code</u> Nephritis, under nephritis.	embolic. The adjectival modifier "embolic" is indexed ot indexed under the lead term, but "specified" is, ecified (usually .8).		
		<u>Code</u> Cystitis, specified NEC. The adjectival modifier "obstructive" is not indexed under cystitis.		
	not muczed und			

Part B

- (c) If neither the modifier nor "specified" is indexed under the lead term, refer to Volume 1 under the NOS code for the lead term and look for a specified 4th character subcategory.
 - I (a) Hemorrhagic cardiomyopathy I428

<u>Code</u> hemorrhagic cardiomyopathy to I428, Other cardiomyopathies. "Hemorrhagic" is not indexed under cardiomyopathy, neither is Cardiomyopathy, specified NEC indexed. The Classification does provide a code, I428, for "Other cardiomyopathies" in Volume 1.

(d) If neither (a), (b), or (c) apply, code the lead term without the modifier.

I (a) Adenomatous bronchiectasis J47

"Adenomatous" is not an index term qualifying bronchiectasis. Code bronchiectasis only, since there is no provision in the Classification for coding "other bronchiectasis."

b. <u>Multiple one-term entity</u>

A multiple one-term entity is a diagnostic entity consisting of two or more contiguous words on a line for which the Classification does not provide a single code for the entire entity but does provide a single code for each of the components of the diagnostic entity. Consider as a multiple one-term entity if each of the components can be considered as separate one-term entities, i.e., they can stand alone as separate diagnosis. Code each component of the multiple one-term entity as indexed and on the same line where reported.

Ι	(a)	Myocardial infarction	I219	
	(b)	Uremic acidosis	N19	E872
	(c)	Chronic nephritis	N039	

"Uremic acidosis" is not indexed as a one-term entity. Code "uremia" and "acidosis" as separate one-term entities, each of which can stand alone as a diagnosis.

Ι	(a)	Uremia	N19	
	(b)	Diabetic heart disease	E149	I519
	(c)			

"Diabetic heart disease" is not indexed as a one-term entity. Code "diabetic" and "heart disease" as separate one-term entities, each of which can stand alone as a diagnosis.

General Instructions

Part B		Genera	l Coding	Concept
	I (a) Senile cardiovascular disease, MI (b) (c)	R54	I516 I2	19
		Senile cardiovascular disease." is not indexed as a one-term entity. Code enile" and "cardiovascular disease" as separate one-term entities each of which n stand alone as a diagnosis.		
	Exception:			
	When any condition classifiable to I20-I25, except I250 "hypertensive," code to I20-I25 or I60-I69 only .	, or 160-169	9 is qualifi	ed as
	I (a) Hypertensive arteriosclerotic cerebrovascular disease	I672		
	I (a) Hypertensive myocardial ischemia	I259		
	(1) Code an adjective reported at the end of a diagnostic entity as if it preceded the entity. This applies whether reported in Part I or II.			
	I (a) Arteriosclerosis, hypertensive (b) (c)	I10	1709	
	The complete term is not indexed as a one-term entity. "Hypertensive" is an adjectival modifier; code as if it preceded the arteriosclerosis.			ve" is an
	I (a) MI (b)	I219		
	(c) II Coronary occlusion, arteriosclerotic	I709	I219	

"Coronary occlusion, arteriosclerotic" is not indexed as a one-term entity. Arteriosclerotic is an adjectival modifier; code as if it preceded the coronary occlusion.

Part B

	(2) When a multiple one-term entity indicates a condition involving different sites or systems for which the Classification provides different codes, code the condition of each site or system separately. Where there is provision for codin the condition of one or more but not all of the sites or systems, code the conditions of the site(s) or system(s) that are indexed. Disregard the site(s) or system(s) for which the Classification does not provide a code.			es, code the ovision for coding s, code the ard the site(s) or		
		Ι	(a)	Cardiac, respiratory, hepatic, renal failure	I509 .	I969 K7290 N19
 <u>Code</u> each site separately since the Classificate for each site. I (a) Cerebro-hepatic failure "Hepatic failure" is the only term indexed. Do failure." I (a) Cardiopulmonary dysfunction (b) 				rovides	a different code	
			Cerebro-hepatic failure	K7290		
				enter a	code for "cerebral	
			Cardiopulmonary dysfunction	I518		
				ac dysfunction" is the only term indexed. Do onary dysfunction."	o not en	ter a code for
c.	Adj	ectiva	al mo	difier reported with multiple conditions		
(1) If an adjectival modifier is reported with more than on only the first condition.			e condi	tion, modify		
		Ι	(a)	Arteriosclerotic cardiomyopathy and nephritis	I251	N059
		Ι	(a)	Diabetic coma and gangrene	E140	R02
	(2)		•	ctival modifier is reported with one condition modify all sites.	and me	ore than one site is
		Ι	(a)	Diabetic gangrene of hands and feet	E145	
		Ι	(a)	Arteriosclerotic cardiovascular and cerebrovascular disease	I250	I672

General Instructions

Part B	General Coding Concept
(3) When an adjectival modifier precedes two differe reported with a connecting term, modify only the	
I (a) Arteriosclerotic cardiovascular disease and cerebrovascular disease	I250 I679
2. <u>Parenthetical entries</u>	
a. When one medical entity is reported, followed by anoten enclosed in parenthesis, disregard the parenthesis and	
I (a) Heart dropsy(b) Renal failure (CVRD)	I500 N19 I139
<u>Code</u> each medical entity as indexed.	
Place I (a) Pneumonia (aspiration)	J189 T179 &W80
<u>Code</u> each medical entity as indexed.	
b. When the adjectival form of words or qualifiers are re these adjectives to modify the term preceding it.	ported in parenthesis, use
I (a) Collapse of heart (b) Heart disease (rheumatic) (c)	1509 1099
Use the adjective to modify the term and code rheu	matic heart disease.
c. If the term in parenthesis is not a complete term and is consider as part of the preceding term.	s not a modifier,
I (a) Metastatic carcinoma (ovarian)	C56
Consider the site as part of the preceding term and carcinoma.	code metastatic ovarian
I (a) Drug dependence (heroin) (cocaine)	F112 F142
Consider the specified drugs as part of the precedin cocaine dependence.	ng term and code heroin and

Part B

3.	Special diagnostic entities

a. When a condition is qualified as "HIV-related," "AIDS-related," or is modified by "AIDS," or "HIV," disregard the indexing of these conditions and code as separate one-term entities.

I (a) HIV-related encephalopathy	B24	G934
I (a) AIDS-related tuberculosis	B24	A1690
I (a) AIDS encephalopathy	B24	G934
I (a) HIV encephalopathy	B24	G934

b. Alzheimer's dementia: Consider the following terms as one term entities and code as indicated:

When reported as:	Code
Endstage Alzheimer's, senile dementia Senile dementia, Alzheimer's Senile dementia, Alzheimer's type Senile dementia of the Alzheimer's	G301
When reported as:	
Alzheimer's, dementia Alzheimer's; dementia Alzheimer's disease (dementia) Dementia Alzheimer's Dementia, Alzheimer's Dementia, Alzheimer's type Dementia of Alzheimer's type Dementia; Alzheimer's type Dementia; Alzheimer's type Dementia, probable Alzheimer's (disease) Dementia syndrome, Alzheimer's type Endstage dementia (Alzheimer's)	G309

Part B

4				
4.	Plural form of disease			
	Do not use the plural form of a disease or the plural form of a site to indicate multiple			
	I (a) Cardiac arrest (b) Congenital defects	I469 Q899		
	Code I(b) Q899 (congenital defect); do no	t code as multiple (Q897).		
5.	Implied "disease"			
	When an adjective or noun form of a site is entered as a separate diagnosis, i.e., it is no part of an entry immediately preceding or following it, assume the word "disease" after the site and code accordingly.			
	I (a) Congestive heart failure(b) Myocardial	1500 1515		
	<u>Code</u> I(b) to I515, myocardial disease. The site "myocardial" is not indexed with congestive heart failure.			
	I (a) Coronary (b) Hypertension	I251 I10		
	Code I(a) to I251, coronary disease. Coronary hypertension is not indexed.			
	I (a) Renal (b) Hypertension	I129		
	<u>Code</u> I(a) to I129, renal hypertension. Consider the site, renal, to be a part of the condition that immediately follows it on line b, since Hypertension, renal is indexed.			

Part C

C. Format

1. "Due to" relationships involving more than four causally related conditions

Four lines, (a), (b), (c), **and** (d) have been provided in Part I of the death certificate for reporting conditions involved in the sequence of events leading directly to death and for indicating the causal relationship of the reported conditions. In cases where the decedent had more than four causally related conditions leading to death, certifiers have been instructed to report all of these conditions and to add line, (e), to indicate the relationship of the conditions. In the ACME system, provision has been made for identifying conditions reported on the additional "due to" line in Part I. Code conditions reported on line (e) or in equivalent "due to" positions as having been reported on separate lines. (Refer to Section II, Part I, 2, <u>Reject code 9</u> – More than four "due to" statements, for instructions for coding certificates with conditions reported on more than **five** "due to" lines.)

(a)	Shock due to pneumonia	R579
(b)	Rupture of esophageal varices	J189
(c)	Cirrhosis of liver due to alcoholism	I859
(d)		K746
(e)		F102

2. Connecting terms

Ι

a. <u>"Due to" written in or implied</u>

When the certifier has stated that one condition was due to another or has used another connecting term that implies a due to relationship between conditions in Part I, enter the codes as though the conditions had been reported, one due to the other, on separate lines. Code the conditions on each of the remaining lines in Part I, if there are any, as though they had been reported on the succeeding line. (Refer to Section II, Part I, 2, <u>Reject code 9</u> – More than four "due to" statements for instructions for coding certificates with more than four "due to" statements).

Ι	(a)	Myocardial infarction as a result of	I219
	(b)	ASHD	I251

Interpret "as a result of" as "due to" and code the ASHD on I(b).

I	(a)	Stomach hemorrhage from gastric ulcer	K922
	(b)	Cholecystitis	K259
	(c)		K819

Because of the implied "due to," code the gastric ulcer on I(b) and the cholecystitis on I(c).

Part C

(1) The following connecting terms should be interpreted as meaning "due to" or "as a consequence of" when the entity immediately preceding and following these terms is a disease condition, nature of injury, or an external cause.

after arising in or during as (a) complication of as a result of because of caused by complication(s) of during etiology following for	incident to incurred after incurred during incurred in incurred when induced by occurred after occurred during occurred in occurred when occurred when	received in resulting from resulting when secondary to (2°) subsequent to sustained as sustained by sustained by sustained during sustained in sustained when sustained while
for	occurred while	sustained while
from	origin	
in	received from	
I (a) Myocardial infarct		I219
(b) Nephritis due to ar	teriosclerosis	N059

(a)	wryocarular infarction	1219
(b)	Nephritis due to arteriosclerosis	N059
(c)	Hypertension from toxic goiter	I709
(d)		I10
(e)		E050

Both "due to" and "from" indicate the conditions following these terms are moved to the next due to position.

I (a) Neurological devastation due to stroke (b) I64

Neurological devastation is a disease condition. Move stroke down to the next due to position.

I (a) Death from heart attack I219 (b)

Death is not a disease condition, nature of injury, or external cause. Do not reformat heart attack.

I (a) Complication from diabetes E149

Complication is not a disease condition, nature of injury, or external cause. Do not reformat diabetes.

(2) When one of the previous terms is the first entry in Part II, indicating that the following entry is a continuation of Part I, code in Part I in next due to position.

Ι	(a)	Respiratory failure	J969
	(b)	Cardiac arrest	I469
	(c)	Coronary occlusion	I219
	(d)	-	I251
II	due	e to ASHD	

Since Part II is indicated to be a continuation of Part I, code the ASHD on I(d).

(3) Certain connecting terms imply that the condition following the connecting term was "due to" the condition preceding it. In such cases, enter the code for the condition following the connecting term on the line above that for the condition that preceded it.

Interpret the following connecting terms as meaning that the condition following the term was due to the condition that preceded it:

as a cause of	led to
cause of	manifested by
caused	producing
causing	resulted in
followed by	resulting in
induced	underlying
leading to	with resultant with resulting
I (a) Myocardial infarction	I469
(b) followed by cardiac arrest	I219
(c)	

<u>Code</u> the cardiac arrest on I(a) since "followed by" indicates it was due to the myocardial infarction.

Ι	(a)	Respiratory arrest	R092	
	(b)	Pulmonary edema	J81	
	(c)	Bronchitis with resulting pneumonia	J189	I469
	(d)	and cardiac arrest	J40	

<u>Code</u> the pneumonia and cardiac arrest on I(c) since "with resulting" indicates they were due to the bronchitis.

Part	С

b. Not indicating a "due to" relationship

When conditions are separated by "and" or by another connecting term that does not imply a "due to" relationship, enter the codes for these conditions on the same line in the order that the conditions are reported on the certificate.

The following terms imply that conditions are meant to remain on the same line. They are separated by "and" or by another connecting term that does not **imply** a "due to" relationship:

and	consistent with
accompanied by	with (\overline{c})
also	precipitated by
complicated by	predisposing (to)
complicating	superimposed on

- I (a) Acute bronchitis superimposed on J209 J439 (b) Emphysema
 - (c) Tobacco abuse (smokes 3 packs a day) F171 F179

Interpret "superimposed on" as "and." Enter the code for the condition on I(b) as the second code on I(a). Do not enter a code on I(b).

I	(a)	MI	I219	
	(b)	ASHD	I251	
	(c)	Hypertension	I10	
	(d)	Diabetes	E149	E142
II	als	o diabetic nephropathy		

Consider "also" as a connecting word that does not imply "due to" and code Part II as a continuation of I(d).

3. <u>Condition entered above line I(a)</u>

When a condition is reported on the certificate above line I(a), enter the code for this condition on I(a). Code the condition(s) entered on line I(a) on line I(b); then code the conditions entered on each of the remaining line(s) in Part I as though they had been reported on the succeeding lines.

I

Myocardial infarction

(a) Pulmonary embolism	I219
(b) Congestive heart failure	I269
(c) Congenital heart disease	I500
(d)	Q249

<u>Code</u> the condition entered above I(a) on I(a), then code the condition entered on I(a) on I(b); then code the conditions entered on each of the remaining line(s) in Part I as though they had been reported on the succeeding lines.

4. Condition reported between lines in Part I

When a condition is reported between I(a) and I(b) or I(b) and I(c) or I(c) and I(d), without a connecting term, enter the code for this condition on the following "due to" line. Code the conditions entered on each of the remaining line(s) in Part I as though they had been reported on the succeeding line.

Ι	(a)	Pneumonia	J189
		Bronchitis	
	(b)	Emphysema	J40
	(c)	Cancer of lung	J439
	(d)	-	C349

<u>Code</u> the condition reported between lines I(a) and I(b) in the next "due to" position, and move the codes for conditions reported on lines I(b) and I(c) downward.

When a condition is reported between I(a) and I(b) or I(b) and I(c) or I(c) and I(d) with a connecting word, consider as a continuation of the line above and code accordingly unless there is a definite indication that it is a continuation of the line below.

Ι	(a)	Cerebral hemorrhage	I619	I64
		\overline{c} CVA		
	(b)	Cerebral arteriosclerosis	I672	

<u>Code</u> the condition entered between I(a) and I(b) as a continuation of I(a).

Ι	(a)	Cerebral hemorrhage		I619	
		c CVA	▲]		
	(b)	Cerebral arteriosclerosis		I672	I64

Since the certifier indicated by an arrow that the condition entered between I(a) and I(b) was a continuation of I(b), code the CVA on I(b).

General Instructions

Part C				Format
	I (a) Cerebrovascular accident due to cerebral hemorrhage	I64	
	(b) Cerebral arteriosclerosis	I619	
	(c)	I672	

Consider the condition entered between I(a) and I(b) as a continuation of I(a) and code accordingly.

5. Condition reported as due to I(a), I(b), or I(c)

When a condition(s) in Part I is reported with a specific statement interpreted or stated as "due to" another on lines I(a), I(b), I(c), or I(d), rearrange the codes according to the certifier's statement. **Do not apply** this instruction to such statements reported in Part II.

Ι	(a)	Myocardial failure		I249
	(b)	Pneumonia		I509
	(c)	Myocardial ischemia		J189
		due to (a)	3wks	

Accept the certifier's statement that the condition reported on I(c) is "due to" the condition on I(a). Move the codes for conditions reported on I(a) and I(b) downward. (Apply the duration on I(c) to the myocardial ischemia).

I	(a)	Heart failure	I509	N19
	(b)	Pneumonia	J189	
	(c)	Uremia due to (b)		

Take into account the certifier's statement on I(c) and code the condition reported on I(c) as the second entry on I(a).

Ι	(a)	Carcinomatosis	I469
	(b)	Cancer of lung	C80
	(c)	Cardiorespiratory arrest due	C349
		to above	

Take into account the certifier's statement and code the cardiorespiratory arrest on I(a), then move the codes for the remaining conditions downward.

Ι	(a) Coronary thr	rombosis	I219
	(b) Chronic neph	hritis	N039
	(c) Arteriosclero	osis	I709
II	Uremia caused b	by above	N19

Disregard the certifier's statement, "caused by above," reported in Part II.

Part C

6. Conditions reported in Part II

Enter the codes for entries in Part II in the order the entries are reported, proceeding from the entry reported uppermost in Part II downward and from left to right, if there is more than one entry on the same line. If the conditions are numbered, code in numerical order.

I (a) MI	I219		
(b) ASHD	I251		
(c)			
Pneumonia			
II Heart murmur, arteriosclerosis	J189	R011	I709

7. <u>Deletion of "due to" on the death certificate</u>

When the certifier has indicated that conditions in Part I were not causally related by marking through items I(a), I(b), I(c), and /or I(d), or through the printed "due to, or as a consequence of" which appears below items I(a) – I(c) on the death certificate, proceed as follows:

a. If the deletion(s) indicates that none of the conditions in Part I were causally related, consider as though all of the conditions had been reported on the uppermost used line. In determining the order of the codes, proceed from I(a) downward and from left to right if more than one condition is reported on a line.

 I (a) Heart disease (b) Malignant hypertension (c) Chronic nephritis 	I519	I10	N039	
II Cancer of kidney	C64			
 I (a) Cardiac failure (b) Arteriosclerotic heart disease (c) Emphysema and bronchitis (d) 	I509	I251	J439	J40

b. If only item I(b), I(c), or I(d) or the printed "due to, or as a consequence of" which appears below lines I(a), I(b), or I(c) is marked through, consider the condition(s) reported on the crossed out line as though reported as the last entry (or entries) on the preceding line.

Ι	(a) Diabetes(b)	E149	N40
	(c) BPH		
Ι	(a) Cardiac arrest(b) Cirrhosis of liver	I469	K746
	(c) Alcoholism	F102	
Ι	(a) Congestive failure (b) ASHD	1500	I251
	(c)		
II	Pneumonia	J189	
Ι	(a) Heart block	I459	
	(b) Degenerative myocarditis(c) Cerebral hemorrhage	I514	I619
II	Bronchopneumonia	J180	

c. If only one part of the printed "due to, or as a consequence of" which appears below I(a), I(b), and I(c) is marked through, consider the condition(s) reported on that line as though reported as the last entry (or entries) on the preceding line.

Ι	(a)	Cardiorespiratory failure	R092	
		Due to, or as a consequence of		
	(b)	Infarction of brain	I639	I259
		Due to, or as a consequence of		
	(c)	Ischemic heart disease		
		Due to, or as a consequence of		

<u>Code</u> ischemic heart disease as though reported as second entry on I(b).

8. Deletion of "Part II" on death certificate

When the certifier has marked through the printed Part II, code the condition(s) reported in Part II as the last entry on the lowest used line in Part I.

Ι	(a) Apop	lectic coma	I64	
	(b) Ruptu	red aneurysm, brain	I6090	
	(c) Arteri	iosclerosis	I709	
	(d) ESRE)	N180	I10
H	and hyper	tension		

Since Part II is indicated to be a continuation of I(d), code hypertension as last entry on I(d).

Format

I (a) Myocarditis (b) M.I. (c) CHF (d) Cardiovascular arteriosclerosis II Diabetes	I514	I219	1500	I250	E149
I (a) M.I. (b) Uremia (c) Arteriosclerosis (d) Hypertension H Nephritis		I219 N19 I709 I10	N059		

9. Numbering of causes reported in Part I

- a. When the certifier has numbered all causes or lines in Part I, that is 1, 2, 3, etc., code these entries as if reported on the same line. This instruction applies whether or not the numbering extends into Part II, and it also applies whether or not the "due to" below lines I(a) and/or I(b) and/or I(c) are marked through.
 - I (a) 1. Coronary thrombosis I219 I250 I10 I709 N289 J1110 (b) 2. ASCVD

 - (c) 3. Hypertension and arteriosclerosis
 - (d) 4. Renal disease
 - II 5. Influenza

Code all the entries on I(a).

b. When part of the causes in Part I are numbered, make the interpretation for coding such entries on an individual basis.

Ι	(a)	1. Bronchopneumonia	J180	C169
	(b)	2. Cancer of stomach		
	(c)	Chronic nephritis	N039	

Enter the codes for the conditions numbered "1" and "2" on I(a) in the order indicated by the certifier. Do not enter a code on I(b); however, enter the code for the condition on I(c) on that line.

I	(a)	Bronchopneumonia	J180	
	(b)	1. Cancer of stomach	C169	N039
	(c)	2. Chronic nephritis		

Enter the codes for conditions numbered "1" and "2" on I(b) in the order indicated by the certifier. Do not enter a code on I(c).

General Instructions

SECTION II

Part C		Format
I (a) Congestive heart failure (b) Influenza (c) 1. Pulmonary emphysema (d) 2. COPD II 3. Cancer of lung	I500 J1110 J439 J4	49 C349
Enter the codes for the conditions numbered indicated by the certifier. Do not enter a co	, , ,	·
c. When the causes in Part I are numbered, and a another, enter the code(s) connected by the sta "due to" position, followed by the codes for th	ted or implied "du	e to" in the next
 I (a) 1. Bronchopneumonia due to (b) influenza (c) 2. Pulmonary fibrosis 3. Bronchiti 		341 J40
Enter the code for the condition followed by followed by codes for the conditions number a code on I(c).		
I (a) 1. Pneumonia (b) MI (c) 2. ASHD	J189 I219 I2	51
<u>Code</u> the condition numbered "2" as a contablank.	inuation of I(b). Le	eave I(c)
10. Punctuation marks		
 a. Disregard punctuation marks such as a period, question mark, or exclamation mark when plac Part I. Do not apply this instruction to a hyphe incomplete. 	ced at the end of a	line in
I (a) Myocardial infarct? (b) Meningitis, mastoiditis (c) Otitis media	I219 G039 H H669	709

(c) Meningitis, mastoiditis(c) Otitis media

Disregard the punctuation marks and code the conditions reported on I(a), I(b), and I(c) as indicated by the certifier.

H669

General Instructions

Part C		Format
	I (a) Chronic rheumatic(b) heart disease, chronic hypotension	I099 I958 n
	(c) Cancer	C80
	Regard the conditions reported on I(b) as a code on I(b).	a continuation of I(a). Do not enter a
	b. When conditions are separated by a slash (/),	code each condition as indexed.
	I (a) Cardiac arrest/respiratory arrest/pneumonia	I469 R092 J189
	(b) ASHD	I251
	Disregard the slash and code conditions as	indexed.

11. Conditions in the duration box

When a condition is entered in the duration block, code the condition on the same line where it is reported.

Ι	(a) Arteriosclerotic heart disease	<u>Duration</u> CVA	I251	I64
	(b)			
	(c)			
II	Arteriosclerosis		I709	

<u>Code</u> the condition reported in the duration block as the last entry on I(a).

Part D

D	Doubtful	diagnosis
D.	Doubliu	ulagnosis

- 1. Doubtful qualifying expression
 - a. When expressions such as "apparently," "presumably," "?," "perhaps," and "possibly," qualify any condition, disregard these expressions and code condition as indexed.

Ι	(a)	? hemorrhage of stomach	K922
	(b)	Possible ulcer of stomach	K259

Disregard "?" and code hemorrhage of stomach on I(a) as reported. Disregard "possible" and code ulcer of stomach on I(b) as reported.

I (a) Heart disease, probable ASHD I519 I251

Disregard "probable" and code heart disease and ASHD on I(a).

Place I (a) Pneumonia, probably aspiration J189 T179 &W80

Disregard the "probably" and code both pneumonia and aspiration as indexed.

b. When these expressions are reported at the end of a line in Part I, **do not** consider to be a continuation of the next lower line.

Ι	(a)	Heart disease probably	I519
	(b)	Acute myocardial infarction	I219

Disregard "probably" and code heart disease on I(a) and acute myocardial infarction on I(b).

Ι	(a)	Cardiovascular disease presumably	I516
	(b)	Cerebral thrombosis	I633

Disregard "presumably" and code each condition on the line where it is reported.

General Instructions

	. When these expressions are reported at the begins	ning of a line in Part I do not		
	c. When these expressions are reported at the beginn consider to be a continuation of the line above it.	ing of a fine in Fait I, uo not		
	I (a) Heart disease(b) Possibly acute myocardial infarction	I519 I219		
	Disregard "possibly" and code each condition reported.	on the line where it is		
	d. When these expressions are reported at the beginn consider to be a continuation of Part I.	ning of Part II, do not		
	I (a) Heart disease probably (b) (c)	1519		
	II Probably MI	I219		
	Disregard "probably" and code heart disease on	I(a) and MI in Part II.		
2.	Interpretation of "eitheror"			
	Consider the following as a statement of "either or:"			
	• Two conditions reported on one line and both co such as "apparently," "presumably," "?," "perhap			
	• Two or more conditions connected by "or" or "ve	ersus"		
	Code using the following instructions:			
	a. When a condition of more than one site is qualified	ed by a statement		
	of "eitheror" and both sites are classified to t condition to the residual category for the system .	he same system, code the		
		he same system , code the J189		
	condition to the residual category for the system .	•		
	condition to the residual category for the system . I (a) Pneumonia	J189 C689		
	 condition to the residual category for the system. I (a) Pneumonia (b) Cancer of kidney or bladder <u>Code</u> I(b) C689, malignant neoplasm of other at 	J189 C689		

Part D		Doubtful Diagnosis
	b. When a condition of more than one site is qua "eitheror" and these sites are in different for the disease or condition specified.	•
	I (a) Cardiac arrest(b) Carcinoma of gallbladder or kidney	I469 C80
	Code I(b) C80, malignant neoplasm without	t specification of site.
	I (a) Respiratory failure(b) Congenital anomaly of heart or lungs	J969 Q899
	Code I(b) Q899, anomaly, congenital, unspe	ecified.
	c. When conditions are qualified by a statement one site/system is involved, code to the residu	-
	I (a) Apparently stroke, perhaps heart at	tack I99
	<u>Since</u> both conditions are preceded by a do consider as a statement of "eitheror" classified to the circulatory system. Code t	Stroke and heart attack are
	I (a) Pulmonary edema(b) Tuberculosis or cancer of lung	J81 J9840

Code I(b) J9840, lung disease NOS.

d. When conditions are classified to the same three character category with different fourth characters, code to the three character category with fourth character "9."

I (a) ASCVD vs ASHD I259

Code to I259 the residual category. ASCVD and ASHD are both classified to 125.-, chronic ischemic heart disease.

Doubtful Diagnosis

5-0-101		
Part D		Doubtful Diagnosis
	e. When conditions are classified to different three ch provides a residual category for the diseases in gen category.	-
	I (a) MI vs coronary aneurysm	I259
	<u>Code</u> to I259 the residual category for ischemic aneurysm are both classified as "ischemic heart	
:	f. When conditions involving different systems are que cannot be classified to the residual category for the specified general symptoms and signs.	•
	I (a) Coma (b) ? gallbladder colic ? coronary thrombosis	R402 R688
	<u>Code</u> I(b) R688, other ill-defined conditions. (C marks on a single line as "eitheror").	Consider the two question
2	g. When diseases and injuries are qualified by "either unknown and unspecified cause, provided this is th When other classifiable entries are reported, omit F	e only entry on the certificate.
	I (a) Head injury or CVA	R99
	Code I(a) R99, other unknown and unspecified	cause.

h. For doubtful diagnosis in reference to "either... or..." **accidents**, **suicides**, and **homicides**, refer to Section V, Part A, <u>External Cause Code</u> <u>Concept</u>.

January 2007

2b

Part E

E. Conditions specified as "healed" or "history of"

The Classification provides sequela categories for certain conditions qualified as "healed" or "history of." Refer to Section IV, Part F, <u>Sequela</u>. When the Classification does not provide a code or a sequela category for a condition qualified as "healed" or "history of," code the condition as though not qualified by this term.

Ι	(a) Myocardial infarction	I219
	(b)	
	(c)	
Π	Gastritis, healed	K297

Code K297, gastritis NOS in Part II.

General Instructions

Part F Coding Entries Such as "Same," "Ditto (")," "As Above"

F. <u>Coding entries such as "same," " ditto (")," "as above"</u>

When the certifier enters "same," "ditto mark (")," "as above," etc., in a "due to" position to a specified condition, do not enter a code for that line.

Ι	(a)	Coronary occlusion	I219
	` '	Same	
	(c)	Hypertension	I10

Do not enter a code on I(b) for the entry "same."

Ι	· · /	Pneumonia	J189
	(b) (c)	Emphysema	J439

Do not enter a code on I(b) for the "ditto mark (")."

2b January 2007

Part G Conditions Qualified by "Postmortem," "Rule Out," "Ruled Out," "R/O"

G. Conditions qualified by "postmortem," "rule out," "ruled out," "r/o"

When a condition is qualified by "postmortem," "rule out," "ruled out," or "r/o," etc., **do not** enter a code for the condition.

Part H

H. Nonindexed and illegible entries

1. <u>Terms that are not indexed</u>

When a term is reported that does not appear in the ICD-10 Index, refer the term to the supervisor.

2. <u>Illegible entries</u>

When an illegible entry is the **only** entry on the certificate, code R99. When an illegible entry is reported with other classifiable entries, disregard the illegible entry and code the remaining entries as indexed.

Part I

I. Coding one-character reject codes

When a death record qualifies for more than one reject code, code only one in this order: 1, 2, 3, 4, 5, 9.

1. Reject code 1-5-Inconsistent duration

When a duration of an entity in a "due to" position is shorter than that of an entity reported on a line above it and only **one** codable entity is reported on each of these lines, enter a reject code (1-5) in the appropriate data position. When more than one codable entity is reported on the same line, disregard the duration entered on that line. Use the appropriate reject code even though there are lines without a duration or with more than one codable entity between the entities with the inconsistent duration; in such cases, consider the inconsistency to be between the line immediately above and the line with the shorter duration.

If the inconsistent duration is between:

Lines	Enter Reject Code
I (a) and I (b)	
I (b) and I (c)	
I (c) and I (d)	
I (d) and I (e)	
Inconsistent durations between more than two lines i	n Part I,
or any situation where reject codes 1-4 would not be	applicable 5

Do not enter a reject code if the only inconsistency is between the durations of malignant neoplasms classifiable to C00-C96.

Ι	· · /	ASHD Chronic nephritis and hypertension	10 yrs. 5 yrs.	I10
		Diabetes	5 yrs.	110

Reject 2

Disregard the duration on I(b), since more than one codable entity is reported on this line. Only **one** codable entity is reported on lines I(a) and I(c) and the duration of the diabetes was shorter than that of ASHD. For the purposes of assigning the reject code, consider the duration on I(b) to be at least as long as the duration on I(a). Therefore, enter reject code 2 denoting an inconsistency between I(b) and I(c).

Part I

Coding One-Character Reject Codes

Ι	(a) ASHD	5 yrs	I251
	(b) Chronic nephritis and hypertension	10 yrs	N039 I10
	(c) Diabetes	5 yrs	E149

Do not enter reject code 2. The duration on I(b) is disregarded. The duration of diabetes on I(c) was not shorter than that of ASHD on I(a).

I	(a)	Cardiac arrest	I469
	(b)	Congestive heart failure 1 week	I500
	(c)	Cancer of stomach 1 year	C169
	(d)	Metastatic cancer of lung 6 months	C780

Do not use reject code 3 since the inconsistent duration is between malignant neoplasms.

I	(a)	Basilar artery thrombosis	7 weeks	I630
	(b)	Renal failure	4 weeks	N19
	(c)	Pneumonia	1 week	J189
				D : (

Reject 5

Enter reject code 5 since the inconsistent durations are between more than 2 lines.

Age 1 yr.		
I (a) Congenital nephrosis	life	N049
(b)		
(c) Intestinal hemorrhage	1 day	K922
	-	
		Reject 5

Enter reject code 5 since reject codes 1-4 are not applicable.

2.

Part I

General Instructions

Coding One-Character Reject Codes

Reject code 9 – More than four "due to" statements

When certifier's entries or reformatting result in more than **four** statements of "due to," continue the remaining codes horizontally on the **fifth** line and enter reject **code 9** in the appropriate position.

Ι	(a)	Terminal pneumonia	J189
	(b)	Congestive heart failure	I500
	(c)	Myocardial infarction	I219
	(d)	ASHD	I251
	(e)	Generalized arteriosclerosis	I709 E039
	(f)	Myxedema	
			Reject 9

Enter the code for the myxedema reported on the fifth "due to" line, I(f), following the code for the condition reported on this line (generalized arteriosclerosis). Enter reject code 9 in the appropriate data position.

If there are more than four "due to" statements in Part I and there is no codable condition reported on one or more lines, consider the condition(s) on each subsequent "due to" line as though reported on the preceding line. Enter reject code 9 only if, after reformatting, there are codable conditions on more than five lines.

I	(a)	Pneumonia	J182
	(b)	Bedfast	G839
	(c)	Paralysis following CVA	I64
	(d)	Hypertension due to	I10
	(e)	adrenal adenoma	D350

Do not enter reject code 9. Since bedfast is not a codable condition, enter the code for paralysis on I(b), the code for CVA on I(c), etc. As a result of the rearrangement of the conditions, there are codable conditions on only five lines.

When a death record qualifies for more than one reject, prefer a reject code for inconsistent durations over reject code 9.

Part J

Inclusion of Additional Information (AI) to Mortality Source Documents

J. Inclusion of additional information (AI) to mortality source documents

Code supplemental information when it modifies or supplements data on the original mortality source document.

1. When additional information (AI) **states** the underlying cause of a **specified disease in Part I**, code the additional information (AI) in a "due to" position to the specified disease.

Ι	(a)	Pulmonary edema	J81
	(b)	Congestive heart failure	I500
	(c)	Arteriosclerosis	I251
	(d)		I709

Π

AI The underlying cause of the congestive heart failure was ASHD.

Since the certifier **states** the underlying cause of the congestive heart failure is ASHD, code I251 on I(c) and move the condition on I(c) to the next "due to" position.

- 2. When additional information (AI) **modifies** a disease condition, use the AI and code the disease modified by the AI in the position **first** indicated by the certifier.
 - I (a) Pneumonia J181 (b) (c) AI Lobar pneumonia

<u>Code</u> lobar pneumonia as the **specified** type of pneumonia on I(a) <u>only</u>.

3. When there is a stated or implied complication of surgery and the additional information indicates the condition for which surgery was performed, code this condition in a "due to" position to the surgery when reported in Part I and following the surgery when reported in Part II. Precede this code with an ampersand (&).

Ι	(a)	Coronary occlusion	T818
	(b)	Gastrectomy	&Y836
	(c)		&K259
	AI	Gastrectomy done for gastric ulcer.	

<u>Code</u> the condition necessitating the surgery on I(c) and precede this code with an ampersand.

General Instructions

Inclusion of Additional Information (AI)

SECTION II

Part J	to Mortality Source Documents
 I (a) Respiratory arrest (b) Septicemia (c) II Uremia, cholecystectomy AI Surgery for gallstones 	R092 T814 N19 &Y836 &K802

<u>Code</u> the condition necessitating the surgery following the E-code for surgery in Part II.

4. When additional information (AI) **states** a certain condition is the <u>underlying cause</u> of death, **code** this condition in Part I in a "due to" position (on a separate line) to the conditions reported on the original death record.

Ι	(a)	Cardiac arrest	I469
	(b)	MI	I219
	(c)	ASHD	I251
	(d)		E149
II			
	ΛТ	U.C. was dishetes	

AI U.C. was diabetes

Accept the certifier's statement that the underlying cause of death was "diabetes," and code this condition on I(d) in a "due to" position to the conditions originally reported in Part I.

5. When any morphological type of neoplasm is reported in Part I with no mention of a "site" and additional information specifies a site, **code** the specified site **only** on the line where the morphological type is reported.

Ι	(a)	Cancer	C349
	(b)		
	(c)		
Π			
	AI	Cancer of lung	

<u>Code</u> only the specified cancer (lung) on I(a).

General Instructions

Part J		Inclusion of Additional Information (AI) to Mortality Source Documents
6.		he primary site of a malignant neoplasm, code this e other malignant neoplasms reported in Part I.
	 I (a) Metastatic neoplasm (b) Metastasis to liver (c) II AI Colon was primary site. 	C80 C787 C189
	<u>Code</u> the stated primary site on I(reported in Part I.	c) in a "due to" position to the other neoplasms
	I (a) Carcinomatosis (b) (c) II AI Prostate was probably the	C80 C61 primary site.
	<u>Code</u> the presumptive primary site stated neoplasm reported on the o	e (prostate) on I(b) in a "due to" position to the riginal death certificate.
7.	not state that this condition is the un	s not modify a condition on the certificate, or does derlying cause, code the AI as the last condition(s) ertificate beginning with the uppermost downward
	I (a) Coronary thrombosis	I219

I (a) Coronary thrombosis	I219)		
(b) HASCVD	I119)		
(c)				
II Hypertension	I10	I709	I64	I258
AI Arteriosclerosis, CVA, old MI				

The additional information does not modify conditions on the certificate. Code as the last entries in Part II.

	Male, 30 minutes-Twin B			
	I (a) Immature	P073		
600 gm	(b)			
	(c)			
	II Atelectasis	P281	P015	P070

<u>Code</u> the additional information in the order reported, uppermost downward and from left to right.

Part K

Amended Certificates

K. Amended certificates

When an "amended certificate" is submitted, **code** the conditions reported on the amended certificate only.

Part L

L. Effect of age of decedent on classification

Always note the **age of the decedent** at the time the causes of death are being coded. Certain groups of categories are provided for certain age groups. There are several conditions within certain categories which cannot be properly classified unless the **age** is taken into consideration. Use the following terms to identify certain age groups:

1. <u>NEWBORN OR NEONATAL</u> means **less than 28 days** of age at the time of death. Code any index term with the indention of "newborn," "neonatal," "neonatorum," "perinatal," "perinatal period," "fetus or newborn," or "fetal" (in this priority order) to the newborn category if the decedent is less than 28 days of age or there is evidence the condition originated in the first 27 days of life, even though death may have occurred later.

Fe	emale	e, 4 hours	
Ι	(a)	Anoxia	P219
	(b)	Cerebral hemorrhage	P524

Since the age of decedent is less than 28 days, code anoxia of newborn, and cerebral hemorrhage of newborn.

Male, 31 days	Duration	
I (a) Pulmonary hemorrhage	26 days	P269
(b)		

Since the condition originated in the first 27 days of life, code as a newborn.

2. <u>INFANT or INFANTILE</u> means less than 1 year of age at the time of death.

Male, 9 months			
Ι	(a)	Pneumonia	J189
	(b)	Paralysis	A803

Since the decedent is less than 1 year of age at the time of death, code Paralysis, infantile.

General Instructions

Part L

Effect of Age of Decedent on Classification

3. <u>CHILD or CHILDHOOD</u> means less than 18 years of age at the time of death.

Male, 11 years I (a) Asthma

J450

Code as Asthma, childhood.

4. Congenital anomalies (Q00-Q99)

Regard the conditions listed below as congenital and code to the appropriate congenital category if death occurred within the age limitations stated, provided there is no indication that they were acquired after birth.

a. Less than 28 days:

heart disease NOS hydrocephalus NOS

Male, 27 days

Ι	(a)	Renal failure	N19
	(b)	Hydrocephalus	Q039

<u>Code</u> the hydrocephalus as congenital since the decedent was less than 28 days of age at the time of death.

b. Less than 1 year:

aneurysm (aorta) (aortic) (brain) (cerebral) (circle of Willis) (coronary) (peripheral) (racemose) (retina) (venous) aortic stenosis atresia atrophy of brain	cyst of brain deformity displacement of organ ectopia of organ hypoplasia of organ pulmonary stenosis valvular heart disease (any	
Female, 3 months	valve)	
I (a) Pneumonia	J189	
(b) Cyst of brain	Q046	

<u>Code</u> cyst of brain as congenital since the age of the decedent is less than 1 year.

Part L

Effect of Age of Decedent on Classification

5. Congenital syphilis

Regard syphilis and conditions that are qualified as syphilitic as congenital and code to the appropriate congenital syphilis category if the decedent was less than two years of age.

Male, 16 mos

Ι	(a)	Syphilitic pneumonia	A500
	(b)		
	(c)		

<u>Code</u> **congenital** syphilitic pneumonia since age is less than 2 years.

Part L

Effect of Age of Decedent on Classification

6. Age limitation

Some categories in ICD-10 are limited by provisions of the Classification to certain ages. Code the categories listed below only if the age at the time of death was as follows:

a. Age 28 days or over

A32	E14	J13	R00
A35	E162	J14	R01
A40	E561	J15	R048
A41	E63	J16	R090
A56	E834	J18	R092
A74	E835	J43	R11
B30	F10	J80	R17
B370	F11	J849	R230
B371	F12	J96	R233
B372	F13	J981	R290
B373	F14	J982	R40
B374	F15	J984	R50
B375	F16	J988	R53
B376	F17	K27	R56
B377	F18	K631	R58
B378	F19	K65	R60
B379	G473	K92	R633
D65	G700	L01	R680
D751	I48	L10	R681
E05	I49	L50	
E10	I50	L530	
E11	I61	M34	
E12	I62	N390	
E13	J12	N61	

Male, age 25 days

Ι	(a)	Urinary tract infection	P393
	(b)		

<u>Code</u> urinary tract infection, newborn since age is less than 28 days.

General Instructions

	Effect of Age of Decedent on Ch
Female, age 27 days I (a) Respiratory failure (b) (c)	P285
Code respiratory failure, newbo	orn since age is less than 28 days.
Female, age 28 days I (a) Atelectasis (b) (c)	J981
Code atelectasis, J981 since age	e is reported as 28 days.
b. Age under 1 year:	
R95	
c. Age 1 year or over:	
R960	
Age 1 year I (a) Sudden infant death sy	vndrome R960
d. Age 5 years or over:	
X60-X84	
Age 4 years <u>Place</u> I (a) GSW to head Suicide 9	S019 &W34

Part L

Effect of Age of Decedent on Classification

Part M

Sex Limitations

M. Sex limitations

Certain categories in ICD-10 are limited to one sex:

For Males Only	For Female	s Only
B260	A34	M830
C60-C63	B373	N70-N98
D074-D076	C51-C58	N992-N993
D176	C796	O00-O99
D29	D06	P546
D40	D070-D073	Q50-Q52
E29	D25-D28	Q96
E895	D39	Q97
F524	E28	R87
I861	E894	S314
L291	F525	S374-S376
N40-N50	F53	T192-T193
Q53-Q55	I863	T833
Q98	L292	Y424
R86	L705	Y425
S312-S313	M800-M801	Y76
	M810-M811	

If the cause of death is inconsistent with the sex, code the cause of death to R99, other ill-defined and unspecified causes of mortality (R99).

Female, age 32				
Ι	(a)	Cancer of prostate	R99	
	(b)	-		
	(c)			

Code other ill-defined and unspecified causes of mortality (R99).

Part N

N. Effect of duration on assignment of codes

Before assigning codes, take into account any statements entered on the certificate in the spaces for duration since these statements may affect the code assignments for certain conditions.

- 1. Qualifying conditions as acute or chronic
 - a. Usually the duration should **not** be used to qualify the condition as "acute" or "chronic."

	<u>Duration</u>	
I (a) Nephritis	2 years	N059

<u>Code</u> nephritis as indexed. Do not use the duration to qualify the nephritis as chronic.

b. However, when assigning codes to certain conditions classified as "ischemic heart diseases" the Classification provides the following specific guidelines for classifying a condition with a **stated** duration as acute or chronic:

- acute or with a stated duration of 4 weeks or less

- chronic or with a stated duration of over 4 weeks

I (a) Acute myocardial infarction (b) (c) <u>Duration</u> 3 mos. I258

<u>Code</u> Infarction, myocardium, chronic or with a stated duration of over 4 weeks, I258.

Effect of Duration on Assignment of Codes

(1) For the purpose of interpreting these instructions:

Consider these terms:	To mean:	
brief		
days		
hours		
immediate		
instant	4 weeks or less	
minutes	or acute	
recent		
short		
sudden		
weeks (few) (several)		
longstanding	over 4 weeks	
1 month	or chronic	

Ι	(a) (b)	Aneurysm	heart	Duration weeks	I219
	(c)				

<u>Code</u> Aneurysm, heart, acute or with a stated duration of 4 weeks or less, I219. "Weeks" is interpreted to mean 4 weeks or less.

c. When the duration is stated to be "acute" or "chronic," consider the condition to be specified as acute or chronic.

			Duration	
Ι	(a)	Heart failure	1 hour	I509
	(b)	Bronchitis	acute	J209

Code "acute" bronchitis on I(b).

2. <u>Subacute</u>

In general, code a disease that is specified as subacute as though qualified as acute if there is provision in the Classification for coding the acute form of the disease but **not** for the subacute form.

I (a) Subacute pyelonephritis N10

<u>Code</u> subacute pyelonephritis to N10, acute pyelonephritis since there is no code for subacute pyelonephritis.

Effect of Duration on Assignment of Codes

3. <u>Acute exacerbation</u>

Code "acute exacerbation" of a chronic specified disease to the acute and chronic stage of the disease if the Classification provides separate codes for "acute" and "chronic."

Ι	(a) (b) (c)	Acute exacerbation of leukemia Chronic lymphocytic leukemia	C950 C911	
Ι	(a) (b)	Acute exacerbation of chronic lymphocytic leukemia	C910	C911
Ι	(a) (b) (c)	Acute exacerbation of bronchitis	J209	
Ι	(a) (b)	Acute exacerbation of chronic pyelonephritis	N10	N119
Ι	(a) (b) (c)	Acute exacerbation of chronic bronchitis	J209	J42
Ι	(a)	Chronic leukemia with conversion to acute phase	C951	C950
Ι	(a)	Acute exacerbation of chronic obstructive lung disease	J441	J449

<u>Code</u> the preceding examples to the acute and chronic stages of each specified disease since the Classification provides separate codes for the "acute" and "chronic."

4. Acute and chronic

Sometimes the terms acute and chronic are reported preceding two or more diseases. In these cases, use the term ("acute" or "chronic") with the condition it **immediately** precedes.

I (a) Chronic renal and liver failure N189 K7290

<u>Code</u> renal failure, chronic and liver failure NOS.

5. Qualifying conditions as congenital or acquired

Code conditions classified as congenital in the Classification as congenital, even when not specified as congenital if the interval between onset and death and the age of the decedent indicate that the condition existed from birth.

Female, age 2 years		e, age 2 years	Duration	
Ι	(a)	Pneumonia	1 week	J189
	(b)	Heart disease	2 years	Q249

<u>Code</u> the condition on I(b) as congenital since the age of the decedent and the duration of the condition indicate that the heart disease existed at birth.

Do not use the interval between onset and death to qualify conditions that are classified to categories Q00-Q99, congenital anomalies, as acquired.

Male, 62 years		62 years	Duration	
Ι	(a)	Renal failure	3 months	N19
	(b)	Pulmonary stenosis	5 years	Q256

Do not use the duration to qualify the pulmonary stenosis as acquired.

6. <u>Two conditions with one duration</u>

When two or more conditions are entered on the same line with one duration, disregard the duration and code the conditions as indexed.

			Duration		
Ι	(a)	Myocardial ischemia and	3 weeks	I259	I500
		congestive heart failure			
	(b)	Hypertension	5 years	I10	

Disregard the duration on I(a) and code the myocardial ischemia as indexed.

			Duration	
Ι	(a)	MI due to nephritis	3 months	I219
	(b)	Arteriosclerosis		N059
	(c)			I709

Disregard the duration on I(a) and code myocardial infarction as indexed.

7. Conflict in durations

When conflicting durations are entered for a condition, give preference to the duration entered in the space for interval between onset and death.

				Duration	
Ι	(a)	Ischemic heart disease	2 weeks	years	I259

Use the duration in the block to qualify the ischemic heart disease.

8. Span of dates

Interpret dates that are entered in the spaces for interval between onset and death separated by a slash (/), dash (-), etc., as meaning from the first date to the second date. Disregard such dates if they extend from one line to another and there is a condition reported on both of these lines since the span of dates could apply to either condition.

Date of death 10-6-98	Duration	
I (a) MI	10/1/98-	I219
(b) Ischemic heart disease	10/6/98	I259

Disregard duration and code each condition as indexed since the dates extend from I(a) to I(b).

Date of death 10-6-98	Duration	
I (a) Aneurysm of heart	10/1/98 - 10/6/98	I219
(b)		

Since there is only one condition reported, apply the duration to this condition.

Date of death 10-6-98	Duration	
I (a) Ischemic heart disease	10/1/98 - 10/6/98	I249
(b) Arteriosclerosis		I709

Apply the duration to I(a).

General Instructions

Part O

Relating and Modifying Conditions

O. Relating and modifying conditions

1. <u>Implied site of disease</u>

Certain conditions are classified in the ICD-10 according to the site affected, e.g.:

atrophy	enlargement	obstruction
calcification	failure	perforation
calculus	fibrosis	rupture
congestion	gangrene	stenosis
degeneration	hypertrophy	stones
dilatation	insufficiency	stricture
embolism	necrosis	

(This list is not all inclusive)

Occasionally, these conditions are reported without specification of site. Relate conditions such as these for which the Classification does not provide a NOS code. Also relate conditions which are usually reported of a site. Generally, it may be assumed that such a condition was of the same site as another condition if the Classification provides for coding the condition of unspecified site to the site of the other condition. These coding principles apply whether or not there are other conditions reported on other lines in Part I. Apply the following instructions when relating a condition of unspecified site to the site of a specified condition:

a. General instructions for implied site of a disease

- (1) Conditions of unspecified site reported on the <u>same</u> line:
 - (a) When conditions are reported on the same line, with or without a connecting term that implies a due to relationship, assume the condition of unspecified site was of the same site as the condition of specified site.

I	(a)	Congestive heart failure	I500	
	(b)	Infarction with myocardial	I219	I515
	(c)	degeneration		
	(d)	Coronary sclerosis	I251	

<u>Code</u> the infarction as myocardial, the site of the condition reported on the same line.

General Instructions

Part O	Part O Relating and Modifying		odifying Conditions	
			Aspiration pneumonia Cerebrovascular accident due to thrombosis	J690 I64 I633
	<u>Code</u> the thrombosis as cerebral, the site of the condition reported on the same line.			ondition reported on
		I (a)	Duodenal ulcer with internal hemorrhage	K269 K922
			Hemorrhage, duodenal (K922). Relate the of the condition reported on the same line	-
		I (a) (b)	CVA with hemorrhage MI	I64 I619 I219
<u>Code</u> Hemorrhage, cerebral (I619). Relate the hemorrhage to to of the condition reported on the same line.			morrhage to the site	
 (b) When conditions of different sites are reported on the same line, assume the condition of unspecified site was of the same site as the condition immediately preceding it. I (a) ASHD, infarction, CVA I251 I219 (b) (c) <u>Code</u> Infarction, heart (I219). Relate the infarction to the site o the condition immediately preceding it. 				
		(b)	ASHD, infarction, CVA	I251 I219 I64
		n to the site of		
	(2) Condi	tions of	unspecified site reported on a separate line	:
(a) If there is only one condition of a specified site reported either o above or below it, code to this site.		rted either on the line		
			Massive hemorrhage Gastric ulceration	K922 K259
			he hemorrhage as gastric. Relate hemorrha the condition reported on I(b).	ge to the

Relating and Modifying Conditions

General Instructions

SECTION II

Part O

Relating and M	Iodifying	Conditions
-----------------------	-----------	------------

	I (a)	Uremia	N19
	(b)	Chronic prostatitis	N411
	(c)	Benign hypertrophy	N40
		he hypertrophy as prostatic. Related on I (be of the condition reported on I (be	
	I (a)	Internal hemorrhage	K868
		Pancreatitis	K859
		Hemorrhage, pancreas (K868). R e of the condition reported on I(b	
(below it a	re conditions of different specifie and the Classification provides for ed site to only one of these sites,	or coding the condition of
	I (a)	Intestinal fistula	K632
	• •	Obstruction	K566
	· · · ·	Carcinoma of peritoneum	C482
		he obstruction as intestinal since e for coding obstruction of the pe	
(below it a	re conditions of different specifie and the Classification provides for ed site to both of these sites, code	or coding the condition of
	I (a)	CVA	I64
	· · ·	Thrombosis	1829
	. ,	ASHD	I251
		Thrombosis NOS on I(b). Do not he Classification provides codes	
t	the line above	conditions which are not reported . It is acceptable to relate condition line to the line below.	1

Ι	(a)	Kidney failure			N19	
	(b)	Vascular insufficiency	\overline{c}	thrombosis	I99	I219
	(c)	ASHD			I251	

Code Thrombosis, cardiac (I219). Relate thrombosis to line below.

Relating and	Modifying Conditions
--------------	-----------------------------

(4) When relating conditions to sites start at the top of the certificate and work down.

I (a) Hemorrhage	R5800
(b) Necrosis	K729
(c) Hepatoma	C220

<u>The</u> hemorrhage cannot be related. Relate necrosis to liver (K729), the site of the hepatoma.

- b. <u>Relating specific categories</u>
 - (1) When ulcer, site unspecified or peptic ulcer NOS is reported causing, due to, or on the same line with gastrointestinal hemorrhage, code peptic ulcer NOS (K279).

Ι	(a)	Gastrointestinal hemorrhage	K922
	(b)	Peptic ulcer	K279
	(c)		

Code peptic ulcer (K279). Do not relate to gastrointestinal.

Ι	(a)	Ulcer causing gastrointestinal hemorrhage	K922
	(b)		K279

Code ulcer to peptic ulcer (K279).

(2) When ulcer NOS (L984) is reported causing, due to, or on the same line with diseases classifiable to K20-K22, K30-K31, and K65, code peptic ulcer NOS (K279).

Ι	(a)	Peritonitis	K659
	(b)	Ulcer	K279

Code Ulcer, peptic (K279).

(3) When hernia (K40-K46) is reported with disease(s) of unspecified site(s), relate the disease of unspecified site to the intestine.

Ι	(a)	Hernia with hemorrhage	K469	K922
		•		

Code Hemorrhage, intestine.

Part O	Relating a	and Modifying Conditions
	(4) When calculus NOS or stones NOS is reported wit code to N209 (urinary calculus).	h pyelonephritis,
	I (a) Pyelonephritis with calculus	N12 N209
	oyelonephritis.	
	(5) When arthritis (any type) is reported with	
	 contracture – code contracture of the si deformity – code deformity acquired 	
	If no site is reported or if site is not indexed, coordeformity, joint.	de contracture or
	I (a) Phlebitis	1809
	(b) Contractures	M245
	(c) Osteoarthritis lower limbs	M199
	<u>Code</u> Contracture, joint (M245) since contractu indexed.	re lower limb is not
	I (a) Pulmonary embolism	I269
	(b) Multiple deformities	M219
	(c) Arthritis in both hips	M139
	Code deformity (acquired) of hip.	
	(6) When embolism, infarction, occlusion, thrombosis	NOS is reported
	 from a specified site – code the condition of a site, from a specified site – code the condition 	
	I (a) Congestive heart failure	1500
	(b) Embolism from heart	I219
	(c) Arteriosclerosis	I709
Code I(b) embolism of heart (I219).		
	I (a) Pulmonary embolism from leg veins(b)(c)	I269 I803

<u>Code</u> I(a) pulmonary embolism (I269) and I(b) leg veins embolism (I803).

Part O

Relating and Modifying Conditions

Keiating and	wittung	ing conditions
(7) Relate a condition of unspecified site to the complete entity. If it is not indexed together, relate the condition complete indexed term.		
I (a) Cardiorespiratory arrest \overline{c} failure	I469	R092
<u>Code</u> Failure, cardiorespiratory (R092). Relate fail complete term.	ure to the	e
I (a) Cardiorespiratory arrest (b) c insufficiency	I469	1509
<u>Code</u> Insufficiency, heart (I509) since cardiorespira a heart condition. Relate insufficiency to the site o	•	
c. Exceptions to relating and modifying instructions		
(1) Do not relate the following conditions:		
Arteriosclerosis Congenital anomaly NOS Hypertension Infection NOS (refer to Section III, #3) Neoplasms Paralysis		
I (a) Arteriosclerosis with CVA (b) (c)	1709	I64
Code Arteriosclerosis NOS (I709).		
I (a) Cardiac arrest (b) Congenital anomaly (c)	I469 Q899	
Code congenital anomaly NOS (Q899).		
I (a) Pneumonia (b) Infection (c)	J189	
Cada Provincia (1190) on I(a). Do not ontano ao	do on I/h	`

Code Pneumonia (J189) on I(a). Do not enter a code on I(b).

General Instructions

Part O		Relating and Modifying Conditions
	I (a) Perforation esophagus (b) Cancer (c)	K223 C80
	Code cancer NOS (C80).	
	(2) Do not relate hemorrhage when causing a condition of a specified site. Relate hemorrhage to site of disease reported on same line or on line below only.	
	I (a) Respiratory failure (b) Hemorrhage	J969 R5800
	Code Hemorrhage NOS. Do not	relate to respiratory.
	I (a) Respiratory failure (b) Hemorrhage (c) Gastric ulcer	J969 K922 K259
	<u>Relate</u> hemorrhage on I(b) to gas	tric on I(c) and code gastric hemorrhage.
	(3) Do not relate conditions classified to	o R00-R99 except:
	Gangrene and necrosis Hemorrhage Stricture and stenosis	R02 R5800 R688
	I (a) Myocardial infarction with	th anoxia I219 R090
	<u>Code</u> anoxia as indexed. Do not to R090.	relate to heart since anoxia is classified
	I (a) Pneumonia with gangrene	e J189 J850
	<u>Code</u> the gangrene as pulmonary same line since gangrene is one of	, the site of the disease reported on the of the exceptions.

Part O

(4)	(4) Do not relate a disease condition that, by the name of the disease, implies a disease of a specified site unless it is obviously an erroneous code. If not certain, refer to supervisor.		
	I (a) Cirrhosis, encephalopathy	K746	G934
	<u>Do</u> not relate encephalopathy to liver since the name a disease of a specific site, brain.	of the c	lisease implies
	I (a) Pulmonary embolism(b) Thrombophlebitis	I269 I809	
	<u>Code</u> thrombophlebitis (I809) as indexed. Do not rel since it is not usually reported of any site other than		-
	I (a) Cerebral hemorrhage \overline{c} herniation	I619	G935
	<u>Relate</u> herniation to brain since hernia NOS is classif digestive system (K469) and it seems illogical to hav with a digestive system disease.		
	Refer to Section V, Part D, Implied site of injury for	instruct	ions on relating

the site of injuries to another site.

2. Coding conditions classified to injuries as disease conditions

a. Consider "injury," "hematoma," "laceration," (or other condition that is usually but not always traumatic in origin) of a specified organ to be qualified as nontraumatic when it is reported due to or on the same line with a disease, provided there is no statement on the death certificate that indicates the condition was traumatic. If there is provision in the Classification for coding the condition that is considered to be qualified as nontraumatic as such, code accordingly. Otherwise, code to the category that has been provided for "Other" conditions of the organ (usually.8).

I	(a)	Laceration heart	I518
	(b)	Myocardial Infarction	I219
	(c)		

<u>Consider</u> laceration of heart as nontraumatic and code to other ill-defined heart diseases.

Relating and Modifying Conditions

General Instructions

Part O		Relating and Modifying Conditions
	I (a) Subdural hematoma (b) CVA (c)	I620 I64
	Code Hematoma, subdural, nontraum	atic (I620) as indexed.
	I (a) Injury liver (b) Viral hepatitis (c)	K768 B199
	Code injury, liver as nontraumatic (K	768) other specified diseases of liver.
	I (a) Cardiorespiratory failure(b) Intracerebral hemorrhage(c) Meningioma, subdural hemator	R092 I619 D329 I620
	<u>Code</u> subdural hematoma as nontraun line with a disease.	natic since it is reported on the same
	I (a) Liver failure(b) Cirrhosis with injury to liver(c)	K7290 K746 K768
	<u>Code</u> injury to liver as nontraumatic since it is reported on the same line we disease.	
	I (a) Cerebral arteriosclerosis with (b) subdural hematoma	I672 I620
	 <u>Code</u> subdural hematoma as nontraumatic since it is reported on the same line with a disease. b. Some conditions are indexed directly to a traumatic category but the Classificat also provides a nontraumatic code. When these conditions are reported due to compare the same line with a disease. 	

with a disease and an external cause is reported on the record or the Manner of Death box is checked as Accident, Homicide, Suicide, Pending Investigation or could not be determined, code the condition as traumatic.


General Instructions

SECTION II

Place 9	I (a) Subdural hematoma (b) CVA (c)	S065 I64
MOD A	II Accident Fell while walking <u>Code</u> the subdural hematoma as traumatic si accidental.	&W18 nce the manner of death is
Place 0 <u>MOD</u> A	(b) Subdural hematoma(c) ArteriosclerosisII Advanced age	I469 S065 I709 R54 &W18 room striking head nce the manner of death is
Place 9	I (a) Cerebral hematoma with (b) cerebral arteriosclerosis (c)	S068 I672
MOD A	II Accident	&X599

<u>Code</u> the cerebral hematoma as traumatic since the manner of death is accidental.

c. Some conditions are indexed directly to a traumatic category, but the Classification also provides a nontraumatic code. When these conditions are reported and the Manner of Death is Natural, code condition as nontraumatic unless the condition is reported due to or on the same line with an injury or external cause. This instruction applies only to conditions with the term "nontraumatic" in the Index. It does not apply to conditions in Section III, Intent of Certifier.



Code I(a) as nontraumatic since Manner of Death box states "Natural."

Relating and Modifying Conditions

Part O

General Instructions

Place 1	(a) Subdural	hematoma	I620		
2 (b) (c) <u>MOD</u> II Hip fracture			8720	e-W /10	
N N	Natural	Fell in hospital	S720	&W19	
	Ivaturar	T on in nospital			

Code I(a) as nontraumatic since Manner of Death box states "Natural."

<u>Place</u> I (a)	Subdural hematoma	S065
2 (b)) Open wound of head	S019
MOD II F	Fell in hospital	&W19
N Nat	tural	

<u>Code</u> subdural hematoma as traumatic since it is reported due to an injury, disregarding Natural in the Manner of Death box.

Relating and Modifying Conditions

In order to assign the most appropriate code for a given diagnostic entity, it may be necessary to take other recorded information and the order in which the information is reported into account. It is important to interpret this information properly so the meaning intended by the certifier is correctly conveyed. The objective is to code each diagnostic entity in accordance with the intent of the certifier without combining separate codable entities. The following instructions help to determine the intent of the certifier. Apply Intent of Certifier instructions to "See also" terms in the Index as well.

1. Spinal Abscess (A180)

Code M462 (Nontuberculous spinal abscess):

When reported due to:

A1690	D480	M894
A180	D550-D589	M910-M939
A400-A419	H650-H669	M960-M969
A500	H950-H959	N10-N12
A509	J00-J399	N136
A527	J950-J959	N151
A539	K650-K659	N159
B200-B24	K910-K919	N288
B89	L00-L089	N340-N343
B902	M000-M1990	N390
B99	M320-M351	N700-N768
C412	M359	N990-N999
C760	M420-M429	R75
C795	M45-M519	S000-T983
C810-C969	M600	
D160-D169	M860-M889	

Ι	(a)	Spinal Abscess	M462
	(b)	Staphylococcal septicemia	A412

<u>Code</u> I(a) Nontuberculous spinal abscess, M462, since spinal abscess is reported due to a condition classified to A412.

2. <u>Charcot's Arthropathy (A521)</u>

Code G98 (Arthropathy, neurogenic, neuropathic (Charcot's), nonsyphilitic):

A30	Leprosy	G608	Hereditary sensory
E10-E14	Diabetes mellitus		neuropathy
E538	Subacute combined degeneration	G901	Familial dysautonomia
	(of spinal cord)	G950	Syringomyelia
F101	Alcohol abuse	Q059	Spina bifida,
F102	Alcoholism		meningo-myelocele
G600	Hypertrophic interstitial	Y453	Indomethacin
	neuropathy	Y453	Phenylbutazone
G600	Peroneal muscular atrophy	Y427	Corticosteroids

Ι	(a)	Charcot's arthropathy	G98
	(b)	Diabetes	E149

3. General Paresis (A521)

a. Code G839 (Paralysis)

When reported due to or on the same line with:

A022	A988	B690	D180-D181	I159
A040	B003-B004	B719	D210	I600-I709
A051	B010-B011	B75	D233-D234	I748
A066	B020-B022	B832	D320-D339	J108
A078	B03-B04	B888	D352	J118
A170-A179	B050-B051	B89	D355	M000-M1990
A180	B060	B900	D360-D367	M420-M429
A190-A191	B200-B24	B901-B909	D420-D439	M45-M519
A203	B258	B91	D443	M860-M949
A228	B259	B92-B940	D446	N000-N399
A260-A289	B261-B262	B941	D448	O100-O16
A321-A329	B268	B948-B949	D45-D479	0740-0749
A368	B270-B279	C470	D487	O900-O909
A390-A394	B334-B338	C479	D489	O95
A398-A399	B375	C700-C729	E713	O994
A428	B384	C751	E750-E756	P000-Q079
A440-A539	B428	C754	F449	Q750-Q799
A544	B450-B459	C758	G000-G239	Q860-Q999
A548	B461	C760	G300-G379	R270-R278
A680-A689	B49-B64	C770	G450-G459	R75
A692	B673	C793-C794	G540-G729	S000-Y899
A800-A959	B676	C798-C97	G839-G98	
A981-A982	B679	D170	I10	

I (a) CVA with general paresis

(b)

(c)

I64 G839

b. <u>Code T144</u> (Paralysis, traumatic) Refer to Section V, Part S, Sequela of injuries, poisonings, and other consequences of external causes, if a sequela is indicated. When reported due to or on the same line with: S000-T149 W81-X39 T20-T35 X50-X599 T66-T79 X70-X84 T90-T95 X91-Y09 T981-T982 Y20-Y369 V010-W43 Y850-Y872 W45-W77 Y890-Y899 I (a) General paresis T144 (b) Brain injury S069 (c)

II Auto accident &V499

4. Viral Hepatitis (B169, B171-B178)

Code:

For Viral Hepatitis in Categories	Code Chronic Viral Hepatitis
B169	B181
B171	B182
B172	B188
B178	B188

When reported <u>as causing</u> liver conditions in:

K721, K7210 K740-K742 K744-K746

Ι	(a)	Cirrhosis of liver	K746
	(b)	Viral hepatitis B	B181

<u>Code</u> I(b) B181, chronic viral hepatitis B, since reported as causing a condition classified to K746.

5. Organisms and Infections NOS (B99)

Organisms

Bacterial organisms classified to A49	Viral organisms classified to B34	Organisms classified to <u>other</u> than A49 or B34
Escherichia coli	Adenovirus	Aspergillus
Haemophilus influenzae	Coronavirus	Candida
Pneumococcal	Coxsackie	Cytomegalovirus
Staphylococcal	Enterovirus	Fungus
Streptococcal	Parovirus	Meningococcal

Infectious conditions

Abscess	Infection	Sepsis, Septicemia
Bacteremia	Pneumonia	Septic Shock
Empyema	Pyemia	Words ending in "itis"

These lists are <u>NOT</u> all inclusive. Use them as a guide.

In order to determine which instruction to use, refer to the Index under the named organism or under Infection, named organism.

- a. Bacterial organisms and infections classified to A49 and Viral organisms and infections classified to B34
 - (1) When an infectious or inflammatory condition is reported and
 - (a) Is preceded by condition classified to A49 or B34 or
 - (b) A condition classifiable to A49 or B34 is reported as the only entry or first entry on the next lower line **or**
 - (c) Is followed by a condition classified to A49 or B34 separated by a connecting term not indicating a due to relationship

	I) If a single code is provided for the infectious or inflammatory condition modified by the condition classified to A49 or B34, use this code. Do not assign a separate code for the condition classifiable to A49 or B34. It may be necessary to use "due to" or "in" in the Index to assign the appropriate code.						
	I (a)	E. coli diarrhea	A044				
	Code	as indexed under Diarrhea, due to, I	Escherichia coli.				
	· · ·	PneumoniaViral infection	J129				
	Code	as indexed under Pneumonia, viral.					
		Meningitis and sepsisH. influenzae	G000 A413				
		as indexed under Meningitis, Haem cemia, Haemophilus influenzae.	ophilus (influenzae) and				
	I (a)	Sepsis with staph	A412				
		as staphylococcal sepsis as indexed ylococcal.	under Septicemia,				
	I (a)	Pneumonia c MRSA	J152				
<u>Code</u> as methicillin resistant staphylococcal aureus pneumonia as indexed under Pneumonia, MRSA.							
(ii) If (i) does not apply, refer to Volume 1, Chapter 1 to determine if the classification provides an appropriate fourth character for the organism. Do not assign a separate code for the condition classified to A49 or B34.							

I (a) Coxsackie virus pneumonia J128

<u>Coxsackie virus</u> is a specified virus. Code as indexed under Pneumonia, viral, specified NEC.

I	(a) Peritonitis(b) Campylobacter	K650
	Campylobacter is a specified bacteria. Code Peritonitis, bacterial.	e as indexed under
Ι	(a) Pneumonia with coxsackie virus	J128
s	<u>Code</u> as coxsackie virus pneumonia. Since of specified virus, code as indexed under Pneum NEC.	
infl	i) and (ii) do not apply, assign the NOS code ammatory condition. Do not assign a separ- dition classified to A49 or B34.	
I	(a) Klebsiella urinary tract infection	N390
S	The Index does not provide a code for Infect specified as bacterial, infectious, infective, o Therefore, code Infection, urinary tract.	
Ι	(a) Pyelonephritis(b) Staphylococcus	N12
ł	The Index does not provide a code for pyelo pacterial, infectious, infective, or staphyloco Pyelonephritis as indexed.	1 1
I	(a) Pyelonephritis and pseudomonas	N12

<u>Code</u> as pseudomonas pyelonephritis. The Index does not provide a code for pyelonephritis specified as bacterial, infectious, infective or pseudomonas. Therefore, code pyelonephritis as indexed.

- b. Organisms and infections classified to categories other than A49 and B34
 - (1) When an infectious or inflammatory condition is reported and
 - (a) Is preceded by a condition classifiable to Chapter I other than A49 or B34
 - (i) Refer to the Index under the infectious or inflammatory condition. If a single code is provided for this condition, modified by the condition from Chapter I, use this code. It may be necessary to use "due to" or "in" in the Index to assign the appropriate code.
 - I (a) Cytomegaloviral pneumonia B250

<u>Code</u> as indexed under Pneumonia, cytomegaloviral.

- (ii) If (i) does not apply, refer to Volume 1, Chapter I to determine if the Classification provides an appropriate fourth character for the organism. Indications of appropriate fourth characters for sites would be "of other sites," "other specified organs," or "other organ involvement."
 - I (a) Candidiasis peritonitis B378

<u>Since</u> this term is not indexed together, refer to Volume I, Chapter I and select the fourth character, .8, candidiasis of other sites.

- (iii) If (i) and (ii) do not apply, code as two separate conditions.
 - I (a) Mononucleosis pharyngitis B279 J029

<u>Since</u> this term is not indexed together and Volume I, Chapter I does not provide an appropriate fourth character under B27.-, code as two separate conditions.

- (b) A condition from Chapter I other than A49 or B34 is reported as the only entry or the first entry on the next lower line
 - (i) Code each condition as indexed where reported.

Ι	(a)	Peritonitis	K659
	(b)	Candidiasis	B379

<u>Since</u> candidiasis is classified to a condition other than A49 or B34, code each condition as indexed.

(c)			-	I other than A49 cating a due to re		-	ted separated by
	(i) Co	ode eacl	h condition a	s indexed where	reported	l.	
		I (a)	Pneumonia	with candidiasis		J189	B379
			candidiasis is ach conditior		condition	other th	nan A49 or B34,
	use HIV separate		-	an infectious or	inflamm	atory co	ondition. Code
I (a	a) HIV	pneumo	onia			B24	J189
organis		ecified n	•	y condition is rep infection is not the		-	
	ode the i		us or inflamr	natory condition	and the	organis	m or infection
		Pneum Emphy	ionia /sema & vira	l infection		J189 J439	B349
	. ,	Peritor Gastric		aphylococcal int	fection	K659 K259	A490

- e. When an infectious or inflammatory condition is reported and
 - (1) Infection NOS is reported as the only entry or the first entry on the next lower line
 - Code the infectious or inflammatory condition where it is entered on the certificate and do not enter a code for infection NOS, but take into account if it modifies the infectious condition.

Ι		Cholecystitis & hepatitis Infection	K819	B159
Ι	` ´	Meningitis Infection & brain tumor	G039 D432	

- (2) Infection NOS is not the only entry or the first entry on the next lower line
 - Code the infectious or inflammatory condition where it is entered on the certificate and code infection NOS separately.

Ι	(a)	Septicemia	A419	
	(b)	Diabetes & infection	E149	B99

- f. When a noninfectious or noninflammatory condition is reported and infection NOS is reported on a lower line
 - Code the noninfectious or noninflammatory condition as indexed and code infection NOS (B99) where entered on the certificate.

Ι	(a)	ASHD	I251
	(b)	Infection	B99

- g. When an organism is reported preceding two or more infectious conditions reported consecutively on the same line
 - Code each of the infectious conditions modified by the organism.

Ι	(a) Staphylococcal pneumonia and	J152	G003
	(b) meningitis		

- h. When any condition is reported and a generalized infection such as bacteremia, fungemia, sepsis, septicemia, systemic infection, or viremia is reported on a lower line
 - Code both the condition and the generalized infection where entered on certificate. Do not modify the condition by the infection.

Ι	(a) Bronchopneumonia	J180
	(b) Septicemia	A419
Ι	(a) Pneumonia	J189
	(b) Viremia	B349

6. <u>Erythremia (C940</u>)

Code D751 (Secondary erythremia):

A000-D489	F55	L710-L719	N700-N768	R730-R739
D510-D619	G000-G419	L930-L932	N980	R75
D751	G450-G459	L950-L959	N990-Q999	R780
D760-E149	G600-G979	M000-M1990	R030	R826
E240-E279	I00-J989	M300-M359	R040-R049	R893
E65-E678	K20-L00	M420-M549	R090-R098	S000-Y899
E890	L100-L139	M800-M949	R160-R162	
E896-E899	L230-L309	M960-M969	R31	
F100-F199	L500-L599	N000-N399	R58-R5800	

Ι	(a)	Septicemia	A419
	(b)	Erythremia	D751
	(c)	Polycythemia	D45

7. Polycythemia (D45)

Excludes: idiopathic primary rubra vera

Code D751 (Secondary polycythemia):

A000-D48	9 G000-G419	L950-L959	R030	R893
D510-D61		M000-M1990	R040-R049	S000-Y899
D751	G600-G979	M300-M359	R090-R098	5000 1000
D760-E14		M420-M549	R160-R162	
E240-E279		M800-M949	R31	
E65-E678	L100-L139	M960-M969	R58-R5800	
E890	L230-L309	N000-N399	R730-R739	
E896-E899		N700-N768	R75	
F100-F199		N980	R780	
F55	L930-L932	N990-Q999	R826	
100			1020	
I (a)	Polycythemia	D751		
. ,	Pneumonia	J189		
	Theamonia	5105		
I (a)	Polycythemia	&D751		
. ,	Chloromycetin therapy	Y408		
(0)	chloromyeeun therapy	1400		
I (a)	Polycythemia vera	D45		
(b)	Emphysema	J439		
(0)	Empirysema	J439		

8. <u>Hemolytic Anemia (D589)</u>

Code D594 (Secondary hemolytic anemia):

A000-D489	F100-F169	O000-O998	
D594	F180-F199	P550-P579	
D65-D699	G000-G09	Q200-Q289	
D760	I00-I519	R75	
D800-D899	I776	R780	
E201	J09-J22	R823	
E280-E289	K700-K769	R826	
E40-E46	M000-M359	R893	
E700-E899	N000-N399	S000-Y899	
I (a) Hemolytic (b) Hairy cell (c)		D594 C914	
I (a) Hemolytic (b) (c)	e anemia	D589	
II Hypogammag	lobulinemia	D801	
I (a) Secondary (b) anemia	/ hemolytic	D594	

9. Sideroblastic Anemia (D643)

a. <u>Code</u> D641 (Secondary sideroblastic anemia due to disease):

When reported due to:

A000-C97	E230	F180-F182	J069	M023
D45	E531	F190-F192	J65	M101
D461	E539	F55	K700-K703	M352
D471	E798	G030	K709	N143
D510-D599	E800-E802	G040	K721	N188-N19
D640-D643	E831	G361	K730-K746	N341
D648	E880	G933	K760	O980-O981
D731	E890	I330	K761	R162
D748	F100-F102	I423	K766	R75
D758	F109-F112	I729	K769	R780
D860-D869	F119-F122	I888	K908	R826
D892	F130-F132	J00	L081	R893
E018-E02	F140-F142	J020	L448	R897
E032-E0390	F150-F152	J030	L946	
E050-E059	F160-F162	J040-J042	M021	

Ι	(a)	Pneumonia	J189
	(b)	Sideroblastic anemia	D641
	(c)	Alcoholic cirrhosis	K703

b. Code D642 (Secondary sideroblastic anemia due to drugs or toxins):

D642	X65
T510-T519	Y15
T560	Y400-Y599
T97	Y86-Y872
X45	Y880
X49	

Ι	(a)	CHF	I500
	(b)	Sideroblastic anemia	&D642
	(c)	Chloramphenicol	Y402

10. Hemorrhagic Purpura NOS (D693)

<u>Code</u> D690 (Hemorrhagic purpura not due to thrombocytopenia):

A 000 C07	E110		N10	0949
A000-C97	F119	I771-I779	N19	Q848
D45-D460	F120	I872	N200-N219	Q872-Q873
D462-D469	F121-F122	I878	N250-N311	Q878
D471	F130-F132	I879-I889	N312-N319	R104
D510	F140	I898-I899	N320-N390	R162
D511-D581	F141-F142	I99-J00	N392	R233
D582	F150	J020	N398-N399	R238
D588-D618	F151-F152	J030	N719	R291
D619	F160-F162	J040-J042	N897	R31
D648	F180-F181	J069	N910-N939	R398
D65-D692	F182	J65	N948	R72
D698-D71	F190-F191	K658	N950-N959	R75
D720	F192	K660	N991	R780
D721	G000-G032	K700-K769	P070-P073	R826
D728	G038-G039	K908	P219	R893
D729-D759	G040	L081	P221-P289	R897
D860-D869	G042-G049	L272	P546	T360-T658
D892	G060	L448	P916	T659
E240	G061-G09	L573	Q458	T780-T784
E241	G312	L80-L819	Q680	T789
E242	G361	L946	Q740-Q741	T806
E243	G373-G374	L958	Q758	T818
E248	G540	L959	Q772	T881
E249	G92	M021-M023	Q775-Q776	T885
E301	G933	M050-M089	Q778	T886-T887
E54	G958	M101	Q779-Q783	T96-T97
E569	G961	M120	Q785	T981
E642	I00-I019	M138	Q788-Q789	X20-X29
E648	I10	M159	Q791	X40-X48
E703	I159	M300	Q794-Q795	X49
E798	I308	M301-M352	Q796	X60-X69
E850-E859	I330-I339	M358	Q798	Y10-Y19
E871	I400-I409	M359	Q808	Y400-Y599
E880	I423	M898	Q810-Q819	Y86
F100	1729	N000-N078	Q820	Y870
F101-F102	I749	N079	Q821-Q825	Y871
F110-F112	I770	N10-N189	Q828	Y872
	2770	1110 1110	20-0	10/2
I (a) CVA			I64	
· · /	orrhagic purpura		D690	
(c) Leuk			C959	
(c) Loux				

11. Thrombocytopenia (D696)

<u>Code</u> D695 (Secondary thrombocytopenia):

A000-D447	E755-E756	G361	L448	P221-P289
D448	E768-E779	G373-G374	L590	P350-P399
D449-D509	E782	G450-G452	L818	P550-P560
D510	E798	G454-G459	L946	P570
D511-D691	E803	G540	M021	P610
D692	E835	G903	M023	P614
D693-D699	E871	G92	M050-M089	P916
D730-D752	E880	G933	M101	Q204-Q205
D758	E888	G936	M120	Q206
D759-D763	E890	G938	M138	Q208
D814	E898	G951	M159	Q209
D820	F100	G958	M199-M1990	Q210
D821	F101-F102	G961	M219	Q220-Q246
D840	F110	I00-I019	M300	Q248
D841-D848	F111-F112	I10-I629	M301-M329	Q249
D860-D892	F119	I630-I6300	M352	Q289
E000-E009	F120	I631-I6310	M898	Q758
E018-E02	F121-F122	I633-I677	N000-N078	Q775-Q776
E031-E033	F130	I678-I679	N079	Q778
E034	F131-F132	I690-I891	N10-N219	Q779-Q783
E035-E0390	F140	1898	N250-N311	Q788-Q789
E055	F141-F142	1899-1972	N312-N319	Q798
E059	F150	I978	N320-N390	Q828
E071	F151-F152	I99	N392	Q850
E230	F160	J00	N398-N399	R001
E349	F161-F162	J020	N980-N989	R008
E46	F180-F181	J030	N991	R012
E538	F182	J040-J042	O360-O369	R161-R162
E539-E54	F190-F191	J069	O430-O431	R233
E560-E639	F192	J09-J118	O438	R291
E642	F55	J65	O439-O469	R31
E648	G000-G032	K658	O60	R398
E649	G038-G039	K660-K661	O670-O689	R58-R5800
E713	G040	K700-K769	O700-O719	R75
E740	G042-G048	K908	O908	R771
E750	G049-G060	K920-K921	O980-O981	R780
E752	G061-G09	K922	P070-P073	R788
E753	G312	L081	P219	R798

Ι	(a)	Multiple hemorrhages	R5800
	(b)	Thrombocytopenia	D695
	(c)	Cancer lung	C349

12. <u>Hyperparathyroidism (E213)</u>

Code E211 (Secondary hyperparathyroidism):

A180	D136-D137
A187	D300-D309
A188	D351-D353
B650-B839	D410-D419
B902-B908	D442-D444
C250-C259	E130-E139
C64-C689	E15-E215
C750-C752	E240-E259
C788	E270-E279
C790-C791	E892
C798	M880-M889
C900-C902	N000-N399
D017	Q600-Q649
D090-D091	Q770-Q789
D093	Q798

Ι	(a)	Hypercalcemia	E835
	(b)	Hyperparathyroidism	E211
	(c)	Cancer parathyroid gland	C750

13. <u>Hyperaldosteronism (E269)</u>

Code E261 (Secondary hyperaldosteronism)

When reported due to:

A220-A229	E250-E269	I10-I150	T360-T659
B500-B54	E270-E46	I159	T783
B560-B575	E511-E519	1500-1509	T880-T889
C740-C749	E660-E669	I701	T96-T97
C797	E713	I778	T983
D093	E86	K700-K709	X40-X49
D350	E871	K721-K7210	X60-X69
D441	E880	K730-K746	X85-X90
D448-D449	E890	K850-K851	Y10-Y19
D840-D849	E892	K853-K859	Y400-Y599
E000-E249	E895-E899	N000-N399	Y86-Y880

Ι	(a)	MI	I219
	(b)	Hyperaldosteronism	E261
	(c)	Renal artery stenosis	I701

14. Lactase Deficiency (E730)

Code E731 (Secondary lactase deficiency):

When reported due to:

E730-E749	K590-K599
K500	K630
K508-K511	K633
K519-K529	K639
K570	K900-K902
K574	K912
K580-K589	N200-N209

Ι	(a) Severe diarrhea	K529
	(b) Lactase deficiency	E731
	(c) Celiac disease	K900

<u>Code</u> I(b) secondary lactase deficiency, E731, since reported due to celiac disease.

SECTION III

15. Alcohol (F101, F109, R780, R826, R893)

When reported anywhere on the certificate, code:

Alcohol	F109
Alcohol overindulgence	F101
Blood alcohol (any %)	R780
Body fluid alcohol (any %)	R893
Drinking	F109
Excessive drinking	F101
Urine alcohol (any %)	R826

NOTE: Do not use accident reported in Manner of Death box to code the above terms to nature of injury and external cause.

ρΛ
80
)1

<u>Code</u> each entry as indexed. Accident in Manner of Death box does not require a code and does not change the code assignment.

Ι	(a) G. I. hemorrhage	K922
	(b) Cirrhosis of liver	K746
II	Hx of drinking	F109

Code each entry as indexed.

Exceptions:

(1) When alcohol intoxication, overdose, poisoning, toxicity, or other term indexed to alcohol poisoning is reported anywhere on the certificate, code the previous terms to nature of injury and external cause codes.

Place	Ι	(a) Excessive drinking	T519	&X45
9	Π	Alcohol poisoning	T519	

<u>Code</u> I(a) nature of injury and external cause codes since alcohol poisoning is reported on the certificate. Code Part II to the nature of injury code only.

(2) When the previous terms and drug poisoning are reported on the same record, refer to Section V, Part Q, 4, <u>Poisoning by alcohol and drugs</u> to determine if there is evidence of synergistic effects of the alcohol and drugs.

```
Place I (a) Combined action of alcohol T519 X45 T427 &X41
9 (b) intoxication and sedative overdose
(c)
```

<u>Interpret</u> I(a) as poisoning and code nature of injury and external cause codes for alcohol and drugs. Precede the external cause code for the drug with an ampersand.

(3) When intoxication (acute) NOS is reported <u>due to</u> drugs or poisonous substances, refer to Section V, Part Q, 5, <u>Intoxication (acute) NOS due to</u> <u>specified substances</u>.

16. Korsakov's Disease, Psychosis, or Syndrome (F106)

<u>Code</u> F04 (Nonalcoholic Korsakov's disease, psychosis, or syndrome):

When reported due to :

A000-D591	L920	S710-S729	T904
D592	L928-L932	S740-S799	T905
D593-D610	L951	S810-S829	T908
D611	L980-L981	S840-S899	T909
D612-E243	M000-N459	S910-S929	T910
E248-E519	N490-N809	S940-S999	T911-T915
E52	N990-N992	T012-T029	T918
E530-F09	N994-Q999	T041-T08	Т919-Т922
F200-G311	R54	T091	T924-T926
G318-G619	R75	T093-T10	T928
G620	S010-S029	T111	Т929-Т932
G622	S040-S050	T113-T12	T934-T936
G628-G720	S052-S099	T131	T938
G722-G98	S110-S129	T133-T139	T939
I00-I4250	S140-S199	T141-T142	Т940-Т953
I427-J989	S210-S229	T144-T329	T954
K20-K291	S240-S299	T340-T349	T958-T959
K293-K669	S310-S328	T351-T399	T96-X40
K710-K851	S340-S399	T410-T422	X43-X44
K853-K859	S410-S429	T425-T426	X46-Y449
K861-L109	S440-S499	T427	Y451-Y468
L129-L449	S510-S529	T428	Y480-Y485
L510-L599	S540-S599	T440-T509	Y500-Y899
L710-L719	S610-S628	Т520-Т889	
L88	S640-S699	T901-T903	

I	(a)	Korsakoff's psychosis	F04	
	(b)	Wernicke's encephalopathy	E512	2

(c)

17. Drug Use NOS - Named Drug Use (F11-F16, F18-F19)

<u>Code</u> drug use NOS, F199, when reported anywhere on the certificate. Code use of named drug, F11-F16, F18-F19 with fourth character "9," when reported anywhere on the certificate and the named drug is listed in Volume 3, under Addiction/Dependence. If the named drug is not listed in Volume 3 under Addiction/Dependence, do not enter a code.

Exceptions:

- Complication(s) reported due to (named) drug use. Code the (named) drug use to the appropriate external cause code for adverse effects of drugs in therapeutic use unless the drug is one not used for medical care purposes. Refer to Section V, Part R, 1, <u>Drugs, medicaments, biological substances causing adverse effects</u> in therapeutic use (Y40-Y59) for coding instructions.
- (2) There is mention of drug poisoning anywhere on the certificate, code the (named) drug use to F11-F16, F18-F19, with fourth character "9," if listed in Volume 3 under Addiction/Dependence. If (named) drug is not indexed in Volume 3 under Addiction/Dependence, code F19, specified drug NEC with fourth character "9." Refer to Section V, Part Q, 2, <u>Poisoning by drugs</u>.

Ι	(a) Chronic alcoholism	F102
	(b)	
	(c)	
Π	Drug use	F199

<u>Code</u> drug use to F199. There is no complication reported due to the drug use.

9
)

<u>Code</u> methadone use to F119 as listed under Dependence in Volume 3. There is no complication reported due to the methadone use.

Ι	(a)	Systemic lupus erythematosus	M329
	(b)		
	(c)		
Π	Ste	roid use	

<u>Do not</u> code steroid use. Steroid is not listed in Volume 3 under Addiction/Dependence and no complication is reported due to the steroid use.

Intent of Certifier

I (a) Diabetes	E139
(b) Steroid use	Y427
(c) II Rheumatoid arthritis	&M069

<u>Code</u> the diabetes as a complication of the steroids given in therapeutic use for rheumatoid arthritis. Refer to Section V, Part R, 1, <u>Drugs, medicaments, biological</u> <u>substances causing adverse effects in therapeutic use (Y40-Y59)</u> for coding complications of drugs during therapeutic use.

I	(a)	Bacterial endocarditis	&I330
	(b)	Use of morphine	Y450
	(c)		

<u>Code</u> the bacterial endocarditis as a complication of the morphine given in therapeutic use. Precede the complication with an ampersand since the condition requiring the drug is not reported. Refer to Section V, Part R, 1, <u>Drugs</u>, <u>medicaments</u>, <u>biological substances causing adverse effects in therapeutic use</u> (Y40-Y59) for coding complications of drugs during therapeutic use.

<u>Place</u>	Ι	(a) Acute cocaine poisoning				T405	&X42
9		(b)					
MOD	TT	(c)				F140	T 405
	П	Cocaine use				F149	1405
А		Accident		Ingested cocaine			

<u>Code</u> cocaine use to F149 as listed under Dependence in Volume 3 since reported on the certificate with drug poisoning. Refer to Section V, Part Q, 2, <u>Poisoning by drugs</u> for instructions in coding drug poisoning.

Place 9	Ι	(a) Respirator(b) Acute dru	J969 F199	
MOD A	II	(c)	Overdose of morphine	&X42 T402

<u>Code</u> acute drug use to F199 since reported on the certificate with drug poisoning.

Place	I (a) Poisoning by drugs	T509	&X44
9	(b)		
	(c)		
	II Use of sedatives	F139	

<u>Code</u> use of sedative to F139 as listed under Dependence in Volume 3 since reported on the certificate with drug poisoning.

18. Tobacco Use (F179)

Code F179 (Tobacco use):

When the certifier selects "Yes" or "Probably" in the tobacco box on the US Standard Certificate of Death.

Did tobacco use contribute to death?

Yes	Probably	
No	Unknown	

The F179 should follow the last code in Part II.

I (a) Pneumonia	J189	
(b) Lung cancer	C349	
II COPD	J449	F179

Did tobacco use contribute to death?

Yes	\boxtimes	Probably	
No		Unknown	

19. Psychotic Episode NOS (F239)

Code F068 (Psychotic episode, organic NEC):

When reported due to or on the same line with conditions classifiable to the following categories:

A000-E899 F068 G000-G98 H600-H709 H720-H739 I00-J989 K20-L109 L120-L449 L510-L599	L88 L920 L928-L932 L951 L980-L981 M000-N459 N490-N809 N990-N992 N994-Q999	R042-R048 R060-R065 R068 R090-R091 R291 R54 R600-R609 R75

Ι	(a)	TIA's with psychotic episodes	G459	F068
	(b)	Cerebral arteriosclerosis	I672	
	(c)	Arteriosclerosis	I709	

<u>Code</u> psychotic episode on I(a) F068, since reported on the same line with TIA (G459). It could also be coded to F068 since reported due to cerebral arteriosclerosis (I672).

20. Psychosis (any F29)

Code F09 (Psychosis, organic NEC):

When reported due to or on the same line with conditions classifiable to the following categories:

A000-E899	R54	S740-S799	T904
F09	R75	S810-S829	T905
G000-G98	S010-S029	S840-S899	T908
I00-J989	S040-S050	S910-S929	T909
K20-L109	S052-S099	S940-S999	T910
L120-L449	S110-S129	T012-T029	T911-T915
L510-L599	S140-S199	T041-T08	T918
L710-L719	S210-S229	T091	T919-T922
L88	S240-S299	T093-T10	T924-T926
L920	S310-S328	T111	T928
L928-L932	S340-S399	T113-T12	T929-T932
L951	S410-S429	T131	T934-T936
L980-L981	S440-S499	T133-T139	T938
M000-N459	S510-S529	T141-T142	T939
N490-N809	S540-S599	T144-T329	T940-T953
N950-N959	S610-S628	T340-T349	T954
N990-N992	S640-S699	T351-T889	T958-T959
N994-Q999	S710-S729	T901-T903	T96-Y899

Ι	(a)	Pneumonia	J189	
	(b)	Psychosis – cerebrovascular arteriosclerosis	F09	I672
	(c)	Arteriosclerosis	I709	

21. Dissociative Disorder (F449)

Code F065 (Organic dissociative disorder):

When reported due to conditions classifiable to the following categories:

A000-E899	L88	R042-R048
F065	L920	R060-R065
G000-G98	L928-L932	R068
H600-H709	L951	R090-R091
H720-H739	L980-L981	R291
I00-J989	M000-N459	R54
K20-L109	N490-N809	R600-R609
L120-L449	N990-N992	R75
L510-L599	N994-Q999	S000-Y899
L710-L719	R02	

Ι	(a)	Dissociative disorder	F065
	(b)	Chronic subdural hematoma	T905
	(c)	Car accident	&Y850

<u>Code I(a) organic</u> dissociative disorder, F065, since reported due to an injury.

Ι	(a)	Dissociative disorder	F065
	(b)	Senility	R54

Code I(a) organic dissociative disorder, F065, since reported due to senility.

22. <u>Personality Disorder (F609)</u> <u>Personality Change (Enduring) (F629)</u>

Code F070 (Organic personality disorder):

When reported due to conditions classifiable to the following categories:

N490-N809	S440-S499	T093-T10
N990-Q999	S510-S529	T111
R54	S540-S599	T113-T12
R75	S610-S628	T131
S010-S029	S640-S699	T133-T139
S040-S050	S710-S729	T141-T142
S052-S099	S740-S799	T144-T329
S110-S129	S810-S829	T340-T349
S140-S199	S840-S899	T351-T889
S210-S229	S910-S929	T901-T922
S240-S299	S940-S999	T924-T932
S310-S328	T012-T029	T934-Y899
S340-S399	T041-T08	
S410-S429	T091	
	N990-Q999 R54 R75 S010-S029 S040-S050 S052-S099 S110-S129 S140-S199 S210-S229 S240-S299 S310-S328 S340-S399	N990-Q999S510-S529R54S540-S599R75S610-S628S010-S029S640-S699S040-S050S710-S729S052-S099S740-S799S110-S129S810-S829S140-S199S840-S899S210-S229S910-S929S240-S299S940-S999S310-S328T012-T029S340-S399T041-T08

Place	Ι	(a)	Personality disorder	F070
9		(b)	Head injury	S099
		(c)	Assault	&Y09

<u>Code</u> I(a) <u>organic</u> personality disorder, F070, since reported due to a head injury.

Ι	(a)	Personality disorder	F070
	(b)	Meningioma brain	D320

<u>Code</u> I(a) <u>organic</u> personality disorder, F070, since reported due to a meningioma brain.

Ι	(a)	Personality change	F070
	(b)	Jakob-Creutzfeldt Syndrome	A810

<u>Code</u> I(a) <u>organic</u> personality disorder, F070, since reported due to Jakob-Creutzfeldt Syndrome.

23. Mental Disorder (any F99)

Code F069 (Organic mental disorder)

When reported due to or on the same line with conditions classifiable to the following categories:

A000-G98	M000-N459	S000-S199	T510-T519
H600-H709	N490-N809	T019	T66-T68
H720-H739	N990-N992	T028	T698-T758
I00-J989	N994-Q999	T029	T790-T799
K20-L109	R02	T049	T900-T911
L120-L449	R042-R048	T062	T913
L510-L599	R060-R065	T064	T918-T919
L710-L719	R068	T07-T08	T940-T950
L88	R090-R091	T093-T094	T958-T959
L920	R291	T140-T149	T97
L928-L932	R54	T200-T207	T981-T982
L951	R600-R609	T340-T341	V010-Y872
L980-L981	R75	T350-T352	

I (a)	Cardiorespiratory arrest	I469
(b)	Heart failure	I509
(c)	Multiple sclerosis and mental disorder	G35 F069

24. Parkinson's Disease (G20)

Code G219 (Secondary parkinsonism):

When reported due to:

A170-A179	B902	1950-1959
A504-A539	B91	R75
A810-A819	B941	S000-T357
A870-A89	B949	T66-T876
B003	F200-F209	Т900-Т982
B010	G000-G039	T983
B021-B022	G041-G09	X50-X599
B051	G20-G2000	X70-X84
B060	G218-G219	X91-Y09
B200-B24	I672-I673	Y20-Y369
B261	I678-I679	Y600-Y849
B375	I698	Y850-Y872
B900	I709	Y881-Y899
- () - 11		
I (a) Parkinson	n's disease	G219
(b) Tubercul	ous meningitis	A170
(c)		
I (a) Parkinson	nism	G219
(b) Arteriosc	elerosis	I709

- (c)
- I (a) Secondary Parkinson's disease G219 (b) (c)

2b January 2007

25. Cerebral Sclerosis (G379)

Code I672 (Cerebrovascular atherosclerosis):

a. When reported due to or on the same line with:

A500-A539 E000-E349 E660-E669 E700-E839 E890-E899 I10-I150 I159 I672	M100-M109 M300-M359 N000-N289 N390 Q600-Q619 Q630-Q639 Q890-Q892 R54
I700-I709	T383
I770 I99	Y423

b. When reported <u>as causing</u>:

I600-I679

I (a) Cerebral edema	G936
(b) Cerebral sclerosis	G379
I (a) Cerebral thrombosis	I633
(b) Cerebral sclerosis	I672
I (a) ASHD (b) (c)	I251
II Cerebral sclerosis, hype	rtension 1672 I10

26. <u>Myopathy (G729)</u>

Code I429 (Cardiomyopathy):

When reported due to:

A150-A1690	E648-E649	K768-K769
A178	E660-E669	M069
A181	E740	M100-M109
A188	E760-E769	M300-M359
B200-B24	E831	M625
B332	E850-E859	N000-N399
B560-B575	E880-E889	P200-P220
B948	F100-F199	P916
C000-C97	G111	Q200-Q249
D151	G600	R31
D467-D469	G700-G729	R54
D500-D649	I00-I259	R75
D758	I300-I4290	T360-T66
D860-D869	I514-I5150	T97
Е000-Е0390	I700-I709	X45
E050-E059	K700-K709	X65
E100-E149	K721	Y15
E220	K730-K739	Y400-Y599
E40-E519	K743	Y842
E639	K745-K746	Y86-Y872
E641	K760	Y883
I (a) Myopathy		I429
(b) ASHD		I251
(0) ASID		1401

(c)

Code I(a) cardiomyopathy, I429, since reported due to a specific heart condition.

27. Brain Damage, child (G809)

Code G939 (Brain damage):

When reported due to:

A000-F199	M000-N399	R400-R402
F200-F99	N700-N889	R54
G000-G98	O000-Q999	R560-R5800
H600-H749	R02	R600-R609
H950-J80	R040-R049	R630
J82-J989	R060-R068	R75
K700-K769	R090-R092	S000-Y899
L00-L989	R291	

М	lale,	11 years	
Ι	(a)	Cardiac arrest	I469
	(b)	Brain damage	G809

<u>Since</u> the age of the decedent is less than 18 years of age and there is no indication of the cause of the brain damage, code G809, brain damage, child.

Male, 11 years

Ι	(a)	Brain damage	G939
	(b)	Down's syndrome	Q909

<u>Since</u> there is an indication of the cause of the brain damage, code brain damage, G939.

28. Paralysis (any G81, G82, or G83 excluding senile paralysis)

<u>Code</u> the paralysis for decedent age 28 days and over to G80 (Infantile cerebral palsy) with appropriate fourth character:

When reported due to:

P000-P969

Ι

Female, 3 months

(a) Pneumonia	1wk	J189
(b) Paraplegia	3 mos	G808
(c) Injury spinal cord sin	nce birth	P115

<u>Code</u> the paraplegia on I(b) to infantile paraplegia, G808, since reported due to an injury of the spinal cord since birth.

29. Cataract (H269)

Code H264 (Secondary cataract):

When reported due to:

A1690	H269
B200-B24	H579
E100-E149	R54
E160-E162	R75
E711	T66
E742	Y493
E830	Y540
E835	Y576
H264	

Ι	(a)	CVA	I64
	(b)	Cataract	H264
	(c)	Diabetes	E149

<u>Code</u> I(b), secondary cataract, H264, since reported due to diabetes (E149).

SECTION III

30. Varices NOS and Bleeding Varices NOS (I839)

<u>Code</u> (a) I859 (Esophageal varices) or (b) I850 (Bleeding esophageal varices):

When reported due to or on same line with:

Alcoholic diseases classified to: F100-F109 Liver diseases classified to: B150-B199, B251, B942, K700-K769 Toxic effect of alcohol classified to: T510-T519, T97

Ι	· · ·	Varices Cirrhosis of liver	I859 K746
Ι		Bleeding varices Cirrhosis of liver	1850 K746

31. <u>Pneumonia in J188 or J189</u> <u>Bronchopneumonia (J180)</u> <u>Lobar pneumonia, organism unspecified only in J181</u>

<u>Code</u> J182 (Hypostatic pneumonia):

When reported anywhere on the record with:

Bedbound	Lying in bed
Bedfast	Prolonged recumbency
Bedrest	Recumbency
Bedridden	Sitting in chair
Bed Patient	Stasis
Confined to bed	
Hypostasis	
Immobility	
Immobilization	
Inactivity	
I (a) Cardiac arrest	I469

I	(a)	Calulac allest	1409
	(b)	Bronchopneumonia	J182
	(c)	Inactivity	

32. Pneumoconiosis (J64)

<u>Code</u> J60 (Coal worker's pneumoconiosis):

When Occupation is reported as:

Coal miner Coal worker Miner

Occupation: Coal Miner

Ι	(a)	Bronchitis	J40
	(b)	Pneumoconiosis	J60

SECTION III

33. Alveolar Hemorrhage (Diffused) (K088)

Code R048 (Lung hemorrhage):

When reported anywhere on record with:

A000-R825 R826 R827-R892 R893 R894-R961 R98-Y899

Ι	(a)	Respiratory Failure	J969
	(b)	Alveolar Hemorrhage	R048

<u>Code</u> I(b) lung hemorrhage, R048, since alveolar hemorrhage is reported on the record with a condition classified to J969

34. Diaphragmatic Hernia in K44.-

<u>Code</u> Q790 (Congenital diaphragmatic hernia): When reported as causing hypoplasia or dysplasia of lung NOS (Q336).

Q336

- I (a) Lung dysplasia
 - (b) Diaphragmatic hernia Q790
 - (c)

35. Laennec's Cirrhosis NOS (K703)

Code K746 (Nonalcoholic Laennec's cirrhosis):

When reported due to:

A000-B99	K852
C000-D539	K853-K859
D730-D739	K860
E02-E0390	K861-K909
E100-E149	Q410-Q459
E500-E519	Q900-Q999
E52	R75
E530-E849	R780
F100-F109	T360-T509
F110-F169	T510-T519
F180-F199	T520-T659
I050-I099	T97
I110-I119	X40-X44
I130-I4250	X45
I426	X46-X49
I427-I519	X65
I81	Y15
K500-K519	Y400-Y572
K630-K639	Y573
K700-K709	Y574-Y599
K710-K718	Y640
K730-K760	Y86
K761	Y870-Y872
K763	Y880
K768-K851	Y881

Ι	(a)	Cardiac arrest	I469
	(b)	Laennec's cirrhosis	K746
	(c)	Diabetes	E149

<u>Code</u> I(b) nonalcoholic Laennec's cirrhosis since reported "due to" diabetes.

36. Biliary Cirrhosis NOS (K745)

Code K744 (Secondary biliary cirrhosis):

When reported due to:

A000-B99	K852	
C000-D539		
D730-D739		
E02-E0390	K861-K909	
E100-E149	Q410-Q459	
E500-E519	Q900-Q999	
E52	R75	
E530-E849	R780	
F100-F109	T360-T509	
F110-F169	T510-T519	
F180-F199	T520-T659	
I050-I099	T97	
I110-I119	X40-X44	
I130-I4250	X45	
I426	X46-X49	
I427-I519	X65	
I81	Y15	
K500-K519	Y400-Y572	
K630-K639	Y573	
K700-K709	Y574-Y599	
K710-K718	Y640	
K730-K760	Y86	
K761	Y870-Y872	
K763	Y880	
K768-K851	Y881	
I (a)	Diliant aimhacia	K745
I (a) (b)	Biliary cirrhosis	K /4J
(b) (c)		
(C)		
I (a)	Primary biliary cirrhosis	K743
(b)	Timary onlary chinosis	117 13
(c)		
(0)		
I (a)	Secondary biliary cirrhosis	K744
(b)		
(c)		
I (a)	Biliary cirrhosis	K744
. ,	Carcinoma pancreas	C259
(c)	±	
	126	

37. <u>Lupus Erythematosus (L930)</u> <u>Lupus (L930)</u>

<u>Code</u> M321 (Systemic lupus erythematosus with organ or system involvement):

When reported as causing a disease of the following systems:

Anemia Circulatory (including cardiovascular, lymph nodes, spleen) Gastrointestinal Musculoskeletal Respiratory Thrombocytopenia Urinary

Ι	(a)	Nephritis	N059
	(b)	Lupus erythematosus	M321
	(c)		

38. <u>Gout (M109)</u>

Code M104 (Secondary gout):

When reported due to:

L578-L589
L930-L932
L945
L951
L981
M100-M109
R75
T510-T519
T97
X45
X65
Y15
Y86-Y872

Ι	(a)	Perforated gastric ulcer	K255
	(b)	Gout	M104
	(c)	Waldenstrom's macroglobulinemia	C880

39. Polyarthrosis (M159)

Code M153 (Secondary multiple arthrosis):

When reported due to:

A399 B200-B24 E660-E669 G810-G839 M150-M1990 N924 N950-N959 R54 R75 S000-T983

Ι	(a)	Hypostatic pneumonia	J182
	(b)	Polyarthrosis	M153
	(c)	Obesity	E669

Code I(b) secondary multiple arthrosis, M153, since reported due to obesity.

40. Coxarthrosis (M169)

<u>Code</u> (a) M166 (Coxarthrosis, secondary bilateral):
(b) M167 (Coxarthrosis, secondary, NEC unilateral):

When reported due to:

A399 B200-B24 E660-E669 G810-G839 M150-M161 M166-M1990 N924 N950-N959 R54 R75

Ι	(a)	Pneumonia	J189
	(b)	Debility	R53
	(c)	Coxarthrosis	M167
	(d)	Polyarthrosis	M159

<u>Code</u> I(c) secondary coxarthrosis, M167, since reported due to polyarthrosis (M159).

41. Gonarthrosis (M179)

- <u>Code</u> (a) M174 (Secondary gonarthrosis, bilateral):
 - (b) M175 (Secondary gonarthrosis, unilateral):

When reported due to:

A399 B200-B24 E660-E669 G810-G839 M150-M171 M174-M1990 N924 N950-N959 R54 R75

Ι	(a)	Pneumonia, gonarthrosis	J189	M175
	(b)	Hemiplegia	G819	
	(c)	Old CVA	I694	

<u>Code</u> I(a) secondary gonarthrosis, M175, since reported due to hemiplegia.

42. <u>Arthrosis (M199)</u>

Code M192 (Secondary arthrosis):

When reported due to:

A399 B200-B24 E660-E669 G810-G839 M150-M190 M192-M1990 N924 N950-N959 R54 R75

Ι	(a)	Pathological fractures	M844
	(b)	Arthrosis	M192
	(c)	Senility	R54

Code I(b) secondary arthrosis, M192, since reported due to senility.

43. <u>Kyphosis (M402)</u>

Code M401 (Secondary kyphosis):

When reported due to:

A1690	E890-E899	M359-M489
A180	G110-G119	M800-M949
B902	G20-G2000	M960-M969
B91	G35-G379	Q050-Q059
C400-C419	G540-G549	Q760-Q799
C490-C499	G600-G839	Q850
C795	G950-G959	Q870-Q878
D166	G970-G979	Q893-Q999
D480	M000-M120	S000-Y899
E200-E215	M150-M1990	
E550-E559	M320-M351	

Ι	(a)	COPD	J449
	(b)	Kyphosis	M401
	(c)	Spinal osteoarthritis	M479

<u>Code</u> I(b) secondary kyphosis, M401, since reported due to spinal osteoarthritis.

SECTION III

44. <u>Scoliosis (M419)</u>

a. Code M414 (Neuromuscular scoliosis):

When reported due to:

A800-A809	G700-G709
B91	G800-G809
G111	M414

Ι	(a)	Respiratory failure		J969
	(b)	Severe scoliosis	years	M414
	(c)	Polio	years	B91

Code I(b) neuromuscular scoliosis, M414, since reported due to polio (B91).

b. Code M415 (secondary scoliosis):

When reported due to:

A1690	G09	M415-M489
A180	G20-G2000	M800-M949
B902	G360-G379	M960-M969
C400-C419	G540-G549	Q050-Q059
C490-C499	G600-G64	Q760-Q799
C795	G950-G959	Q850
D166	G970-G979	Q870-Q878
D480	M000-M120	Q893-Q999
E200-E215	M150-M1990	S000-Y899
E550-E559	M320-M351	
E890-E899	M359-M413	

Ι	(a)	Pneumonia	J189
	(b)	Scoliosis	M415
	(c)	Progressive systemic sclerosis	M340

<u>Code I(b)</u> secondary scoliosis, M415, since reported due to progressive systemic sclerosis.

45. Osteonecrosis (M879)

Code M873 (Secondary osteonecrosis):

When reported due to:

A000-A399	D480	M463-M479
A400-A419	D550-D589	M600
A420-B889	H650-H669	M860-M870
B89	J00-J399	M873
B900-B949	L00-L089	M878-M889
B99	M000-M1990	M894
C400-C419	M320-M351	M910-M939
C763	M359	N340-N343
C795	M420-M429	N390
C810-C969	M45-M461	N700-N768
D160-D169	M462	R75

Ι	(a)	Septicemia	A419
	(b)	Osteonecrosis hip	M873
	(c)	Infective myositis	M600

<u>Code</u> I(b) secondary osteonecrosis, M873, since reported due to infective myositis (M600).

46. Dysmenorrhea (N946)

Code N945 (Secondary dysmenorrhea):

When reported due to:

C530-C55	N800-N809
C798	N840-N841
D060-D069	N850-N889
D073	N945
D250-D269	Q510-Q519
D390	Q528
N710-N739	

Ι	(a)	Anemia and gastric ulcer	D649	K259
	(b)	Menorrhagia with dysmenorrhea	N920	N945
	(c)	Cancer of endocervix	C530	

<u>Code</u> I(b) secondary dysmenorrhea, N945, since reported due to cancer of endocervix (C530).

47. <u>Cesarean Delivery for Inertia Uterus (O622)</u> <u>Cervical Dystocia (O622):</u> <u>Hypotonic Labor (O622):</u> <u>Hypotonic Uterus Dysfunction (O622):</u> <u>Inadequate Uterus Contraction (O622):</u> <u>Uterine Inertia During Labor (O622):</u>

Code O621 (Secondary uterine inertia):

When reported due to:

O100-O209	O440-O469
O230-O249	O621
O260-O264	O670-O679
O266-O269	O95
O310	O980-O998
O330-O349	

Ι	(a)	Cardiac arrest	O754
	(b)	Uterine inertia	O621
	(c)	Diabetes mellitus of pregnancy	O249

<u>Code</u> I(b) secondary uterine inertia, O621, since reported due to diabetes mellitus of pregnancy (O249).

48. Brain Damage, newborn (P112)

Code P219 (Anoxic brain damage, newborn):

When reported due to:

A000-R825 R826 R827-R892 R893 R894-R961 R98-Y899

Male, 9 hours

Ι

(a)	Brain damage	P219
(b)	Congenital heart disease	Q249

<u>Code</u> I(a) anoxic brain damage, P219, since reported due to congenital heart disease.

49. Intracranial Nontraumatic Hemorrhage of Fetus and Newborn (P52)

<u>Code</u> P10 (Intracranial laceration and hemorrhage due to birth injury) with the appropriate fourth character:

When reported due to:

P030-P039 P100-P112 P119 P130-P131 P159

М	lale,	9 hours	
Ι	(a)	Cerebral hemorrhage	P101
	(b)	Fractured skull during birth	P130
	(c)		

<u>Code</u> I(a) cerebral hemorrhage due to birth injury, P101, since reported due to a fracture skull occurring during birth.

Fe	Female, 2 weeks				
Ι	(a)	Cerebral hemorrhage	P101		
	(b)	Birth injury	P159		
	(c)				

<u>Code</u> I(a) cerebral hemorrhage due to birth injury, P101.

50. Septal Defect, (atrial), (auricular), (heart), (ventricular), (Q210, Q211, Q212, Q219)

<u>Code</u> I510 (Acquired septal defect) providing there is no indication the defect is congenital:

a. When reported due to:

A000-A09	I400-I519	N990-N999	R500-R509
A181	I700-J80	P000-P049	R53-R54
A200-B89	J82-J989	P100-Q079	R560-R609
B908-E899	K20-K929	Q240-Q249	R634-R635
F100-F199	L89	Q260-Q349	R64
G000-G419	L97	Q380-Q459	R688-R799
G450-G459	L984	Q600-Q799	R826
G500-G729	M000-M1990	Q850-R098	R893
G900-G98	M300-M549	R11	S000-Y899
H650-H839	M800-M959	R160-R18	
I00-I029	N000-N399	R222	
I10-I339	N600-N96	R300-R398	

- b. When reported on the same line with:
 - I110-I119 I130-I139 I200-I339 I400-I519

I	(a)	Cardiac arrest	I469
	(b)	Ventricular septal defect	I510
	(c)	Myocardial infarction	I219

51. Hypoplasia or Dysplasia of Lung NOS (Q336)

Code P280 (Primary atelectasis of newborn):

When reported anywhere on the record with the following codes and not reported due to diaphragmatic hernia in K44.- or in Q790, and there is no indication that the condition was congenital.

A500-A509 B200-B24 P000-P009 P011-P013 P050-P073 P220-P229 P280 P350-P399 P612 Q600-Q611 Q613-Q649 R75

I (a) Hypoplasia lung (b)		P280
(c) II Prematurity		P073
Female, 5 hrs. I (a) Dysplasia of lung (b)	5 hrs	Q336
(c) II Hyaline membrane disease		P220

<u>Code</u> Q336, since the duration and age are the same indicating the condition was congenital.

SECTION III

52. <u>Injury (S000-T149)</u>	
Code P10-P15 (Birth trauma):	
a. When the age of decedent is less than 28 days	
AND	
b. There is no mention of external cause	
AND	
c. Reported due to a condition in P000-P969	
Male, 5 days	
I (a) Femur fracture P132	
(b) Breech delivery P030	
Code femur fracture as indexed under Birth, injury, fracture, femur	

2b January 2007

53. Fracture (any site) (T142)

<u>Code</u> M844 (Pathological fracture):

a. When reported due to:

A180	D480	M359	M893-M895	R54
A500-A509	D489	M420-M429	M898-M939	T810-T819
A521	E210-E215	M45-M519	M941-M949	T840-T849
A527-A539	E550-E559	M600	M960	T870-T889
A666	E896-E899	M800-M839	M966-M969	
C000-C97	M000-M1990	M843-M851	Q770-Q789	
D160-D169	M320-M351	M854-M889	Q799	

b. When reported on the same line with:

C40-C41	M80-M81	M88
C795	M83	

NOTE 1: If accident box is checked, do not enter an external cause code.

NOTE 2: If a fracture qualifies as pathological, all fractures reported of the same site will be coded pathological as well.

Ι	(a) Fracture hip	M844
	(b) Osteoarthritis	M199
Ι	(a) Myocardial infarction	I219
	(b) ASHD	I251
	(c)	NO44 N120 1110
1	Fracture of spine due to arthritis causing fall	M844 M139 W19
Ι	(a) Pneumonia	J189
	(b) Osteoporosis \overline{c} fracture spine	M819 M844
Ι	(a) Pneumonitis	J189
	(b) Arteriosclerosis	I709
	(c) Fracture femur	M844
MOD I		1
А	Accident Spontaneous in bed	

<u>Code</u> fracture of femur as pathological, M844, since the certifier indicated it was spontaneous. Do not enter code for "accident" in checkbox.

I (a) Aspiration pneumonia	J690
(b) Left hip fracture	M844
(c)	
II Hip fracture, anemia, osteoporosis	M844 D649 M819

<u>Code</u> the hip fracture on (b) and in Part II as pathological, applying instruction b and note 2.

54. Starvation NOS (T730)

Code E46 (Malnutrition NOS):

When reported due to:

A000-E649 E670-F509 F530-F539 F608-F609 F680-F73 F920 F982-F983 F989-G98 I00-J80 J82-J989 K020-K029	L100-L129 L400-L409 L510-L539 L89 L97 L984 M000-M1990 M300-N459 N700-N768 O000-Q079 Q200-Q824 O850 O000	R13 R54 R600-R609 R630 R633-R634 R75 S010-S099 S110-S199 S210-S299 S310-S399 T019-T021	T058 T065-T08 T091-T099 T141 T148-T149 T170-T217 T270-T329 T360-T659 T800-T889 T97 T983 V010 V800
K020-K029 K040-K069 K080-K929	Q200-Q824 Q850-Q999 R11	T019-T021 T029 T041	T983 V010-Y899

Ι	(a)	Anemia	D649
	(b)	Starvation	E46
	(c)	Cancer of esophagus	C159

<u>Code</u> I(b) E46, malnutrition, since reported due to a neoplasm.

Ι	(a)	Starvation	E46
	(b)	Crushed abdomen	S381
Π	Au	to accident	&V499

Code I(a) E46, malnutrition, since reported due to an internal injury.

Part A

General information

Separate categories are provided in ICD-10 for coding malignant primary and secondary neoplasms (C00-C96), carcinoma in situ (D00-D09), benign neoplasms (D10-D36), and neoplasms of uncertain or unknown behavior (D37-D48). Categories and subcategories within these groups identify sites and/or morphological types.

Morphology describes the difference in type and structure of cells or tissues (histology) as seen under the microscope and behavior. The ICD classification of neoplasms consists of several major morphological groups (types) of neoplasms including the following:

Carcinomas including squamous cell carcinoma and adenocarcinoma Sarcomas and other soft tissue tumors including mesotheliomas Lymphomas including Hodgkin's lymphoma and non-Hodgkin's lymphoma Site specific types (types that indicate the site of the primary neoplasm) Leukemias Other specified morphological groups

The morphological types of neoplasms are listed in ICD-10 following Chapter XX in Volume 1 and also appear in Volume 3. Morphology, behavior, and site must all be considered when coding neoplasms. This may take the form of a reference to the appropriate column in the "Neoplasm" listing in the Index when the morphological type could occur in several organs. For example:

Adenoma, villous (M8261/1) - see Neoplasm, uncertain behavior

Or to a particular part of that listing when the morphological type originates in a particular type of tissue. For example:

Fibromyxoma (M8811/0) - see Neoplasm, connective tissue, benign

The Index may give the code for the site assumed to be most likely when no site is reported for a morphological type. For example:

Adenocarcinoma

- pseudomucinous (M8470/3)
- - specified site see Neoplasm, malignant
- - unspecified site C56

Part A

Or the Index may give a code to be used regardless of the reported site when the vast majority of neoplasms of that particular morphological type occur in a particular site. For example:

Nephroma (M8960/3) C64

Always look up the morphological description in the Index before referring to the listing under "Neoplasm" for the site.

The morphological code numbers consist of five characters: the first four identify the histological type of the neoplasm and the fifth, following a slash, indicates its behavior. These morphological codes (M codes) are not used by NCHS for coding purposes.

The behavior of a neoplasm is an indication of how it will act. The following terms describe the behavior of neoplasms:

Malignant, primary site (capable of rapid growth and of spreading to nearby and distant sites)	C00-C76, C80-C96
Malignant secondary (spread from another site; metastases)	C77-C79
In-situ (confined to one site)	D00-D09
Benign (non-malignant)	D10-D36
Uncertain or unknown behavior (undetermined whether benign or malignant)	D37-D48

Unless it is specifically indexed, code a morphological term ending in "osis" in the same way as the tumor name to which "osis" has been added is coded. For example, code neuroblastomatosis in the same way as neuroblastoma. However, do not code hemangiomatosis that is specifically indexed to a different category in the same way as hemangioma.

All combinations of the order of prefixes in compound morphological terms are not indexed. For example, the term "chondrofibrosarcoma" does not appear in the Index, but "fibrochondrosarcoma" does. Since the two terms have the same prefixes (in a different order), code the chondrofibrosarcoma the same as fibrochondrosarcoma.

Part A

A. Malignant neoplasms (C00-C96)

The categories that have been provided for the classification of malignant neoplasms distinguish between those that are stated or presumed to be primary (originate in) of the particular site or types of tissue involved, those that are stated or presumed to be secondary (deposits, metastases, or spread from a primary elsewhere) of specified sites, and malignant neoplasms without specification of site. These categories are the following:

- **C00-C75** Malignant neoplasms, stated or presumed to be primary, of specified sites and different types of tissue, except lymphoid, hematopoietic, and related tissue
- C76 Malignant neoplasms of other and ill-defined sites
- **C77-C79** Malignant secondary neoplasm, stated or presumed to be spread from another site, metastases of sites, regardless of morphological type of neoplasm
- **C80** Malignant neoplasm of unspecified site (primary) (secondary)
- **C81-C96** Malignant neoplasms, stated or presumed to be primary, of lymphoid, hematopoietic, and related tissue

In order to determine the appropriate code for each reported neoplasm, a number of factors must be taken into account including the morphological type of neoplasm and qualifying terms. Assign all malignant neoplasms to the appropriate category for the morphological type of neoplasm, i.e., to the code shown in the Index for the reported term. **Morphological types** of neoplasm include categories C40-C41, C43, C44, C45, C46, C47, C49, C70-C72, and C80. Specific morphological types include:

C40-C41 Malignant neoplasm of bone and articular cartilage of other and unspecified sites

Osteosarcoma Osteochondrosarcoma Osteofibrosarcoma Any neoplasm cross-referenced as "See also Neoplasm bone, malignant"

I (a) Osteosarcoma of leg C402

<u>Code</u> the morphological type "Osteosarcoma" to Neoplasm, malignant, bone of the specified site as cross-referenced.

Part A	Neoplas	sms (C00-D48)	
C43	Malignant melanoma of skin		
	Melanosarcoma Melanoblastoma Any neoplasm cross-referenced as "See also Melanoma"		
	I (a) Melanoma of arm C436		
	Based on the note in the Index, code melanoma of arm as index Melanoma, site classification .	ed under	
	I (a) Melanoma of stomach C169		
	Melanoma of stomach is not found under Melanoma in the Inder should be coded by site under Neoplasm, malignant.	x. The term	
C44	Other malignant neoplasm of skin		
	Basal cell carcinoma Sebaceous cell carcinoma Any neoplasm cross-referenced as "See also Neoplasm skin, ma	lignant"	
	I (a) Sebaceous cell carcinoma nose C443		
	<u>Code</u> the morphological type "Sebaceous cell carcinoma" to Ne malignant, skin of the specified site as cross-referenced.	oplasm,	
C49	Malignant neoplasm of other connective and soft tissue		
	Liposarcoma Rhabdomyosarcoma Any neoplasm cross-referenced as "See also Neoplasm, connect tissue, malignant"	ive	
	I (a) Rhabdomyosarcoma abdomen C494		
	<u>Code</u> the morphological type "Rhabdomyosarcoma" to Neoplas connective tissue of the specified site as cross-referenced.	m, malignant,	
	I (a) Sarcoma pancreas C259		
	<u>Code</u> the morphological type "Sarcoma" to Neoplasm, malignar tissue of the specified site as cross-referenced. Refer to the "No Neoplasm, malignant, connective tissue concerning sites that do this list.	te" under	

Part A		Neoplasms (C00-D48)
C80	Malignant neoplasm without specification of s	site
Cancer Carcinoma Malignancy Malignant tumor or neoplasm Any neoplasm cross-referenced as "See also Neoplasm		Veoplasm, malignant"
	I (a) Carcinoma of stomach	C169
	<u>Code</u> the morphological type "Carcinoma" to indexed.	Neoplasm, malignant, stomach as
	I (a) Cancer prostate	C61
	<u>Code</u> the morphological type "Cancer" to Neo indexed.	pplasm, malignant, prostate as
	I (a) Adenosarcoma breast	C509
	<u>Code</u> the morphological type "Adenosarcoma specified site as cross-referenced.	" to Neoplasm, malignant, of the
C81-C96 Malignant neoplasms of lymphoid, hematopoietic, and related tissue		etic, and related tissue
	Leukemia Lymphoma	
	I (a) Lymphoma of brain	C859
	<u>Code</u> Lymphoma NOS, C859, as indexed. Ne by morphological type and not by site.	coplasms in C81-C96 are coded

1. <u>Neoplasms stated to be secondary</u>

Categories C77-C79 include secondary neoplasms of specified sites regardless of the morphological type of the neoplasm. The Index contains a listing of secondary neoplasms of specified sites under "Neoplasm." Secondary neoplasms of specified sites without indication of the primary site require an additional code to identify the morphological type of neoplasm if the morphological type is classifiable to one of the following categories: C40, C41, C43, C44, C45, C46, C49, C70, C71, and C72.

I (a) Secondary melanoma of lung C439 C780

Melanoma is classified to C43; therefore, when stated secondary of a site, code Melanoma, unspecified site and secondary neoplasm of the reported site.

I (a) Secondary carcinoma of intestine C785

The morphological type of the term "carcinoma" is C80; therefore, code a secondary neoplasm code only.

2. Malignant neoplasms with primary site indicated

NOTE: If two or more malignant neoplasms are indicated as primary, refer to instructions under 5. Independent (primary) sites.

- a. If a particular site is indicated as primary, it should be coded as primary and other neoplasms coded as secondary whether in Part I or Part II. The primary site may be indicated in one of the following ways:
 - (1) If two or more sites with the same morphology are reported, and one site is specified as primary in either Part I or II

Ι	(a) Carcinoma of bladder	C791
Π	Primary in kidney	C64

<u>Code</u> carcinoma of bladder as secondary and code primary malignant neoplasm of kidney.

Ι	(a)	Primary cancer of lung	C349
	(b)	Cancer of breast	C798

<u>Code</u> primary malignant neoplasm of lung and code cancer of breast as secondary.

Part A		Neoplasms (C00-D48)
(The specification of other sites as "secon "metastasis," "spread," or a statement of "metastases NOS" 	
	I (a) Carcinoma of breast(b) Secondaries in brain	C509 C793
	<u>Code</u> I(a) primary malignant neoplasr malignant neoplasm of brain.	n of breast, and I(b) to secondary
	I (a) Stomach metastases (b) Lung cancer	C788 C349
	<u>Code</u> I(a) secondary neoplasm of stor neoplasm of lung.	nach and I(b) primary malignant
	I (a) Brain metastases (b) Liver cancer	C793 C229
	<u>Code</u> I(a) secondary neoplasm of brai neoplasm of liver.	n and I(b) primary malignant
	I (a) Lung cancer with metastases	C349 C80
	Code I(a) primary cancer of lung follo	owed by the NOS code for metastases.
(3) Morphology indicates a primary maligna	int neoplasm
	If a morphological type implies a primar as if the word "primary" had been includ	
	I (a) Hepatoma	C220
	Code hepatoma as a primary neoplasr	n.
	I (a) Carcinoma (b) Pseudomucinous adenocarcinoma	C80 C56
	<u>Code</u> I(a) Carcinoma as neoplasm ma primary malignant neoplasm of ovary adenocarcinoma of unspecified site is	-

Part A		Neoplasms (C00-D48)
 b. If a morphological type of malignant neoplasm indicating primary is reporte Part I or Part II with a different morphological type of malignant neoplasm to stated primary, consider both neoplasms to be primary. 		gical type of malignant neoplasm that is
	I (a) Sarcoma of thigh II Primary liver carcinoma	C492 C229
	<u>Code</u> each neoplasm as indexed. Both liver carcinoma are primary malignant	I(a) Sarcoma of thigh and Part II Primary neoplasms.
3.	Site specific neoplasms	
	a. Certain neoplasms are classified or indexe morphological types of neoplasms that ap specific neoplasms) e.g. "Hepatocarcinon	ppear in the Index with specific codes (site
	I (a) Renal cell carcinoma	C64
	Code renal cell carcinoma as indexed.	
	b. If there is a conflict between the code for site, code the site specific neoplasm as in secondary. Enter the code for the second immediately following the code for the si	dexed and code the stated site as ary neoplasm on the same line with and
	I (a) Hepatocarcinoma of brain	C220 C793
	<u>Code</u> hepatocarcinoma as indexed and brain as the second entry on I(a).	code secondary malignant neoplasm of
	c. When a site specific neoplasm is reported code each as indexed.	due to the same site specific neoplasm,
	I (a) Bronchogenic carcinoma(b) Bronchogenic carcinoma	C349 C349
	Code I(a) and I(b) to bronchogenic car	cinoma, as indexed.

Neoplasms (C00-D48)
I ()

4. <u>Other morphological types of neoplasms</u>

If adenocarcinoma, cancer, carcinoma, neoplasm (malignant) or tumor (malignant) of a site, except neoplasms classifiable to C81-C96, are reported due to a morphological type of neoplasm of unspecified site, code the neoplasm on the upper line qualified by the morphological type, and do not enter a code for the morphological type of unspecified site on the lower line if:

a. The morphological type of neoplasm reported on the lower line is C80.

I (a) Tumor of upper lung C341 (b) Carcinoma

 \underline{Code} the tumor on I(a) modified by the morphological type (C80) on I(b). Leave line I(b) blank.

I (a) Cancer of bladder C679

(b) Papillary carcinoma

 \underline{Code} the cancer on I(a) modified by the morphological type (C80) on I(b). Leave line I(b) blank.

- b. The morphological type of neoplasm of unspecified site on the lower line is classified to the same site as the neoplasm on the upper line.
 - I (a) Cancer of brain C719 (b) Astrocytoma

<u>Code</u> the specified site on I(a) modified by the morphological type of unspecified site on I(b) since they are classified to the same site. Leave I(b) blank.

I (a) Adenocarcinoma of stomach C169 (b) Linitis plastica

<u>Code</u> the specified site on I(a) modified by the morphological type of unspecified site on I(b) since they are classified to the same site. Leave I(b) blank.

c. The morphological type of neoplasm of unspecified site on the lower line is classified according to the site affected, e.g., the malignant neoplasms classifiable to the following categories: C40, C41, C43, C44, C47, C49, C70, C71, and C72. Code the neoplasm on the upper line qualified by the morphological type on the lower line, and do not enter a code for the morphological type of unspecified site on the lower line.

Part A

Part A		Neoplasms (C00-D48)
	I (a) Adenocarcinoma of face (b) Melanoma	C433
	Code melanoma of face on I(a) and leave I(b) blank.
	I (a) Carcinoma of leg (b) Fibroliposarcoma	C492
	Code fibroliposarcoma of leg on I(a) and lea	ave I(b) blank.
5.	Independent (primary) sites	
	The presence of more than one primary neoplasm following ways:	could be indicated in one of the
	• mention of two different anatomical sites	
	• or two distinct morphological types (e.g., hyp carcinoma)	pernephroma and intraductal

• or by a mix of a morphological type that implies a specific site, plus a second site.

It is highly unlikely that one primary would be due to another primary malignant neoplasm except for a group of malignant neoplasms of lymphoid, hematopoietic, and related tissue (C81-C96), within which, one form of malignancy may terminate in another (e.g., leukemia may follow non-Hodgkin's lymphoma).

a. If two or more sites are mentioned in Part I and there is no indication that either site is primary or secondary, code each site as indexed.

Ι	(a)	Cancer of stomach	3 months	C169
	(b)	Cancer of breast	1 year	C509

<u>Code</u> to primary malignant neoplasm of each site mentioned, since it is unlikely that one primary malignant neoplasm would be due to another.

I (a) Carcinoma of colon and rectum C189 C20

<u>Code</u> both sites as primary and enter both on I(a).

Part A		Neoplasms (C00-D48)	
	b. If two or more morphological types of malignant neoplasm occur, one reported due to the other or reported anywhere on the record, code each as indexed.		
	I (a) Lymphosarcoma of mesentery II Adenocarcinoma of cecum	C850 C180	
	<u>Code</u> each as though the other had not been morphological types of malignant neoplasm	-	
	I (a) Cancer of esophagus (b) Hodgkin's sarcoma	C159 C817	
	<u>Code</u> the cancer of the esophagus as primar indexed. They are different morphological	-	
	I (a) Leukemia II Carcinoma of breast	C959 C509	
	<u>Code</u> each neoplasm as indexed. Two differ mentioned.	rent morphological types are	
	c. If two or more morphological types of malign hematopoietic, or related tissue (C81-C96), con exacerbation of, or blastic crisis (acute) in, chru the acute form and chronic form. If stated acut	de each as indexed. When acute onic leukemia is reported, code both	
	I (a) Acute lymphocytic leukemia(b) Non-Hodgkin's lymphoma	C910 C859	
	<u>Code</u> each as indexed since both are morpho categories C81-C96.	ological types classified within the	
	I (a) Chronic lymphocytic leukemia with blastic crisis	C911 C910	
	Code both chronic lymphocytic leukemia ar	nd acute lymphocytic leukemia.	
	I (a) Acute exacerbation of chronic (b) lymphocytic leukemia	C910 C911	
	<u>Code</u> to the acute and chronic form when re chronic form of leukemia and code both on		

Part A	Neoplasms (C00-D48)
	d. Do not use a neoplasm in a due to position to determine secondary and primary.

Ι	(a)	Carcinoma of head of pancreas	C250
	(b)	Carcinoma of tail of pancreas	C252

<u>Code</u> primary malignant neoplasm of head of pancreas for I(a) and code primary malignant neoplasm of tail of pancreas for I(b).

Ι	(a)	Cancer of stomach	C169
	(b)	Cancer of gallbladder	C23

<u>Code</u> each site primary.

Ι	(a)	Cancer of breast	C509
	(b)	Cancer of endometrium	C541

<u>Code</u> each site primary.

Part A

6. Metastases

Metastases is the spread of a primary malignant neoplasm to another site; therefore, metastases of a site is always secondary.

- a. When malignancy NOS or any morphological type classifiable to C80 is reported with metastases of a site on a line, code C80 and the secondary neoplasm.
 - I (a) Malignancy with metastases C80 C791 of bladder

<u>Code</u> malignancy as first entry on I(a) and code secondary bladder neoplasm as the second neoplasm on I(a).

b. Although malignant cells can metastasize anywhere in the body, certain sites are more common than others and must be treated differently. If one of the common sites of metastases (excluding lung) is qualified by the word "metastatic," it should be coded as secondary (see other neoplasm instructions). However, if one of these sites appears alone on a death certificate and is not qualified by the word "metastatic," it should be considered primary.

Common sites of metastases:

Bone	Lymph nodes
Brain	Mediastinum
Central nervous system	Meninges
Diaphragm	Peritoneum
Heart	Pleura
Liver	Retroperitoneum
Lung	Spinal cord
Ill-defined sites (sites classifiable to C76)	-
I (a) Cancer of brain	C719

<u>Code</u> primary cancer of brain since it is reported alone on the certificate.

 (1) <u>Special Instruction: Lung</u> The lung poses special problems in that it is a common site for both metastases and primary malignant neoplasms. 		
 Lung should be considered as a common site of metastases whenever it appears in Part I with sites not on this list. If lung is mentioned anywhere on the certificate and the only other sites are on the list of common sites of metastases, consider lung primary. However, when the bronchus or bronchogenic cancer is mentioned, this neoplasm should be considered primary. 		
I (a) Carcinoma	of lung	C349
<u>Code</u> primary mal	ignant neoplasm of lung sinc	e it is reported alone on the
I (a) Cancer of I (b) Carcinoma		C795 C349
<u>Code</u> primary malignant neoplasm of lung on I(b) since bone is on the list of common sites of metastases and lung can, therefore, be assumed to be primary.		
I (a) Carcinoma (b) Carcinoma		C349 C509
neoplasm of breast	gnant neoplasm of bronchus on I(b). Do not code I(a) as bronchus is excluded from th	
 (2) <u>Special Instruction: L</u> Malignant neoplasm to be secondary. 		as primary should be assumed

I (a) Cancer of cervical lymph nodes C770

<u>Code</u> secondary malignant neoplasm of cervical lymph nodes.

- 7. <u>Multiple sites</u>
 - a. If all sites reported (anywhere on certificate) are on the list of common sites of metastases, code to secondary neoplasm of each site of the morphological type involved, unless lung is mentioned, in which case code to (C349) primary malignant neoplasm of lung.

Ι	(a)	Cancer of liver	C787
	(b)	Cancer of abdomen	C798

<u>Code</u> to secondary neoplasm of both sites since both are on the list of common sites of metastases. Abdomen is one of the ill-defined sites included in the C76.-category.

I (a) Malignant carcinoma of pleura C782 C781 and mediastinum

<u>Code</u> secondary malignant neoplasm of pleura and secondary malignant neoplasm of mediastinum on I(a).

I (a) Peritoneal carcinoma	C786
II Liver carcinoma	C787

<u>Code</u> secondary malignant neoplasm of peritoneum on I(a) and secondary malignant neoplasm of liver in Part II.

Ι	(a)	Cancer of brain	C793
	(b)	Cancer of lung	C349

<u>Code</u> I(a) secondary cancer of brain since brain is on the list of common sites. Code I(b) primary cancer of lung because the only other site mentioned is on the list of common sites.

b. If one or more of the common sites of metastases, excluding lung, is reported and one or more site(s) or one or more morphological type(s) is mentioned on the certificate, none specified as primary, code the common site(s) secondary and the other site(s) or morphological type(s) primary.

Ι	(a)	Cancer of stomach	C169
	(b)	Cancer of liver	C787

 $\underline{\text{Code}}$ I(a) primary cancer of stomach and code I(b) secondary cancer of liver since liver is on the list of common sites and stomach is not.

Part A		Neoplasms (C00-D48)
	I (a) Liver cancer (b) Bladder cancer (c) Colon cancer	C787 C679 C189
	<u>Code</u> I(a) secondary neoplasm of livers of metastases. <u>Code</u> I(b) and I(c) as pri	since liver is on the list of common sites mary.
	I (a) Peritoneal cancer II Mammary carcinoma	C786 C509
	<u>Code</u> I(a) secondary peritoneal cancer s common sites. Code Part II primary ca	-
	I (a) Brain carcinoma II Melanoma of scalp	C793 C434
	<u>Code</u> I(a) secondary brain carcinoma si sites. Code Part II melanoma of scalp.	nce brain is on the list of common
	• • •	phatic, hematopoietic, or related tissue rt and one of the common sites is e the common site primary.
	I (a) Brain cancer (b) Lymphoma	C793 C859
	<u>Code</u> I(a) secondary brain cancer since sites and is reported in the same part wi	
	I (a) Brain cancer II Lymphoma	C719 C859
	<u>Code</u> I(a) primary brain cancer. Brain i of metastases, but it is reported in one p C859 is reported in the other part.	
	c. If lung is mentioned in the same part with common sites, or one or more morphologi secondary and the other site(s) primary.	
	I (a) Lung cancer (b) Stomach cancer	C780 C169

<u>Code</u> secondary lung cancer on I(a) and code primary stomach cancer on I(b) since both are in the same part.

Part A		Neoplasms (C00-D48)
	I (a) Lung cancer	C780
	(b) Leukemia	C959
	<u>Code</u> secondary lung cancer on I(a) and are in the same part.	code leukemia on I(b) since both
	I (a) Bladder carcinoma	C679
	II Lung cancer, breast cancer	C780 C509
	Code I(a) primary bladder carcinoma an	d code primary breast cancer in

<u>Code</u> I(a) primary bladder carcinoma and code primary breast cancer in Part II. Code secondary lung cancer in Part II. Lung is in the same part with another site.

d. If lung is mentioned in one part, and one or more site(s), not on the list of common sites, or one or more morphological type(s) is mentioned in the other part, code the lung as primary and the other site(s) or other morphological type primary.

Ι	(a) Stomach cancer	C169
II	Lung cancer	C349

<u>Code</u> primary stomach cancer on I(a) and code primary lung cancer in Part II. Lung is mentioned in one part and the other site is mentioned in the other part.

Ι	(a) Leukemia	C959
II	Lung cancer	C349

<u>Code</u> leukemia on I(a) and code primary lung cancer in Part II. Lung is mentioned in one part and the other morphological type is mentioned in the other part.

Part A

8. <u>Metastatic neoplasms</u>

The adjective "metastatic" is used in two ways–sometimes meaning a secondary neoplasm from a primary elsewhere and sometimes denoting a primary that has given rise to metastases. Neoplasms qualified as metastatic are **always** malignant, either primary or secondary. In order to avoid confusion, use the following to determine whether to code a metastatic neoplasm as primary or secondary.

a. Malignant neoplasm described as "from" or "metastatic from" a specified site should be interpreted as primary of that site and all other sites should be coded as secondary unless stated as primary whether in Part I or Part II.

Ι	I (a) Metastatic teratoma from ovary (b)	
	Interpret as: I (a) Metastatic teratoma (b) Primary ovary teratoma	

Then, code I(b) to primary malignant neoplasm of ovary since it states metastatic from ovary. Code I(a) to C80, malignant neoplasm, unspecified site.

Ι	I (a) Metastatic cancer from kidney (b)	
	Interpret as: I (a) Metastatic cancer (b) Primary kidney cancer	

Then, code I(b) to primary malignant neoplasm of kidney since it states metastatic from kidney. Code I(a) to C80, malignant neoplasm, unspecified site.

Ι	(a) Carcinomatosis	C80
	(b) Metastatic from bowel	C260
II	Carcinoma of rectum	C785

<u>Code</u> I(b) primary neoplasm of bowel. Code the site in Part II as secondary.

- b. Malignant neoplasms of morphological type C80 of unspecified site described "to a site" or "metastatic to a site" should be interpreted as secondary of that site(s).
 - I (a) Metastatic carcinoma to the rectum C785

<u>Code</u> to secondary malignant neoplasm of rectum. The word "to" indicates that the rectum is secondary.

Part A		Neoplasms (C00-D48)
	I (a) Metastatic carcinoma to lungs and liver	C780 C787
	<u>Code</u> I(a) secondary neoplasm of lungs and liver "metastatic to."	since the record states
	I (a) Metastatic carcinoma to lungs and liver(b) Bladder carcinoma	C780 C787 C679
	<u>Code</u> I(a) secondary neoplasm of lungs and liver to" and code I(b) primary malignant bladder carc	
с	. Malignant neoplasms described as "from a site to a s interpreted as primary of the site stated "from" and s unless stated primary whether in Part I or Part II	
	I (a) Metastatic cancer from bowel to liver (b)	C787 C260
	<u>Code</u> I(a) secondary liver neoplasm. Interpret me be a statement of primary and code I(b) primary c	
	I (a) Metastatic cancer from liver to abdomen (b)	C798 C229
	<u>Code</u> secondary malignant neoplasm of abdomen neoplasm of liver on I(b).	on I(a) and primary malignant
	I (a) Malignant neoplasm of bone from leg (b)	C795 C765
	<u>Code</u> I(a) secondary bone neoplasm. Interpret me leg to be a statement of primary and code I(b) pri leg.	-
d.	Malignant neoplasm described as (of) a site to a site primary of the site preceding "to a site" and all other secondary unless stated as primary, whether in Part 1	sites should be coded as
	I (a) Cancer of breast(b) Metastatic to mediastinum	C509 C781
	<u>Code</u> I(a) to primary malignant neoplasm of breas malignant neoplasm of mediastinum since it is re- the codes on the lines where reported.	· · · · · · · · · · · · · · · · · · ·

Part A		Neoplasms (C00-D48)
	I (a) Metastatic liver cancer to the brain II Esophageal cancer	C229 C793 C788

<u>Code</u> liver cancer as primary since it is the site preceding "to a site" and code other sites as secondary.

- e. If the morphological type of neoplasm classifiable to one of the following categories: C40, C41, C43, C44, C45, C46, C49, C70, C71, and C72 is described as "to a site" or "metastatic to a site," code the morphological type of unspecified site and code the site that follows as secondary.
 - I (a) Metastatic osteosarcoma to brain C419 C793

<u>Code</u> to malignant neoplasm of bone since this is the unspecified site of osteosarcoma. Code secondary brain neoplasm.

f. Consider any form of the following terms as synonymous with "metastases or metastatic to" when these terms follow or are reported as due to a malignant neoplasm classifiable to C00-C76, C80, C81-C96.

Extension			
Infiltration	in,		
Invasion	into, of,		
Involvement	or to another site		
Metastatic			
Secondaries			
Spread			
I (a) Ca of stor of lung	mach with invasion	C169	C780

<u>Code</u> cancer of stomach primary and invasion of lung as secondary.

- I (a) Carcinoma of bladder with C679 C791
 - (b) infiltration into the ureter

<u>Code</u> carcinoma of bladder as primary and code secondary carcinoma of ureter since it is the site following "infiltration into."

Part A	Neoplasms (C00-D48)

- g. The terms "metastatic" and "metastatic of" should be interpreted as follows:
 - (1) If one site is mentioned and this is qualified as metastatic, code to malignant primary of that particular site if the morphological type is C80 and the site is not a common site of metastases, excluding lung.
 - I (a) Metastatic carcinoma of C259 pancreas

<u>Code</u> primary malignant neoplasm of pancreas since one site is reported and it is not a common site.

I (a) Metastatic cancer of lung C349

<u>Code</u> to primary malignant neoplasm of lung since no other site is mentioned.

- (2) If no site is reported but the morphological type is qualified as metastatic, code to primary site unspecified of the particular morphological type involved. Do not use "metastatic" to qualify a malignant neoplasm, stated or presumed to be primary, of lymphoid, hematopoietic, and related tissue, classifiable to C81-C96 as secondary.
 - I (a) Metastatic melanoma C439

<u>Code</u> as indexed. Melanoma is a morphological type of neoplasm and is indexed to C439.

I (a) Metastatic Hodgkin's Disease C819

<u>Code</u> a morphological type of neoplasm that is classified to C81-C96 as indexed regardless of whether qualified as metastatic.

- (3) Site-specific neoplasms reported as metastatic
 - (a) When a site specific neoplasm is qualified as metastatic code as indexed.
 - I (a) Metastatic hypernephroma C64

<u>Code</u> as indexed. Hypernephroma is a site specific neoplasm and is indexed to C64.

I (a) Metastatic meningioma C709

Metastatic meningioma is a malignant site specific morphological type of neoplasm. Code as indexed under Meningioma, malignant.

(b) If there is a conflict between the code for a site specific neoplasm and the stated site, code the site specific neoplasm as indexed and consider the stated site to be qualified as secondary and code accordingly. Enter the code for the secondary site on the same line with and immediately following the code for the site specific neoplasm.
I (a) Metastatic renal cell carcinoma C64 C780 (b) of lung
<u>Code</u> the site specific neoplasm, renal cell carcinoma followed by the code for secondary neoplasm of lung.
I (a) Metastatic hepatoma of brain C220 C793
<u>Code</u> the site specific neoplasm, hepatoma as indexed followed by the code for secondary brain neoplasm.
(4) If a single morphological type and a site, other than a common site of metastases are qualified as metastatic, code to the specific category for the morphological type and site involved.
I (a) Metastatic melanoma of arm C436
<u>Code</u> to malignant melanoma of skin of arm (C436), since in this case the ill-defined site of arm is a specific site for melanoma, not a common site of metastases classifiable to C76.
I (a) Metastatic sarcoma of stomach C169
Code as indexed.
(5) If a single C80 morphological type is qualified as metastatic and the site mentioned is one of the common sites of metastases except lung , code to secondary malignant neoplasm of the site mentioned. If the single site is lung, qualified as metastatic, code to primary of lung.
I (a) Metastatic cancer of peritoneum C786
<u>Code</u> to secondary cancer of peritoneum since peritoneum is on the list of common sites of metastases and the morphological type of neoplasm is

classified to C80.

Part A		Neoplasms (C00-D48)
	I (a) Metastatic cancer of lung	C349
	<u>Code</u> to primary malignant neoplasm of lung, C mentioned.	349, since no other site is
(6)	If a single morphological type, other than C80 type and the site mentioned is one of the common sites code the unspecified site for the morphological typ secondary and as a second entry on the same line.	of metastases except lung,
	I (a) Metastatic rhabdomyosarcoma of (b) hilar lymph nodes	C499 C771
	<u>Code</u> to unspecified site for rhabdomyosarcoma as secondary.	a and code the lymph nodes
	I (a) Metastatic sarcoma of lung	C349
	<u>Code</u> to malignant neoplasm of lung since lung site for this instruction.	is not considered a common
Exception:	Metastatic mesothelioma or Kaposi's sarcoma.	
	1. If site IS indexed under "Mesothelioma or that code.	r Kaposi's sarcoma," assign
	I (a) Metastatic mesothelioma of liv	ver C457
	Code site as indexed under mesothelio	oma.
	I (a) Metastatic mesothelioma of me	esentery C451
	<u>Code</u> as indexed under mesothelioma.	
	 If site is NOT indexed under "Mesothelio and site reported is NOT a common site o for specified site NEC. 	1
	I (a) Metastatic mesothelioma of kic	dney C457
	<u>Code</u> mesothelioma specified site NEC site of metastases.	C. Kidney is not a common

Part A	Neoplasms (C00-D48)

 If site is NOT indexed under "Mesothelioma or Kapo and site reported IS a common site of metastases - as unspecified site and secondary code for common site 	sign cod	
I (a) Metastatic mesothelioma of(b) lymph nodes	C459	C779
<u>Code</u> the morphological type as the first entry foll for the site not indexed under mesothelioma.	owed by	the code
I (a) Metastatic Kaposi's of brain	C469	C793
<u>Code</u> the morphological type and code brain as see on the list of common sites of metastases.	condary	. Brain is
I (a) Kaposi's sarcoma of brain	C467	
This instruction does not apply since Kaposi's sard qualified as metastatic. Code Kaposi's sarcoma, sp since not qualified as metastatic.		
(7) When morphological types of neoplasms classifiable to C40, C45, C46, C47, C49, C70, C71, and C72 without mention of a reported with the same morphological type of neoplasm with a code the morphological type of unspecified site as indexed.	a site are	jointly
I (a) Metastatic rhabdomyosarcoma	C499	
(b) Rhabdomyosarcoma kidney	C64	

<u>Code</u> to unspecified site of rhabdomyosarcoma on I(a) and code rhabdomyosarcoma kidney as indexed.

Part A	Neoplasms (C00-D48)

- h. More than one malignant neoplasm qualified as metastatic.
 - (1) If two or more sites with a morphology of C80, not on the list of common sites of metastases, are reported and all are qualified as "metastatic" code as follows:
 - (a) If the sites are in the same anatomical system code each site as primary. Use the list below to determine if the sites are in the same organ system.

C150-C269	Digestive system
C300-C399	Respiratory system
C400-C419	Bone and articular cartilage of limbs, other, and unspecified sites
C490-C499	Connective and soft tissue
C510-C579	Female genital organ
C600-C639	Male genital organ
C64-C689	Urinary organ
C690-C699	Eye and adnexa
C700-C729	Central nervous system
C73 -C759	Thyroid and other endocrine glands

I (a) Metastatic stomach carcinoma C169 (b) Metastatic pancreas carcinoma C259

<u>Code</u> both sites primary since they are a C80 morphological type, are in the same organ system, and neither is on the list of common sites of metastases.

(b) If the sites are in different anatomical systems, code each as secondary.

Ι	(a)	Metastatic carcinoma of stomach	C788
	(b)	Metastatic carcinoma of bladder	C791

<u>Code</u> secondary neoplasm of each site listed. Stomach and bladder are in two different anatomical systems.

(2) If two or more morphological types are qualified as metastatic, code to malignant neoplasms, each independent of the other.

Ι	(a)	Metastatic adenocarcinoma of bowel	C260
	(b)	Metastatic sarcoma of uterus	C55

<u>Code</u> to primary neoplasm of each site since adenocarcinoma and sarcoma are of different morphological types.

Part A		Neoplasms (C00-D48)
	I (a) Metastatic cancer of pleura(b) Metastatic melanoma of back	C782 C435
	<u>Code</u> I(a) to secondary neoplasm of pleura since common sites of metastases. Code I(b) to melane the site list under melanoma.	-
	(3) If a morphology implying site and an independent a qualified as metastatic, code to secondary malignant	
	I (a) Metastatic colonic and renal cell carcinoma	C785 C790
	Code both sites as secondary.	
	(4) If more than one site with a morphology of C80 is n follows:	nentioned code as
	 (a) If all but one site is qualified as metastatic and/o common sites of metastases, including lung, conthe site that is not qualified as metastatic or not of metastases, irrespective of the order of entry Part II. Code all other sites as secondary. 	de to primary neoplasm of on the list of common sites
	I (a) Metastatic carcinoma of stomach	C788
	(b) Carcinoma of gallbladder(c) Metastatic carcinoma of colon	C23 C785
	<u>Code</u> primary carcinoma of gallbladder since specified as metastatic. Assign a primary co codes on I(a) and I(c).	-
	I (a) Metastatic carcinoma of stomach	C788
	(b) Metastatic carcinoma of lungII Carcinoma of colon	C780 C189
	(b) Metastatic carcinoma of lung	C780 C189 ary carcinoma of

Part II since this is the only malignant neoplasm not qualified as metastatic, even though it is in Part II.

	Neoplasms (C00-D48)
I (a) Cancer of kidney(b) Metastatic cancer of prostate	C64 C798
<u>Code</u> I(a) primary cancer of kidney since the record is qualified as metastatic. Code I(b) s prostate since it is qualified as metastatic.	-
I (a) Metastatic cancer of ovary II Cancer of colon	C796 C189
<u>Code</u> I(a) secondary and code part II primary reported and one is qualified as metastatic wireported metastatic.	
f all sites are qualified as metastatic and/or are of metastases, including lung, code to secondary eported sites.	
I (a) Metastatic cancer of stomach(b) Metastatic cancer of breast(c) Metastatic cancer of lung	C788 C798 C780
<u>Code</u> secondary neoplasm of each site listed. metastatic.	. All sites are reported as
 I (a) Metastatic carcinoma of ovary (b) Carcinoma of lung (c) Metastatic pancreatic carcinoma 	C796 C780 C788
<u>Code</u> to secondary malignant neoplasm of ear of common sites of metastases and ovary and reported as metastatic.	-
I (a) Metastatic stomach cancer (b) Lung cancer	C788 C780
<u>Code</u> to secondary malignant neoplasm of ear of common sites of metastases and stomach or metastatic.	
I (a) Carcinoma of spine(b) Metastatic lung cancer	C795 C780
	 (b) Metastatic cancer of prostate <u>Code</u> I(a) primary cancer of kidney since the record is qualified as metastatic. Code I(b) sprostate since it is qualified as metastatic. I (a) Metastatic cancer of ovary II Cancer of colon <u>Code</u> I(a) secondary and code part II primary reported and one is qualified as metastatic with reported metastatic. f all sites are qualified as metastatic and/or are of metastases, including lung, code to secondary eported sites. I (a) Metastatic cancer of stomach (b) Metastatic cancer of breast (c) Metastatic cancer of lung <u>Code</u> secondary neoplasm of each site listed metastatic. I (a) Metastatic pancreatic carcinoma <u>Code</u> to secondary malignant neoplasm of each site soft common sites of metastases and ovary and reported as metastatic. I (a) Metastatic stomach cancer (b) Lung cancer <u>Code</u> to secondary malignant neoplasm of each site site of common sites of metastases and stomach metastatic. I (a) Metastatic stomach cancer (b) Lung cancer <u>Code</u> to secondary malignant neoplasm of each site secondary malignant neoplasm of each secondary malignant neop

<u>Code</u> to secondary malignant neoplasm of each site. Spine is on the list of common sites of metastases and lung is reported as metastatic.

Part A		Neoplasms (C00-D48)
	I (a) Metastatic carcinoma of abdomen(b) Metastatic carcinoma of colon	C798 C785
	Code both sites as secondary since both are qu	ualified as metastatic.
	I (a) Metastatic brain carcinoma(b) Metastatic lung carcinoma	C793 C780
	<u>Code</u> both sites as secondary malignant neopl qualified as metastatic.	asm since both are
(5) When a metastatic malignant neoplasm is reported or malignant neoplasm of the same site whether stated a both primary.	
	I (a) Metastatic gastric carcinoma(b) Gastric carcinoma	C169 C169
	Code primary gastric carcinoma on I(a) and code prima	ry gastric carcinoma on I(b).
(6) If two or more sites with a morphology of C40, C41, C47, C49, C70, C71, and C72 are reported and all sit metastatic, add an additional code to identify the mor neoplasm. Code the morphological type of neoplasm category, i.e., to "9." Enter this code on the same line code for the first mentioned secondary site.	es are qualified as phological type of to the unspecified site
	I (a) Metastatic leiomyosarcoma arm, C49 stomach and brain	09 C798 C788 C793
	<u>Code</u> leiomyosarcoma, the morphological type of code the reported sites as secondary neoplasms sir qualified as metastatic.	1
	I (a) Metastatic sarcoma of stomach and C49 small intestine	99 C788 C784
	<u>Code</u> the sarcoma, the morphological type of neor the reported sites as secondary neoplasms.	plasm, to C499 and code
	I (a) Metastatic squamous cell carcinoma of head	and neck C449 C798
	Since the reported sites are marked with a # sign in morphological type to malignant neoplasm of skin reported sites as secondary neoplasms.	

C798

Part A		Neoplasms (C00-D48)
	I (a) Metastatic squamous cell carcinoma of head	C449 C798

(b) Metastatic squamous cell carcinoma of neck Since the reported sites are marked with a # sign in the Index, code the morphological

type to malignant neoplasm of skin, C449, and code the reported sites as secondary neoplasms. Enter C449 for the morphological type as first code on I (a) preceding the first secondary site. Enter only the secondary code on line b.

Primary site unknown 9.

Consider the following terms as equivalent to "primary site unknown:"

- ? Origin (Questionable origin) ? Primary (Questionable primary) ? Site (Questionable site) ? Source (Questionable source) Undetermined origin Undetermined primary Undetermined site Undetermined source Unknown origin Unknown primary Unknown site Unknown source
- a. When the statement, "primary site unknown," or its equivalent, appears anywhere on the certificate with a site specific neoplasm or a neoplasm classifiable to C81-C96, code the neoplasm as though the statement did not appear on the certificate.
 - I (a) Renal cell carcinoma C64 (b) Primary site unknown

Code renal cell carcinoma (C64) as though the statement "primary site unknown" was not on the certificate.

- C833 I (a) Reticulum cell sarcoma
- II Undetermined source

Code reticulum cell sarcoma (C833) as though the statement "undetermined source" was not on the certificate.

Part A

b. When primary site unknown or its equivalent appears on the certificate with a morphological type of neoplasm classifiable to C40, C41, C43, C44, C45, C46, C47, C49, C70, C71, and C72, add an additional code to identify the morphological type of neoplasm. Code the morphological type of neoplasm to the unspecified site category. This additional code should be entered on the same line with and preceding the code for the first mentioned secondary site.

Ι	(a)	Generalized metastases	C80	
	(b)	Melanoma of back	C439	C798
	(c)	Primary site unknown		

<u>Code</u> I(b) melanoma, unspecified site, followed by the code for the secondary site reported.

c. When "primary site unknown," or its equivalent, appears on the certificate with neoplasms classified to morphological type C80, (classifiable to C00-C76), code all reported sites as secondary and precede the first neoplasm code with C80.

Ι	(a)	Secondary carcinoma of liver	C80	C787
	(b)	Primary site unknown		

<u>Code</u> secondary liver carcinoma preceded with C80.

Ι	(a)	Carcinoma of stomach	C80	C788
	(\mathbf{h})	Duimoury aito unlanourun		

(b) Primary site unknown

Code secondary stomach carcinoma preceded with C80.

I (a) Carcinoma of stomach C80 C788 (b) Primary site of carcinoma unknown C80

 $\underline{\text{Code}}$ I(a) secondary carcinoma of stomach preceded with C80. Code I(b) C80 for carcinoma since the term carcinoma is repeated.

- I (a) Cancer of intestines, stomach, C80 C785 C788 C798 (b) and abdomen
 - (c) Unknown primary

<u>Code</u> all sites as secondary; precede the first code with C80.

Part	A
------	---

10. <u>Implication of malignancy</u>

Mention on the certificate that a neoplasm has produced metastases (secondaries) means it must be coded as malignant, even though this neoplasm without mention of metastases would be classified to some other section of Chapter II.

Code neoplasms indexed to D00-D09 (in situ neoplasms), D10-D36 (benign neoplasms), or D37-D48 (neoplasms of uncertain or unknown behavior) to a primary malignant neoplasm category in C00-C76 if reported on the record with the following conditions:

- a. Metastases NOS and metastases of a site
 - I (a) Breast tumor with metastases C509 C80

<u>Code I(a)</u> to primary malignant neoplasm of breast and code metastases NOS. Code breast tumor as malignant neoplasm of breast since it is reported with metastases NOS.

Ι	(a)	Brain metastasis	C793
	(b)	Lung tumor	C349

<u>Code</u> I(a) secondary neoplasm of brain and I(b) primary malignant neoplasm of lung since the lung tumor is reported with metastases of a site.

b. Any neoplasm indexed to C77-C79 in Volume III

Ι	(a)	Lymph node cancer	C779
	(b)	Carcinoma in situ of breast	C509

<u>Code</u> the carcinoma in situ of breast as primary malignant neoplasm of breast since it is reported with a neoplasm that is indexed to C779. Malignant neoplasm of lymph node is indexed to secondary neoplasm.

c. A common site of metastases (excluding lung) qualified by the word "metastatic"

Ι	(a)	Metastatic liver cancer	C787
	(b)	Small intestine tumor	C179

<u>Code</u> I(a) as secondary neoplasm of liver and code primary malignant neoplasm of small intestine on I(b), since the small intestine tumor is reported with a common site of metastases qualified by the word "metastatic."

- d. If a, b, or c do not apply, code the neoplasm in D00-D09, D10-D36, D37-D48 as indexed.
- 11. Sites with prefixes or imprecise definitions

Neoplasms of sites prefixed by "peri," "para," "supra," "infra," etc. or described as in the "area" or "region" of a site, unless these terms are specifically indexed, should be coded as follows: for morphological types classifiable to one of the categories C40, C41, C43, C44, C45, C46, C47, C49, C70, C71, and C72, code to the appropriate subdivision of that category; otherwise, code to the appropriate subdivision of C76 (other and ill-defined sites).

I (a) Fibrosarcoma in the region of the leg C492

<u>Code</u> I(a) fibrosarcoma in the region of the leg to the appropriate subdivision of the category, malignant neoplasm of connective and soft tissue of lower limb.

I (a) Carcinoma in lung area C761

Since the morphological type of the term "carcinoma" is C80, code I(a), carcinoma in lung area, to the appropriate subdivision of C76 (other and ill-defined sites).

12. Malignant neoplasms described with "either/or"

Malignant neoplasms of more than one site described as "or" and both sites are classified to the same anatomical system, code the residual category for the system. If the sites are in different systems, and are in the same morphological category, code to the residual category for the morphological type.

I (a) Cancer of kidney or bladder C689

Code C689, malignant neoplasm of other and unspecified urinary organs.

I (a) Cancer of gallbladder or kidney C80

<u>Code</u> to C80, malignant neoplasm without specification of site since there is more than one site qualified by the statement "or" and the sites are in different systems.

I (a) Osteosarcoma of lumbar vertebrae C419 (b) or sacrum

<u>Code</u> to malignant neoplasm of bone unspecified (C419). Both sites separated by the "or" are indexed to bone.

13. Mass or lesion with malignant neoplasms

When mass or lesion is reported with malignant neoplasms, code mass or lesion as indexed.

Ι	(a)	Lung mass	R91
	(b)	Carcinomatosis	C80

Code mass as indexed. Do not consider as malignant mass.

Ι	(a) Metastatic lung carcinoma	C349
II	Lung lesion	J984

<u>Code</u> lung lesion as indexed.

Part B

B. Rheumatic heart diseases

- 1. <u>Heart diseases considered to be described as rheumatic</u>
 - a. When rheumatic fever (I00) or any heart disease that is specified as rheumatic is reported anywhere on the death certificate, consider conditions listed in categories I300-I319, I339, I340-I38, I400-I409, I429, and I514-I519 to be described as rheumatic unless there is indication they were due to a nonrheumatic cause.

Ι	(a) Myocarditis	I090
	(b) Rheumatic heart disease	I099

<u>Consider</u> "myocarditis" to be described as "rheumatic" since reported with a heart disease specified as rheumatic.

Ι	(a)	Cardiac tamponade	I092
	(b)	Rheumatic endocarditis	I091
	(c)		

<u>Consider</u> "cardiac tamponade" to be described as "rheumatic" since reported with a heart disease specified as rheumatic.

b. When rheumatic fever and a heart disease are jointly reported, enter a separate code for the rheumatic fever <u>only</u> when it is not used to qualify a heart disease as rheumatic. This applies whether or not the heart disease is stated or classified as rheumatic.

Ι	(a)	Heart disease	I099
	(b)	Rheumatic fever	

<u>Consider</u> "heart disease" to be described as "rheumatic." Do not enter a separate code for rheumatic fever since it is used to qualify the heart disease as rheumatic.

I (a) Rheumatic heart disease I099 (b) Rheumatic fever

<u>Code</u> "rheumatic heart disease" as indexed. Do not enter a separate code for rheumatic fever since the heart disease is qualified as rheumatic.

Ι	(a)	Cardiac arrest	I469
	(b)	Rheumatic fever	I00

<u>Cardiac arrest</u> is not one of the conditions considered to be described as rheumatic when reported with rheumatic fever. Code each condition as indexed.

Part B

c. When a condition listed in category I50.- is indicated to be due to rheumatic fever and there is no mention of another heart disease that is classifiable as rheumatic, consider the condition in I50.- to be described as rheumatic.

Ι	(a)	Heart failure	I099

(b) Rheumatic fever

<u>Since</u> there is no other heart disease classified as rheumatic, use the rheumatic fever to qualify the heart disease on I(a) as rheumatic.

I	(a)	Heart failure	I509
	(b)	Rheumatic heart disease	I099

<u>Since</u> there is a heart disease qualified as rheumatic reported on the record, code heart failure, I509.

2. Distinguishing between active and chronic rheumatic heart disease

Rheumatic heart diseases are classifiable to I010-I019, Rheumatic fever with heart involvement, or to I050-I099, <u>Chronic rheumatic heart diseases</u>, depending upon whether the rheumatic process was active or inactive at the time of death.

- a. When rheumatic fever or any rheumatic heart disease is stated to be active, recurrent, or recrudescent, code all rheumatic heart diseases as active. Conversely, code all rheumatic heart diseases as inactive if rheumatic fever or any rheumatic heart disease is stated to be inactive.
 - I (a) Endocarditis I011 (b) Active rheumatic fever

<u>Code</u> I(a), active rheumatic endocarditis since the rheumatic fever is stated as active. Leave I(b) blank.

Ι	(a)	Heart failure	I509
	(b)	Inactive rheumatic heart disease	I099
	(c)		

 \underline{Code} I(a) as indexed since another heart disease classified as rheumatic is reported. Code I(b) as indexed since stated as inactive.

Part B		Rheumatic Heart Diseases
	b. When there is no statement of active, recurrent, reheart diseases that are stated to be rheumatic or the as rheumatic as active <u>if</u> any of the following inst	hat are considered to be described
	(1) The interval between onset of rheumatic fev year.	er and death was less than one
	I (a) Endocarditis - 6 months(b) Rheumatic fever - 9 months	I011
	(2) One or more of these heart diseases (listed in to be acute or subacute.	n Section IV, Part B, 1, a) is stated
	NOTE: This does not mean rheumatic for	ever stated to be acute or subacute.
	I (a) Acute myocarditis(b) Rheumatic heart disease	I012 I019
	I (a) Rheumatic heart disease(b) Acute rheumatic fever	I099
	(3) One of these heart diseases is pericarditis.	
	I (a) Pericarditis(b) Rheumatic heart disease	I010 I019
	(4) At least one of these heart diseases is "cardin "heart disease," "myocarditis," or "pancardin than one year.	
	I (a) Endocarditis - 9 months(b) Rheumatic heart disease	I011 I019
	(5) At least one of these heart diseases is "cardin "heart disease," "myocarditis," or "pancardi of the decedent was less than 15 years.	· · ·
	Age: 10 years I (a) Rheumatic heart disease	I019

I (a) Rheumatic heart disease I019 (b) Rheumatic fever

Part B

c. In the absence of the previous mentioned indications of an active rheumatic process, consider all heart diseases that are stated to be rheumatic or that are considered to be described as rheumatic as inactive and code to categories I050-I099.

Age: 75 years

- I (a) Rheumatic heart disease I099
 - (b) Rheumatic fever

<u>Code</u> I(a) as indexed, there is no indication the rheumatic process was active. Leave line I(b) blank.

- 3. Valvular diseases jointly reported
 - a. When diseases of the mitral, aortic, and tricuspid valves, not qualified as rheumatic, are jointly reported, whether on the same line or on separate lines, code the disease of all valves as rheumatic unless there is indication to the contrary.
 - I (a) Mitral insufficiency and aortic stenosis I051 I060 (b)

Code both valvular diseases as rheumatic since there is no indication to the contrary.

Ι	(a)	Aortic insufficiency	I061	
	(b)	Mitral endocarditis with	I059	I051

(c) mitral insufficiency

Code the diseases of both valves as rheumatic since there is no indication to the contrary.

Ι	(a)	Mitral endocarditis \overline{c}	I059	I051	I050
	(b)	insufficiency and stenosis			
	(c)	Aortic endocarditis	I069		

Code the diseases of both valves as rheumatic since there is no indication to the contrary.

Ι	(a)	Mitral valve disease	I059	I051	I48
	(b)	with insufficiency and			
	(c)	atrial fibrillation			
Π	Ao	rtic stenosis	I060		

Code the diseases of both valves as rheumatic since there is no indication to the contrary.

Part B

- b. When mitral insufficiency, incompetence, or regurgitation is jointly reported with mitral stenosis NOS (or synonym), code all these conditions as rheumatic unless there are indications to the contrary.
 - I (a) Mitral insufficiency with mitral stenosis I051 I050

<u>Code</u> the mitral insufficiency as rheumatic since it is reported with mitral stenosis and there is no indication to the contrary.

4. <u>Valvular diseases not indicated to be rheumatic</u>

In the Classification, certain valvular diseases, i.e., disease of mitral valve (except insufficiency, incompetence, and regurgitation without stenosis) and disease of tricuspid valve are included in the rheumatic categories even though not indicated to be rheumatic. This classification is based on the assumption that the vast majority of such diseases are rheumatic in origin. Do not use these diseases to qualify other heart diseases as rheumatic. Code these diseases as nonrheumatic if reported due to one of the nonrheumatic causes on the following list.

Ι	(a)	Pericarditis	I319
	(b)	Mitral stenosis	I050

<u>Although</u> mitral stenosis is classified to a rheumatic category, do not use it to qualify the pericarditis as rheumatic.

Part]	B
--------	---

Rheumatic Heart Diseases

a. When valvular heart disease (I050-I079, I089 and I090) <u>not</u> stated to be rheumatic is reported due to:

	F002	100
C/3-C/59	E802	J00
C790-C791	E804-E806	J020
C797-C798	E840-E859	J030
C889	E880-E889	J040-J042
D300-D301	F110-F169	J069
D309	F180-F199	M100-M109
D34-D359	I10-I139	M300-M359
D440-D45	I250-I259	N000-N289
E02-E0390	I330-I38	N340-N399
E050-E349	I424	Q200-Q289
E65-E678	I511	Q870-Q999
E760-E769	I514-I5150	R75
E790-E799	I700-I710	
	C797-C798 C889 D300-D301 D309 D34-D359 D440-D45 E02-E0390 E050-E349 E65-E678 E760-E769	C790-C791E804-E806C797-C798E840-E859C889E880-E889D300-D301F110-F169D309F180-F199D34-D359I10-I139D440-D45I250-I259E02-E0390I330-I38E050-E349I424E65-E678I511E760-E769I514-I5150

Code nonrheumatic valvular disease (I340-I38) with appropriate fourth character.

Ι	(a)	Mitral stenosis and aortic stenosis	I342	I350
	(b)	Hypertension	I10	

<u>Code</u> I(a) as separate one-term entities to nonrheumatic mitral and aortic stenosis since they are reported "due to" a nonrheumatic condition.

Ι	(a)	Mitral insufficiency	I340	
	(b)	Goodpasture's syndrome & RHD	M310	I099

<u>Code</u> I(a) to nonrheumatic mitral insufficiency since it is reported "due to" a nonrheumatic condition. Apply this instruction even though rheumatic heart disease is entered as the second entry on I(b).

Part B

Rheumatic Heart Diseases

b. Consider diseases of the aortic, mitral, and tricuspid valves to be nonrheumatic if they are reported on the same line due to a nonrheumatic cause in the previous list. Similarly, consider diseases of these three valves to be nonrheumatic if any of them are reported due to the other and that one, in turn, is reported due to a nonrheumatic cause in the previous list.

Ι	(a)	Mitral disease	I349
	(b)	Aortic stenosis	I350
	(c)	Arteriosclerosis	I709

<u>Classify</u> both valvular diseases as nonrheumatic. The mitral disease is reported due to the aortic disease which is, in turn, reported due to a nonrheumatic cause.

Ι	(a)	Congestive heart failure	I500
	(b)	Mitral stenosis	I342
	(c)	Arteriosclerosis	I709

<u>Code</u> the mitral stenosis as nonrheumatic since the certifier indicated it was due to a nonrheumatic cause.

Ι	(a)	Aortic and mitral insufficiency	I351	I340
	(b)	Subacute bacterial endocarditis	I330	

<u>Code</u> the valvular diseases as nonrheumatic since they are reported due to a nonrheumatic cause.

Part C

C. <u>Pregnancy</u>, childbirth, and the puerperium (O00-O99)

1. General information

Conditions classifiable to categories O00-O99 are limited to deaths of females of childbearing age. Some of the <u>maternal conditions are also the cause of death in</u> <u>newborn infants</u>. Always refer to the age and sex of the decedent before coding a condition to O00-O99.

Obstetric deaths are classified according to time elapsed between the obstetric event and the death of the woman:

- O95 Obstetric death of unspecified cause
- O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery
- O97 Death from sequela of direct obstetric causes (death occurring one year or more after delivery)

The standard certificate of death contains a separate item regarding pregnancy. Any positive response to one of the following items should be taken into consideration when coding pregnancy related deaths:

Pregnant at time of death

Not pregnant, but pregnant within 42 days of death

Not pregnant, but pregnant 43 days to 1 year before death

Consider the pregnancy to have terminated 42 days or less prior to death unless a specific length of time is written in by the certifier. Take into consideration the length of time elapsed between pregnancy and death if reported as more than 42 days.

Maternal deaths are subdivided into two groups:

<u>Direct obstetric deaths (O00-O97)</u>: those resulting from obstetric complications of the pregnant state (pregnancy, labor and puerperium), from interventions, omissions, incorrect treatment, or from a chain of events resulting from any of the above.

<u>Indirect obstetric deaths (O98-O99)</u>: those resulting from previous existing disease or disease that developed during pregnancy and which was not due to direct obstetric causes, but which was aggravated by physiologic effects of pregnancy.

When coding pregnancies, code any direct obstetric cause to O00-O97 and any indirect obstetric cause to O98-O99.

Part C Pregnancy, C

- 2. Pregnancy or childbirth without mention of complication
 - a. Do not assign a separate code for "pregnancy" or "delivery" if any other condition is reported other than HIV infection (B200-B24) and/or nature of injuries and external causes (S000-Y899).

	Female, 39			
Place	I (a) Asp	hyxia by hanging	T71	&X70
9	(b)			
MOD	II 1st trime	ster pregnancy	O95	
S	Suicide			

<u>Code</u> I(a) to nature of injury and external cause. Code pregnancy in Part II to Pregnancy, death from (O95) since the only other reported condition is classified to a nature of injury and external cause.

- b. When pregnancy or delivery is the <u>only entry</u> on the certificate, apply the following instructions:
 - (1) Code to category O95 if death occurred 42 days or less after termination of pregnancy or when there is no indication of when the pregnancy terminated.

Fe	male	e, 28 years	
Ι	(a)	Pregnancy	O95

<u>Code</u> "pregnancy" to Pregnancy, death from (O95) since it is the only entry on the certificate.

(2) Code to category O96 if death resulted from direct or indirect obstetric causes that occurred more than 42 days but less than one year after termination of the pregnancy.

Female, 28 years I (a) Childbirth 3 months O96

<u>Code</u> childbirth to death from any obstetric cause occurring more than 42 days but less than one year after delivery.

Part C

(3) Code to category O97 if death occurred 1 year or more after termination of pregnancy.

Fε	emale	e, 28 years		
Ι	(a)	Pregnancy	1 year	O97

<u>Code</u> to death from sequela of a direct obstetric cause.

- 3. <u>Pregnancy with abortive outcome (O000-O089)</u>
 - a. Code all <u>complications</u> of conditions listed in categories O000-O029 to the appropriate subcategory of O08 and also code O000-O029 as indexed. To determine the appropriate subcategory for O08, refer to the Index under Abortion, complicated by and select appropriate fourth character from last column.

Fe	emale	e, 28 years	
Ι	(a)	Septicemia	O080
	(b)	Tubal pregnancy	O001

<u>Code</u> I(a) Abortion, complicated by, septicemia (O080) and I(b) Pregnancy, tubal (O001).

Female, 20 years

I	(a)	Shock	O083
	(b)	Ectopic pregnancy	O009

Code I(a) Abortion, complicated by, shock (O083) and I(b) Ectopic, pregnancy (O009).

b. Code all <u>complications</u> of conditions listed in categories O03-O07 to the appropriate subcategory of O08 and also code O03-O07 with fourth character "9." To determine the appropriate subcategory for O08, refer to the Index under Abortion, complicated by and select appropriate fourth character from last column.

Female, 22 yearsO082I(a) Pulmonary embolismO082(b) Spontaneous abortionO039

<u>Code</u> I(a) Abortion, complicated by, pulmonary embolism (O082) and I(b) Abortion, spontaneous (O039).

Part C Pregnancy, Childbirth, and the Puerperium (O00-O99)

- c. When conditions in categories O00-O07 are reported in Part I or Part II of the death certificate with:
 - (1) a direct obstetric complication classifiable to category O08, code the complication to category O08 with the appropriate fourth character. Also code O00-O02 as indexed or O03-O07 with fourth character "9."

Fe	emale, 31 years	
Ι	(a) Cardiac arrest	O088
	(b) Abortion	O069

<u>Code</u> I(a) Abortion, complicated by, cardiac arrest, a direct obstetric complication and I(b) Abortion NOS.

(2) an indirect obstetric complication classifiable to categories O98-O99, code the O98-O99. Also code the O00-O02 as indexed or O03-O07 with fourth character "9."

Female, 25 years	
I (a) Abortion	O069
II Rheumatic heart disease	O994

<u>Code</u> I(a) Abortion NOS (O069). Code Pregnancy, complicated by rheumatic heart disease (O994), an indirect obstetric cause.

(3) both a direct and an indirect obstetric complication, code the direct complications to O08 with the appropriate fourth character and the indirect complications to O98-O99. Also code the O00-O02 as indexed or O03-O07 with fourth character "9."

Fe	emal	e, 33 years	
Ι	(a)	Renal failure	O084
	(b)	Abortion	O069
II	And	emia	O990

<u>Code</u> I(a) Abortion, complicated by, renal failure. Direct complications of abortions are classified to category O08 with the appropriate fourth character. Code I(b) Abortion NOS. Code Part II Pregnancy, complicated by, anemia, an indirect obstetric complication.

- 4. Other complications of pregnancy, childbirth and puerperium (O00-O99)
 - a. If death occurred more than 42 days but less than 1 year after termination of pregnancy, code all direct and indirect obstetric complications to O96.

Female, 28 years		
I (a) Cardiomyopathy		O96
(b) Childbirth	3 months	

<u>Code</u> cardiomyopathy as a direct obstetric cause occurring more than 42 days but less than 1 year after childbirth.

Female, 28 years

I (a) Intracerebral hemorrhage O96 (b) Childbirth 3 months

<u>Code</u> intracerebral hemorrhage as an indirect obstetric cause occurring more than 42 days but less than 1 year after childbirth.

b. If death occurred 1 year or more after termination of pregnancy, code any direct obstetric cause to category O97. If only indirect obstetric causes are reported, code all reported conditions as though the maternal condition had not been reported unless the maternal condition modifies the coding. In the latter case, take the maternal condition into account when assigning the code for the other reported condition, but **do not** code O00-O99.

Female, 28 years		
I (a) Cardiomyopathy		O97
(b) Childbirth	1 year	

<u>Code</u> to O97, Death from sequela of direct obstetric causes. Cardiomyopathy is a direct obstetric cause. **Do not** enter a code on I(b) for childbirth.

Female, 28 years

Ι	(a)	Intracerebral hemory	rhage	I619
	(b)	Childbirth	1 year	

<u>Code</u> to I619, the appropriate category outside Chapter XV. Intracerebral hemorrhage is an indirect obstetric cause. **Do not** enter a code on I(b) for childbirth.

Part C	Pregnancy, Childbirth, and the Puerperium (O00-O99)	
	c. Code all complications of pregnancy, childbirth, and the puerperium to categories 000-075, 085-092, 096-099. When delivery is mentioned on the certificate, consider complications to be of delivery unless otherwise specified.	
	(1) When both direct and indirect obstetric causes are reported on the same certificate code as indexed to appropriate code in Chapter XV.	
	(2) When a complication is reported and not indexed to a direct or indirect obstetric code, assign the complication to O98-O99 with the appropriate fourth character. Refer to Volume I for correct code assignment.	
	Female, 35 years I (a) Thrombosis 1 hr O229 (b) Pregnancy 8 mos	
	II Obesity 0992	
	<u>Code</u> I(a) to Pregnancy, complicated by, thrombosis. Do not enter a code I(b) for pregnancy. Code Part II to Pregnancy, complicated by, endocrine diseases NEC as indexed. Obesity is an endocrine disorder.	
	Female, 29 yearsO990I (a) Acute anemiaO990(b) Massive postpartum hemorrhageO721(c) Delivered livebornO721	
	<u>Code</u> I(a) to Anemia, complicating pregnancy, childbirth or the puerperium an indirect obstetric cause. Code I(b) to Hemorrhage, postpartum, a direct obstetric cause. Do not enter a code on I(c) for delivery NOS.	
	Female, 21 yearsO988I (a) Gram negative sepsisO988(b) Congenital anomalies of uretersO998II 30 weeks pregnantO998	
	<u>Code</u> I(a) to Pregnancy, complicated by, septicemia, an indirect obstetric cause. Code I(b) to Pregnancy, complicated by, congenital malformation.	

cause. Code I(b) to Pregnancy, complicated by, congenital malformation, an indirect obstetric cause. **Do not** enter a code in Part II for pregnancy.

Part C

Pregnancy, Childbirth, and the Puerperium (O00-O99)

Female, 28 years I (a) Aspiration pneumonia (b) Delivery	O995
II Rubella in first trimester	O985
<u>Code</u> the indirect causes, aspiration appropriate code in Chapter XV. Do on I(b).	-
elivery reported with anesthetic death or anesthe	esia
When delivery (normal) NOS is reported with When reported with <u>anesthesia</u> , code O749 onl	
Female, 29 yearsI (a) Anesthetic death(b) Delivery	O748
<u>Code</u> I(a) to O748, other complications of a Do not enter code on I(b) for delivery.	nesthesia during labor and delivery.
When <u>anesthetic death</u> is reported with a comp code O748 and the code(s) for complication(s) puerperium.	
Female, 26 yearsI (a) Anesthetic death(b) Obstructed labor	O748 O669
	 I (a) Aspiration pneumonia (b) Delivery II Rubella in first trimester <u>Code</u> the indirect causes, aspiration appropriate code in Chapter XV. Do on I(b). elivery reported with anesthetic death or anesthetic When delivery (normal) NOS is reported with When reported with <u>anesthesia</u>, code O749 on Female, 29 years I (a) Anesthetic death (b) Delivery <u>Code</u> I(a) to O748, other complications of a Do not enter code on I(b) for delivery. When <u>anesthetic death</u> is reported with a comp code O748 and the code(s) for complication(s) puerperium. Female, 26 years I (a) Anesthetic death

<u>Code</u> Delivery, complicated by, anesthetic death on I(a). Code I(b) as indexed.

c. When <u>anesthesia</u> is reported with a complication(s) of delivery or puerperium, code O749 and the code(s) for complication(s) of pregnancy, delivery, or the puerperium.

Female, 28 years	
I (a) Prolonged labor	O639
(b) Anesthesia - delivery	O749

<u>Code</u> prolonged labor as a complication of delivery. Code "anesthesia-delivery" to O749.

Part	С
	-

Pregnancy, Childbirth, and the Puerperium (O00-O99)

O742
O749
O669

<u>Code</u> I(a) cardiac arrest as a complication of anesthesia. Code the anesthesia on I(b) to O749. Code I(c) as indexed.

6. **Operative delivery**

- a. Code an operative delivery such as cesarean section or hysterectomy to O759.
- b. Code <u>reported complications</u> of the operative delivery to complications of obstetric surgery (O754).
- c. Code conditions reported due to <u>complications</u> of operative delivery as indexed under complication of delivery and/or the puerperium.

Female, 18 years

Ι	(a)	Cardiac arrest	O742
	(b)	Anesthesia during C-section	O749
	(c)	Premature separation of placenta	O759
	(d)		O459

<u>Code</u> I(a) cardiac arrest as a complication of anesthesia. Code O749 for the anesthesia. There is no complication of the C-section; therefore, code the C- section to O759. Code premature separation of placenta as indexed on line I(d).

Female, 27 years

Ι	(a)	Pulmonary embolism	O882
	(b)	Pelvic thrombosis	O754
	(c)	C-section delivery	O759

<u>Code</u> I(a) Puerperal, embolism (pulmonary). Code I(b) as a complication of the operative delivery. Code I(c) Delivery, cesarean, as indexed.

Female, 39 years

Ι	(a)	Pneumonia	O995
	(b)	Peritoneal hemorrhage	O754
	(c)	Cesarean section delivery	O759

<u>Code</u> I(a) O995, an indirect obstetric cause. Pneumonia is reported due to the complication and coded as complicating delivery. Code I(b) as a complication of the operative delivery. Code I(c) Delivery, cesarean, as indexed.

Part C

Pregnancy, Childbirth, and the Puerperium (O00-O99)

Fe	Female, 30 years					
Ι	(a) Pneumonia	24 hr	O995			
	(b) Pulmonary embolism	3 days	O754			
Π		1	O759			
	Operation Block: C-section					
]				

<u>Code</u> I(a) an indirect obstetric cause. Code I(b) as a complication of the operative delivery reported in Part II. Code Part II cesarean section as indexed.

Female, 28 years		
I (a) Pneumonia	O754	
(b) C-section	O759	
II		O321
Operation Block: C-section for breech presentation		

<u>Code</u> I(a) as a complication of the operative delivery. Code cesarean section on I(b) as indexed. Code cesarean section and breech presentation as indexed in Part II.

Part D

D. Congenital conditions

1. The Classification does not provide congenital and acquired codes for all conditions. When no provision is made for a distinction, disregard the statement of congenital or acquired and code the NOS code.

Fe	Female, 45 years				
Ι	(a)	Patent ductus arteriosus - acquired	Q250		
	(b)	Pneumonia	J189		

Code I(a) to Q250 since patent ductus arteriosus does not have an acquired code.

Male, 33 years

Ι

(a)	Gastric hemorrhage	K922
(b)	Gastric ulcer - congenital	K259

<u>Code</u> I(b) to K259 since gastric ulcer does not have a congenital code.

2. When a condition specified as "congenital" is reported "due to" another condition not specified as congenital, code both conditions as congenital.

Μ	ale, i	2 months	
Ι	(a)	Peritonitis – birth	P781
	(b)	Intestinal obstruction	Q419

<u>Code</u> the condition on I(b) as congenital.

3. Code hydrocephalus (G91.0, 1, 2, 8, 9) (any age) to Q039 (congenital hydrocephalus) when it is reported with another cerebral or other central nervous system condition (Q00-Q07, Q280-Q283) which is classified as congenital.

Male, 3 months	
I (a) Cerebral anoxia	G931
(b) Hydrocephalus & hypoplasia	Q039 Q061
(c) of spinal cord	

<u>Code</u> hydrocephalus NOS to Q039 since the hypoplasia of spinal cord is classified as congenital.

Part D	

М	ale, 3 months	
Ι	(a) Cerebral anoxia	G931
	(b) Hydrocephalus	Q039
Π	Meningomyelocele	Q059

<u>Code</u> the hydrocephalus NOS to Q039 since the meningomyelocele is classified as congenital.

Part E

Conditions of Early Infancy (P000-P969)

- E. <u>Conditions of early infancy (P000-P969)</u>
 - Assign newborn codes for conditions classifiable to A40-A41, I48-I50, J12-J189, J849, J8490, J984, J9840, J988, and K65.- whether or not indexed as newborn. Refer to Volume I for specific code assignment.

Female, 20 days

Ι	I (a) Ventricular fibrillation		P291	
	(b)	Congenital heart disease	Q249	

<u>Condition</u> on I(a) must be coded to a newborn code even though the Index does not provide a newborn code. Refer to Volume 1, Exclusion note under the three character category for adult code, I49. Code neonatal cardiac dysrhythmias to P291. Code I(b) as indexed.

2. When reported on certificate of infant, code the following entries as indicated:

Birth weight of:	2 pounds (999 gms) or under Over 2 pounds (1000 gms) b 5 ½ pounds (2499 gms) 10 pounds (4500 gms) or mo	ut not m	ore than P071	
Gestation of:	Less than 28 weeks 28 weeks but less than 37 we 42 or more completed weeks	eks	P073	
Premature labor or d	elivery NOS		P073	
Female, 3 hoursP220I (a) Respiratory distress syndromeP220(b) PrematurityP073II 26 weeks gestationP072				
Code Gestation, less than 28 weeks to P072.				
Male, 8 hours I (a) Respiratory f (b) Prematurity,		P285 P073	P072	

<u>Code</u> I(b) as two separate conditions. Code prematurity as indexed P073 and code P072 for "23 weeks." The 23 weeks is an implied length of gestation.

Part E

4

Conditions of Early Infancy (P000-P969)

3. When a multiple birth or low birth weight is reported on an infant's death certificate outside of Part I or Part II, code this entity as the last entry in Part II.

	Male, 29 minutes - Twin A		
	I (a) Immature	P073	
	(b) Weight 1,500 grams - twin	P071	P015
	II Atelectasis	P281	P015
	Code "twin" as the last entry in Part II.		
	Male, 5 minutes		
lbs.	I (a) Immaturity of lung	P280	
	(b)		
	(c)		
	11	P071	

Code P071 for "4 lbs." as last entry in Part II.

4. When "termination of pregnancy" or "abortion" (legal) <u>other than criminal</u> is the only reported cause of an infant death, code P964. Do not code P964 if any other codable entry is reported.

Female, 3 minutes I (a) Legal abortion P964

<u>Since</u> "legal abortion" is the only entry on the certificate, code P964, as indexed.

5. When a condition classifiable to P703-P720, P722-P749 is the only cause(s) reported on a newborn's death, code P969. If reported with other perinatal conditions, code as indexed.

Male, 7 days (a) Hypomagnesemia P969 (b) (c)

<u>Code</u> the hypomagnesemia to P969, even though it is indexed to P712 since it is the only cause of death reported.

Female, 2 weeks				
(a)	Hypoglycemia	P704		
(b)	Maternal diabetes	P701		

<u>Code</u> I(a) as indexed since reported with another perinatal condition.

Part F

F. Sequela

A sequela is a late effect, an after effect, or a residual of a disease, nature of injury or external cause. ICD-10 provides sequela codes for the following conditions:

B900-B909	Sequela of tuberculosis
B91	Sequela of acute poliomyelitis
B92	Sequela of leprosy
B940-B949	Sequela of other and unspecified infectious and parasitic diseases
E640-E649	Sequela of malnutrition and other nutritional deficiencies
E68	Sequela of hyperalimentation
G09	Sequela of inflammatory diseases of central nervous system
I690-I698	Sequela of cerebrovascular disease
O97	Death from sequela of direct obstetric causes
T900-T983*	Sequela of injuries, of poisoning, and of other consequences of external causes
Y850-Y859*	Sequela of transport accidents
Y86*	Sequela of other accidents
Y870-Y872*	Sequela of intentional self-harm, assault and events of undetermined intent
Y880-Y883*	Sequela with surgical and medical care as external cause
Y890-Y899*	Sequela of other external causes

- * See Section V, Part S for instructions for coding sequela of injuries and external causes.
- **NOTE:** When conditions in categories A000-A310, A318-A427, A429-A599, A601-A70, A748-B001, B003-B004, B007, B009-B069, B080, B082-B085, B09-B199, B25-B279, B330-B349, B370-B49, B58- B64, B99 are mentioned on the record with HIV (B20-B24, R75), do not consider the infectious or parasitic condition as a sequela.

When there is evidence death resulted from <u>residual effects</u> rather than the active phase of conditions for which the Classification provides a sequela code, code the appropriate sequela category. Code specified <u>residual effects</u> separately. Apply the following instructions to the sequela categories.

Part F

1. <u>B900-B909 Sequela of tuberculosis</u>

Use these subcategories for the classification of tuberculosis (conditions in A162-A199) if:

a. A statement of a late effect or sequela of the tuberculosis is reported.

Ι	(a) Pulmonary fibrosis		J841
	(b)	Sequela of pulmonary tuberculosis	B909

<u>Code</u> sequela of pulmonary tuberculosis (B909) since "sequela of" is stated.

- b. The tuberculosis is stated to be ancient, arrested, cured, healed, history of, inactive, old, quiescent, or remote, whether or not the residual (late) effect is specified, unless there is evidence of active tuberculosis.
 - I (a) Arrested pulmonary tuberculosis B909

<u>Code</u> arrested pulmonary tuberculosis, B909, since there is no evidence of active tuberculosis.

- c. When there is evidence of active tuberculosis of a site with inactive (ancient, arrested, cured, healed, history of, old, quiescent, remote) tuberculosis of a **different** site, code both.
- d. When there is evidence of active and inactive (ancient, arrested, cured, healed, history of, old, quiescent, remote) tuberculosis of the **same** site, code active tuberculosis of the site only.

NOTE: Do not use duration to code sequela of tuberculosis.

Ι	(a)	Respiratory failure	J969
	(b)	Pneumonia	J189
	(c)	Pulmonary tuberculosis 2 years	A162

<u>Code</u> pulmonary tuberculosis as active. Do not use duration of the tuberculosis to indicate sequela.

Part F		Sequela

2. <u>B91 Sequela of acute poliomyelitis</u>

Use this category for the classification of poliomyelitis (conditions in A800-A809) if:

- a. A statement of a late effect or sequela of acute poliomyelitis is reported.
 - I (a) Sequela of acute poliomyelitis B91

<u>Code</u> sequela of acute poliomyelitis as indexed.

b. A chronic condition or a condition with a duration of one year or more that was due to the acute poliomyelitis is reported.

Ι	(a)	Paralysis - 1 year	G839
	(b)	Acute poliomyelitis	B91

<u>Code</u> sequela of acute poliomyelitis, since the paralysis has a duration of 1 year.

- c. The poliomyelitis is stated to be history of, old, or the interval between onset of the poliomyelitis and death is indicated to be one year or more whether or not the residual (late) effect is specified.
 - I (a) Old polio B91

<u>Code</u> old polio.

d. The poliomyelitis is not stated to be acute or active and the interval between the onset of the poliomyelitis and death is not reported.

Ι	(a) Poliomyelitis	B91
	(b)	
	(c)	
Ι	(a) ASHD	I251
	(b)	
	(c)	
Π	Poliomyelitis	B91

Part F			Sequela
	. ,	Paralysis Polio	G839 B91
	I (a) (b) (c)	Poliomyelitis with paralysis	B91 G839
3.	B92 Sequela	<u>of leprosy</u>	
	Use this cate	gory for the classification of leprosy (cond	itions in A30) if:
	a. A stateme	ent of a late effect or sequela of the leprosy	is reported.
		e condition or a condition with a duration of o leprosy is reported.	f one year or more that

4. <u>B940 Sequela of trachoma</u>

Use this subcategory for the classification of trachoma (conditions in A710-A719) if:

- a. A statement of a late effect or sequela of the trachoma is reported.
 - I (a) Late effects of trachoma B940
- b. The trachoma is stated to be healed or inactive, whether or not the residual (late) effect is specified.
 - I (a) Healed trachoma B940
- c. A chronic condition such as blindness, cicatricial entropion or conjunctival scar that was due to the trachoma is reported unless there is evidence of active infection.

Ι	(a)	Conjunctival scar	H112
	(b)	Trachoma	B940

5. <u>B941 Sequela of viral encephalitis</u>

Use this subcategory for the classification of viral encephalitis (conditions in A830-A839, A840-A849, A850-A858, A86) if:

- a. A statement of a late effect or sequela of the viral encephalitis is reported.
 - I (a) Late effects of viral encephalitis B941

<u>Code</u> sequela of viral encephalitis as indexed.

b. A chronic condition or a condition with a duration of one year or more that was due to the viral encephalitis is reported.

Ι	(a)	Chronic brain syndrome	F069
	(b)	Viral encephalitis	B941

<u>Code</u> sequela of viral encephalitis, since a resultant chronic condition is reported.

- c. The viral encephalitis is stated to be ancient, history of, old, remote, or the interval between onset of the viral encephalitis and death is indicated to be one year or more whether or not the residual (late) effect is specified.
 - I (a) St. Louis encephalitis 1 yr B941

<u>Code</u> sequela of viral encephalitis, since a duration of 1 year is reported.

I (a) Old viral encephalitis B941

Code sequela of viral encephalitis, since it is stated "old."

d. Brain damage, cerebral fungus, CNS damage, epilepsy, hydrocephalus, mental retardation, paralysis (G810-G839) is reported due to the viral encephalitis.

Ι	(a)	Paralysis	G839
	(b)	Viral encephalitis	B941

<u>Code</u> sequela of viral encephalitis since paralysis is reported due to the viral encephalitis.

Part	F

6. <u>B942 Sequela of viral hepatitis</u>

Use this subcategory for the classification of viral hepatitis (conditions in B150-B199) if:

A statement of a late effect or sequela of the viral hepatitis is reported.

7. <u>B948 Sequela of other specified infectious and parasitic diseases</u> <u>B949 Sequela of unspecified infectious and parasitic diseases</u>

Use B948 for the classification of other and unspecified infectious and parasitic diseases (conditions in A000-A09, A200-A289, A310-A70, A740-A799, A811-A829, A870-B09, B250-B89) and

Use B949 for the classification of only the terms "infectious disease NOS" and "parasitic disease NOS" if:

- a. A statement of a late effect or sequela of the infectious or parasitic disease is reported.
- b. The infectious or parasitic disease is stated to be ancient, arrested, cured, healed, history of, inactive, old, quiescent, or remote, whether or not the residual (late) effect is specified, unless there is evidence of activity of the disease.
- c. A chronic condition or a condition with a duration of one year or more that was due to the infectious or parasitic disease is reported.

Ι	(a) Reye's syndrome 1 yr	G937
	(b) Chickenpox	B948
Ι	(a) Chronic brain syndrome	F069
	(b) Meningococcal encephalitis	B948
	(b) Mennigoeoeear encephantis	B) 10

d. There is indication the interval between onset of the infectious or parasitic disease and death was one year or more, whether or not the residual (late) effect is specified.

Part F

Sequela

8. <u>E640-E649 Sequela of malnutrition and other nutritional deficiencies</u>

Use Sequela Code	For Categories
E640	E40-E46
E641	E500-E509
E642	E54
E643	E550-E559
E648	E51-E53 E610-E638 E56-E60
E649	E639

Use these subcategories for the classification of malnutrition and other nutritional deficiencies (conditions in E40-E639) if:

a. A statement of a late effect or sequela of malnutrition and other nutritional deficiencies (E40-E639) is reported.

Ι	(a)	Cardiac arrest	I469
	(b)	Sequela of malnutrition	E640

b. A chronic condition or a condition with a duration of one year or more is qualified as rachitic or that was due to rickets (E55.-) is reported.

Ι	(a)	Scoliosis	3 years	M419
	(b)	Rickets		E643

Part F

9. <u>E68 Sequela of hyperalimentation</u>

Use this category for the classification of hyperalimentation (conditions in E67 and hyperalimentation NOS in R632) if:

- a. A statement of a late effect or sequela of the hyperalimentation is reported.
- b. A chronic condition or a condition with a duration of one year or more that was due to hyperalimentation is reported.
- 10. G09 Sequela of inflammatory diseases of central nervous system

Use this category for the classification of intracranial abscess or pyogenic infection (conditions in G000-G009, G030-G049, G060-G069, G08) if:

- a. A statement of a late effect or sequela of the condition in G000-G009, G030-G049, G060-G069, G08 is reported.
- b. A chronic condition or a condition with a duration of one year or more that was due to the condition in G000-G009, G030-G049, G060-G069, G08 is reported.
- c. The condition in G000-G009, G030-G049, G060-G069, G08 is stated to be ancient, history of, old, remote, or the interval between onset of this condition and death is indicated to be one year or more, whether or not the residual (late) effect is specified.
- d. Brain damage, cerebral fungus, CNS damage, epilepsy, hydrocephalus, mental retardation, paralysis (G810-G839) is reported due to a condition in G000-G009, G030-G049, G060-G069, G08.

I	(a)	Hydrocephalus	G919
	(b)	Meningitis	G09

Part F	Sequela
11. <u>I690-I698 Sequela of cerebrovascular disease</u>	

Use this category for the classification of cerebrovascular disease (conditions in I600-I64, I670-I679) if:

- a. A statement of a late effect or sequela of a cerebrovascular disease is reported.
 - I (a) Sequela of cerebral infarction I693

<u>Code</u> sequela of cerebral infarction as indexed.

b. A chronic condition or a condition with a duration of one year or more that was due to one of these cerebrovascular diseases is reported.

Ι	(a)	Hemiplegia	1 year	G819
	(b)	Intracranial hemorrhage		I692

<u>Code</u> sequela of other nontraumatic intracranial hemorrhage since the residual effect (hemiplegia) has a duration of one year.

c. The condition in I600-I64 and I670-I679 is stated to be ancient, chronic, history of, old, remote, or the interval between onset of this condition and death is indicated to be one year or more, whether or not the residual (late) effect is specified.

I	(a)	Brain damage	G939
	(b)	Remote cerebral thrombosis	I693

<u>Code</u> sequela of cerebral thrombosis since the cerebral thrombosis is reported as remote.

I (a) Old intracerebral hemorrhage I691

<u>Code</u> sequela of intracerebral hemorrhage since the intracerebral hemorrhage is stated as old.

SECTION IV

	Ι (a) Cereb	ral arteriosclerosis	6 yrs	I698	
			of other and unspection of other and unspection of the sector of the sec			ince the
	Ι (a) Histor	ry of CVA		I694	
	Cod	<u>le</u> sequela	of CVA since "hist	ory of" CVA i	s reported.	
	to be a conditi	ncient, ch	I600-I64, and I670- ronic, history of, old ath is indicated to b ecified.	d, remote, or th	ne interval betwee	en onset of this
	Ι (a) CVA	with old hemiplegia	l	I694 G819	
	Cod	<u>le</u> sequela	of CVA since it is a	reported with h	nemiplegia stated	as old.
12.	<u>097 Sequ</u>	uela of dir	ect obstetric cause			
	Use this c O00-O92		or the classification	of a direct obs	tetric cause (cond	litions in
	a. A state	ement of a	late effect or seque	la of the direct	obstetric cause is	s reported.
			tion or a condition v he direct obstetric c		•	ore

Part G

Ill-Defined and Unknown Causes

G. Ill-defined and unknown causes

1. <u>Sudden infant death syndrome (R95)</u>

g death at
nder

Excludes:

The listed conditions causing death at ages one year or over (R960)

Female, 6 months I (a) Sudden death	R95
Male, 3 weeks I (a) Sudden death, cause unknown (b)	R95 R97
Female, 3 months I (a) SIDS, pneumonia	R95 J189

2. Other sudden death and other unspecified cause (R960-R961, R98-R99)

Code R960-R961, R98-R99 only when:

- a. A term(s) classifiable to one of these codes is the only entry (or entries) on the death certificate.
- b. The only other entry on the death certificate is classifiable to R97 (cause unknown).

Female, 2 years	
I (a) Sudden death	R960
(b) Crib death	R960

SECTION IV

Part G		Ill-Defined and Unknown Causes
	c. When more than one term classifiable to two or reported, code only one in this priority: R960, R	-
	(1) Instantaneous death (R960)	
	Includes: Cot death Crib death SDII, SID, SIDS, SUD, SUDI, SUID Sudden (unexpected) (unattended) (unexp • death (cause unknown) (in infancy) sy • infant death (syndrome)	
	Excludes: The listed conditions causing death at ag	ges under one year (R95).
	Male, 3 years I (a) Sudden death, cause unknown (b)	R960 R97
	Female, 2 years I (a) SIDS, pneumonia	J189
	(2) <u>Death occurring in less than 24 hours from</u> <u>explained (R961)</u>	onset of symptoms, not otherwise
	I (a) Died—no sign of disease	R961
	(3) <u>Unattended death (R98)</u>	
	I (a) Found dead(b) Investigation pending	R98
	I (a) Found dead at foot of steps(b) Natural causes	R98

Part	G
------	---

Ill-Defined and Unknown Causes

(4) <u>Ill-defined and unspecified cause of mortality</u>	<u>(R99)</u>		
Includes:			
Bone(s) found			
Dead on arrival (DOA)			
Diagnosis deferred			
Died without doctor in attendance			
Inquest pending			
Natural cause(s)			
Natural causes, cause unkown			
Natural causes uncertain			
Natural causes undetermined			
Natural causes unknown			
Natural causes unspecified			
Natural disease undetermined			
No doctor			
Pending examination (any type)			
(pathological) (toxicological)			
Pending investigation (police)			
Skeleton			
Uncertain natural causes			
Undetermined natural causes			
Undetermined natural disease			
Undiagnosed disease			
Unknown natural causes			
Unspecified natural causes			
Excludes:			
Unknown cause (R97)			
I (a) DOA	R99		
(b) Cause unknown	R97		
I (a) No doctor	R99		
(b) Pending investigation	R99		
(b) Tenening investigation			
I (a) Cause unknown	R97		
(b) Pending pathological examination	R99		
I (a) Natural causes, cause unknown	R99		

Part G

Ill-Defined and Unknown Causes

3. Unknown cause (R97)

Includes:

Cause not found Cause unknown Cause undetermined Could not be determined Etiology never determined Etiology not defined Etiology unexplained Etiology unknown Etiology undetermined Etiology unspecified Final event undetermined Immediate cause not determined Immediate cause unknown No specific etiology identified


No specific known causes Nonspecific causes Not known Obscure etiology Undetermined Uncertain Unclear Unexplained cause Unknown ? Cause ? Etiology

- a. Use this category for the classification of the listed terms <u>except</u> when the term in R97 is reported
 - (1) On the same line with and preceding a condition qualified as "possible," "probable," etc.
 - (2) In "Describe How Injury Occurred" (Item 43) of the death certificate

In such cases, **do not** enter a code for the term in R97.

(b	G. I. hemorrhageCause unknownCarcinomatosis	K922 R97 C80	
I (a) Unknown cause	R97	
`	Intestinal obstructionUnknown, possibly cancer	K566 C80	
	 Amyloidosis Chronic ulcerative colitis 	E859 K519	
II C	irrhosis of liver, cause unknown	K746	R97

Ill-Defined and Unknown Causes



b. If the term in R97 is reported in Part I on the same line with and following the condition to which it applies, enter the code for unknown cause on the next due to line whether or not "cause unknown" is in parentheses beside the condition in Volume 3. Code the conditions on each of the remaining lines in Part I, if there are any, as though they had been reported on the succeeding line(s).

Femal	e, 3 months		
I (a)	SIDS, cause unknown	R95	
(b)		R97	
I (a)	Unknown cause	R97	
(b)	Found dead	R98	
I (a)	Unknown	R97	
(b)	Known to have had ASHD	I251	J42
(c)	and chronic bronchitis		
I (a)	Gastric ulcer, cause unknown	K259	
(b)	Rheumatoid arthritis	R97	
(c)		M069)

SECTION V

Part A

Effects of External Cause of Injury and External Causes of Injury and Poisoning External Cause Code Concept

In ICD-10, the Nature of Injury Chapter (XIX) is part of the main Classification but certain effects of external causes are classified in Chapters I-XVIII. The external cause codes (Chapter XX) are intended for use, where relevant, to identify the external cause of conditions classifiable to Chapters I-XVIII, as well as to Chapter XIX. While not all external causes will have a corresponding code in Chapter XIX, an external cause code is required when a code from Chapter XIX is applicable.

A. External cause code (E-Code) concept

An external cause of injury may be classified to Accidents (V01-X59), Intentional self harm (X60-X84), Assault (X85-Y09), Event of undetermined intent (Y10-Y34), Legal intervention and operations of war (Y35-Y36), Complications of medical and surgical care (Y40-Y84), and Sequela of external causes (Y85-Y89). When unspecified, assume all external cause one-term entities to be accidental unless the External Causes of Injury Index provides otherwise.

The objective in assigning the external cause codes is to combine into the entity being coded any related entries on the record that will permit the assignment of the most specific external cause codes in accordance with the intent of the certifier. After the determination of the most specific external cause code is made, enter this code where it is first encountered on the record. Do not repeat the same external cause code when it is reported on other lines. When more than one external cause is reported, code each external cause code where it is first encountered on the certificate.

The death certificate provides a specific place for information concerning the external cause of injury that is usually entered on the lines below the line labeled "Part II." However, a description of the external cause is reported frequently in Part I and may be repeated in the space provided for this information.

When such statements as: "jumped or fell," "don't know," "accident or suicide," "accident or homicide," "undetermined," or "open verdict" are reported, code the external cause as "undetermined." The "undetermined" categories include self-inflicted injuries, except poisoning, when not specified whether accidental or with intent to harm.

1. Use of Index

ICD-10 provides separate indexing in Volume 3, Section II for the external causes of injury, with frequent references to Volume 1. The External Causes of Injury Index provides a double axis of indexing — descriptions of the circumstances under which the accident or violence occurred and the agent involved in the occurrence. Usually, the "lead terms" in the External Causes of Injury Index describe the circumstances of the injury with a secondary (indented) entry naming the agent involved.

Fall from building W13

Locate the E-code for "fall": Fall, falling - from, off - - building W13.-

2. Use of Tabular List

After locating the external cause code in the Index, always refer to Volume 1 since certain external cause codes for transport accidents require a fourth character not provided for in the Index. When ICD-10 provides a fourth character subcategory for an external cause code, always code the fourth character.

Fell from boat V929

Locate the E-code for "fall": Fall - from - - boat, ship, watercraft NEC (with drowning or submersion) V92.-

In Volume 1, the fourth character describes the type of boat. Code the fourth character "9," unspecified watercraft.

The Classification provides a fourth character for use with categories W00-Y34, except Y06.- and Y07.-, to identify the place of occurrence of the external cause. NCHS uses a separate field for this purpose. Only the three-character category codes are assigned in multiple cause coding.

House fire X00

Locate the E-code for "House fire": House Fire (uncontrolled) X00.-

In Volume 1, a fourth character identifying the place of occurrence is required. Assign code 0 (home) to the place of occurrence variable in the field provided for this variable.

3. <u>Place of occurrence of external cause</u>

Enter a one-character place of occurrence code (0-9), in the appropriate data position, for external causes of injury classifiable to W00-Y34, except Y06.- and Y07.-, **if the effects of the external cause are classifiable to Chapter XIX**. Do not enter a place code for external causes classifiable to any other external cause code. Use only the information reported in the medical certification section of the death certificate or additional information (AI) to determine the place code. Refer to Appendix D for the list of place of occurrence codes.

4. Manner of death (Item 37) on death certificate

- a. Affecting multiple cause codes
 - (1) When separate check boxes for indicating whether an external cause was accidental, suicidal, homicidal, undetermined, or pending investigation appear on the medical certification form, treat the check box entry as a one-term entity.
 - (2) When "accident," "pending," "unknown," or "undetermined" is written in the "check box" or is one of the items checked **and no condition is coded to Chapter XIX**, disregard the check box entry for assignment of codes.
 - (3) When "suicide" or "homicide" is written in the "check box", or is one of the items checked **and no condition is coded to Chapter XIX**, assign the appropriate external cause code preceded by Injury NOS, T149.
 - (4) When "unknown" or "open verdict" is written in the check box **and there is a condition(s) coded to Chapter XIX**, code the external cause to the appropriate "event of undetermined intent" category.

- (5) When "pending," "pending investigation," "deferred," or "unclassified" is reported in the check box and there is a condition(s) coded to Chapter XIX, code the external cause as indexed.
- (6) Enter a code for an entry in a check box for **"natural cause" only** if this is the only codable entry on the certificate or the only other codable entry is "unknown cause" (R97).
- b. As a separate variable

Enter an alpha character manner of death code (N, A, S, H, P, or C) in the appropriate data position for any entry in the manner of death check box. Use only the information reported in the manner of death box to assign the code.

Code the manner of death as:

Natural	Ν
Accident	А
Suicide	S
Homicide	Н
Pending Investigation	Р
Could not be determined	С
Blank	Blank

5. <u>Nature of injury and external cause code lists</u>

Since certain entities state or imply cause (E-code) and effect (N-code), ICD-10 provides both N-codes and E-codes for many terms. Determination must be made whether to code nature of injury code only, external cause code only, or both nature of injury and external cause codes for such terms. Use the following lists as **guides** in classifying these terms. When ICD-10 provides a nature of injury code for an entity that does **not** appear on either list, use the nature of injury code only.

The E-code is only coded the first time external information is mentioned. A term requiring a N-code is coded each time it is reported.

Effects of External Cause of Injury and
External Causes of Injury and Poisoning
External Cause Code Concept

Nature of injury code only (N-Code)

Allergy Anaphylactic reaction Anaphylactic shock Anaphylaxic, anaphylaxis Anoxia Bezoar Burns Cremation Crushed Decapitation Deceleration injury Drug NOS or named drug (when it means drug poisoning) Drug synergism Exhaustion Fracture Inattention at birth Incineration Injury NOS (any site)

Intoxication when due to a drug Lacerations Lack of care Mucus plug Multiple injuries Polypharmacy (when it means drug poisoning) Scald Severed Smoke Starvation Trauma NOS (any site) Traumatic Traumatic death Traumatic injury (any site) Traumatism Wound (penetrating)

Effects of External Cause of Injury and External Causes of Injury and Poisoning External Cause Code Concept

Part A

External cause code only (E-code)

Abandonment Accident, accidental Arson Assault Beaten Blow to any site Blunt force NOS Blunt impact NOS Conflagration Desertion Excessive heat Explosion Explosive blasts to site(s) Fall Fight Fire Firearm (any type) Flood Foreign body Heat Hitting any site Homicide, homicidal Hot environment Hot weather Impact Inhalation Physical violence Projectile Reaction of drug with a reported complication Striking any site Suicide, suicidal .22, .32 or any caliber

Effects of External Cause of Injury and
External Causes of Injury and Poisoning
External Cause Code Concept

Entities Requiring nature of injury and external cause codes on the same line (N\E Codes)

Abuse (child) (elder) (spousal) Airway obstruction by foreign body Alcohol intoxication (any term meaning intoxication) Anastomotic leak *Asphyxia *Aspiration Battered child (syndrome) Bite Blunt blow to a site Blunt force injury (any site) Blunt force to a site (any) Blunt impact to a site (any) Blunt injury (any site) Blunt trauma (any site) Bullet (to site) Bullet wound Child neglect Choking on foreign body Crushed by specified object Cut Drowning Electrocution Electrical burns Electrical shock Exposure (to element) (cold, heat) Firearm discharge Flame burn Foreign body in any site Freezing, froze, frostbite Got too hot Gun went off Gunshot (to site) Gunshot wound Hanging (by neck) Heat exhaustion Heat stress Heat stroke

Hypothermia Immersion Impact injury (any site) Impact to a site (any) Incised (wound) Ingestion of foreign body Inhalation injury (any) *Inhalation of foreign body Lightning (struck by) Mangled Mechanical trauma Overdose (of drug or alcohol) Overheated Overexertion Poisoning (by substance) Pulled trigger Puncture, punctured (any site) Puncture wound Radiation burns Rape Razor cut Shooting, shot (to site) Shotgun blast (to site) Slash, slashed (any site) Smothered Snake bite Stab Sting Strangulation Submersion Suffocation Sunstroke Suspension, suspended Swallowed object Toxicity (of substance) Vehicular trauma Weapon wound

(* This does not apply when certain localized effects result from asphyxia, aspiration, or inhalation. Refer to Section V, Part O.)

Part B

B. Placement of nature of injury and external cause codes

When a nature of injury code and an external cause code are required for an entity, enter the nature of injury code followed by the external cause code on the same line.

<u>Place</u>	Ι	(a)	Gunshot w	wound of chest	S219	&W34
9		(b)				
		(c)				
MOD	Π			1		
А		A	Accident			

<u>Since</u> "gunshot wound" requires a nature of injury and an E-code, enter on I(a) the nature of injury code for wound of chest followed by the most specific E-code for gunshot, accidental. Code place of occurrence as 9 (unspecified). Code manner of death as A (accident).

When entries requiring nature of injury codes and external cause codes are reported on the same line in Part I, code **the first nature of injury code** followed by the **most specific external cause code**; then code any remaining conditions for the line in the order indicated by the certifier.

Place	Ι	(a)	Laceration of throat	S118			
9		(b)	Dog bite of shoulder,	S410	&W54	T111	S119
		(c)	arm and neck				

<u>Code</u> the nature of injury code only for I(a). On I(b), code the nature of injury code for "bite of shoulder" followed by the E-code for dog bite followed by the remaining nature of injury codes for "bite arm and neck." Code place of occurrence as 9 (unspecified).

Place	Ι	(a)	Fracture skull	S029		
9		(b)	Fell from window, crushed	S280	&W13	S381
		(c)	chest and abdomen			

 $\underline{I(a)}$ requires a nature of injury code only. I(b) requires both nature of injury and E-code since the external cause and injuries are reported on this line. Code first nature of injury code followed by the external cause code, followed by the remaining nature of injury codes. Code place of occurrence as 9 (unspecified).

Place	Ι	(a)	Renal failure	N19			
0		(b)	Injury kidney, liver and	S370	&W11	S361	S360
		(c)	spleen. Fell from ladder at home				

<u>Code</u> I(b) injury kidney followed by external cause code for the fall, followed by the remaining injuries. Code place of occurrence as 0 (home).

Part B

Effects of External Cause of Injury and
External Causes of Injury and Poisoning
Placement of N-Code and E-Code

<u>Place</u> I	(a)	Cerebral laceration & contusion	S062
9	(b)	Blow to right temporal area	&X599

<u>Code</u> I(a) to the nature of injury code only, and I(b) to the external cause code only. Code place of occurrence as 9 (unspecified).

In Part II, code each entry in the same order as entered on the certificate. For entities requiring both nature of injury and external cause codes, enter the nature of injury code followed by the external cause code. Enter the information recorded in the special spaces that have been provided on the medical certification form for recording information about external causes of injury following any codes that are applicable to Part II.

Place	Ι	(a) Cr	ushed chest	S280		
9		(b) Br	oken rib	S223		
		(c)				
	II Fracture hip and arm			S720	T10	&W24
		43	Run over by a forklift			

<u>In Part II</u>, code each entry in the order entered on the certificate. Code place of occurrence as 9 (unspecified).

Place		` '	Subdural hematoma	S065	
9	Π	Bl	unt impact injury to head	S099	&Y00
MOD		Г			
Η			Homicide		
	Z	13	Struck on head with a blunt object by and	ther per	son

<u>Since</u> the entry in Part II requires both nature of injury and external cause codes, enter the nature of injury code followed by the most specific external cause code. Code place of occurrence as 9 (unspecified).

Place	I (a	a) Head wound	S019		
9	II		&W34	S062	S019
MOD A		Accident			
	43	Cerebral laceration, GSW of head			

<u>Code</u> external cause code first in Part II since manner of death box requires an external cause code. Code place of occurrence as 9 (unspecified).

C.	Use of	ampersand

- 1. Use an ampersand to identify the following:
 - a. The most specific external cause code causing injuries or poisoning.
 - b. Certain localized effects of poisonous substances (X45-X49) or aspiration (W78,W79, W80) when classifiable to Chapters I-XVIII.
 - c. Ampersand the E-code for aspiration (W78-W80) anytime it is reported.

Place	Ι	(a) Aspiration	T179	&W78
0		(b) Vomitus		
	Π	Fx Hip Fall at home	S720	&W19

<u>Ampersand</u> both the E-code for aspiration and the E-code for fall at home.

Exceptions to c:

- 1. When reported **due to** nature of injury codes or other external causes.
- 2. When a nature of injury code other than T179 is reported as the **first** condition on the lowest used line in Part I.

Place	Ι	(a) Aspiration of vomitus	T179 W78
0		(b) Fx hip	S720
	Π	Fall at home	&W19

<u>Do not</u> ampersand the E-code for aspiration since both Exception 3(a) and 3(b) apply.

- 2. More than one external cause reported
 - a. In determining the most specific external cause code, consider all of the information reported on the record. <u>If two or more</u> external causes are reported and the nature of the injuries and/or the order in which the conditions are reported indicates that one of the external causes led to the condition that terminated in death, precede the code for this external cause by an ampersand. If no determination can be made, precede the code for the first mentioned external cause with an ampersand.

Place	Ι	(a)	Aspiration of vomitus	T179	W78
9		(b)	Internal chest injury	S279	
		(c)	Fall down stairs	&W10	

<u>The</u> order in which the conditions are reported indicates that the fall down stairs led to aspiration; therefore, the ampersand precedes the code for this external cause.

Place	Ι	(a) Gunsho	ot wound of head	S019	&X95
9		(b) Stab wo	ound of chest	S219	X99
MOD H	II	Homicide			

<u>The</u> order in which the external causes are reported does not indicate which event occurred first; therefore, precede the code for the gunshot wound with an ampersand since it is the first external cause reported.

Ι	(a) Head trauma	S099		
Π	Alcohol intoxication, auto accident	T519	X45	&V499

<u>Precede</u> the code for the auto accident with an ampersand. Alcohol intoxication did not cause the head trauma.

b. When alcohol intoxication (or any term meaning intoxication) is reported with another external cause other than aspiration, precede the code for the first mentioned external cause with an ampersand. When alcohol intoxication is reported with drugs, refer to Section V, Part Q, 4, <u>Poisoning by alcohol and drugs</u>.

Ι	(a)	Head trauma	S099	
	(b)	Auto Accident	&V49	9
	(c)	Alcohol intoxication	T519	X45

<u>Precede</u> the code for the auto accident with an ampersand since it is the first external cause reported.

SECTION V

Part C

I (a) Drowning	T751	&W74
(b) Alcohol intoxication	T519	X45
II Drinking heavily	F101	

<u>Precede</u> the code for the drowning with an ampersand since it is the first external cause reported. Code Part II as indexed.

Ι	(a)	Alcohol intoxication and hip fx	T519	&X45 S720
Π	Fall	l while intoxicated	W19	T519

<u>Precede</u> the code for the alcohol intoxication with an ampersand since it is the first external cause reported.

Part D

D. Certifications with mention of nature of injury and without mention of external cause

All certifications that have an entry classifiable to Chapter XIX must have an external cause code. When only one type of injury is reported without indication of the external cause and the External Cause Index provides a code for this type of injury, code accordingly. If the External Cause Index does not provide a code for the type of injury, code to Accident, unspecified (X599). When no external cause is reported and the external cause code must be assumed, code the external cause code as the last entry in Part II.

Place 9	I (a) Crushed chest II	S280 &X599
	Code Crushed (accidentally), X599 as ind	exed.
Place 9	I (a) Fracture of hip and arm II	S720 T10 &X590
	Code Fracture (circumstances unknown or	unspecified), X590 as indexed.
Place 9	I (a) Penetrating wound of abdomen (b) and chest	S318 S219
,	II	&X599

Code Wound (accidental) NEC, X599 as indexed.

If different types of injuries are reported without indication of the external cause, use the injury reported in the lowest due to position to assign the appropriate external cause code for this injury. If more than one injury is reported on the lowest line, assign the appropriate external cause code for the first mentioned injury.

Place	Ι	(a)	Brain injury	S069
9		(b)	Fracture of skull	S029
	Π			&X590

Code Fracture (circumstances unknown or unspecified), X590.

Place	Ι	(a)	Fracture of hip	I	S720
9		(b)	Crushing hip injury		S770
	II				&X599

Code Crushed (accidentally), X599.

Part D

<u>Place</u> I (a)	Cerebral concussion and	S060	S062
9 (b)	laceration of brain		
II		&X599)

<u>Concussion</u> is not indexed in External Cause Index. Code to Accident, unspecified, X599.

These generalizations do not apply if the place of occurrence of the injury was highway, street, road, or alley. Refer to instructions for transport accidents in Section V, Part J.

Implied site of injury

Relate most injuries of an unspecified site to a condition of a specified site, whether or not qualified as generalized, multiple, or stated plural, following general instructions for relating disease conditions.

Exceptions:

Do not relate

Injury(ies) (generalized) (internal) (multiple) Trauma(s) (generalized) (internal) (multiple) Wound(s) (generalized) (internal) (multiple)

Place	Ι	(a)	Crushed skull with multiple fractures	S071	S029
9	Π			&X59	9

<u>Code</u> crushed skull followed by multiple skull fractures relating the injury of unspecified site to the site of the injury that is reported on the same line. Since there is no external cause reported, code Crushed (accidentally) as indexed in Part II.

Place	Ι	(a)	Fractured neck and contusions	S129	S109
9	Π			&X59	0

<u>Code</u> fractured neck followed by neck contusion relating the injury of unspecified site to the site of the injury that is reported on the same line. Since there is no external cause reported, code Fracture (circumstances unknown or unspecified) as indexed in Part II.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Certifications with Mention of Nature of Injury and without Mention of External Cause

<u>Place</u>	I (a) Fracture of hip	S720
9	(b) Crushing injury	S770
	Ш	&X599
	<u>Code</u> crushing injury hip since there is only one si above or below the fracture. Since there is no exter Crushed (accidentally) as indexed in Part II.	I I
Place	I (a) Fracture of skull with generalized trauma	S029 T07
9	Π	&X590
	<u>Code</u> the generalized trauma as indexed. Do not r	
	reported on the same line with it. Since there is no Fracture (circumstances unknown or unspecified)	± 1
Place	Fracture (circumstances unknown or unspecified)	. .
Place 9	Fracture (circumstances unknown or unspecified)	as indexed in Part II.

<u>Code</u> I(b) to Wound as indexed. Do not relate to the site of the fracture reported on the upper line. Since there is no external cause reported, code Wound (accidental) NEC, X599 as indexed in Part II.

SECTION V

Part E

E. Conditions qualified as traumatic

- 1. Some conditions are indexed directly to a nontraumatic category but the Classification also provides a traumatic code. Consider these conditions to be traumatic and code as traumatic:
 - a. When they are qualified as "traumatic"
 - b. Or they are reported on the certificate with:
 - Injury or trauma (any specified type or site)
 - An external cause
 - The **Manner of Death** is Accident, Homicide, Suicide, Pending Investigation or Undetermined

Exception: **Do not** apply this instruction if:

- the condition is reported due to a nontraumatic condition
- W78 W80 is the only external cause reported
- poisoning is reported

<u>Place</u>	Ι	(a) Pneumothorax	S270
6		(b) Fracture rib	S223
	II		&X590
		Place of injury- Factory	

<u>Since</u> pneumothorax is reported on the certificate with an injury, code pneumothorax as traumatic.

Place	Ι	(a) Cerebr	al hemorrhage	S062
9		(b)		
		(c)		
MOD	Π		-	&X599
А		Accident		

<u>Consider</u> cerebral hemorrhage to be traumatic since Accident is reported in the Manner of Death box.

Part	Е
------	---

	Ι	. ,	espiratory failure ebral hemorrhage	R092 I619
		(c) Mening	ioma	D329
MOD	Π			
А		Accident		

<u>Since</u> intracerebral hemorrhage is reported due to a disease condition, code as nontraumatic. Do not enter an E-code for Accident reported in the check box since no condition is coded to Chapter XIX.

Place	Ι	(a) Subarachnoid hemorrhage	S066
9		(b) Fall	&W19
MOD	Π		
N		Natural	

<u>Code</u> subarachnoid hemorrhage as traumatic since it is reported on the certificate with an external cause, disregarding Natural in the Manner of Death box.

Exceptions:

a. Code emphysema, encephalitis, and meningitis to the nature of injury code only when they are stated to be "traumatic" or are reported **due to** or **on the same line with** an injury or external cause.

Place	Ι	(a)	Emphysema	T797	
9		(b)	Injury chest	S299	
		(c)	Fall	&W1	9

<u>Code</u> I(a) emphysema, traumatic since the condition is reported due to an injury.

Place	Ι	(a) Internal injury	T148
9		(b) Fall from ladder	&W11
	Π	Meningitis	G039

<u>Do not</u> code the meningitis as traumatic since it is not reported due to or on the same line with an injury or external cause. Code place of occurrence as 9 (unspecified).

Effects of External Cause of Injury and
External Causes of Injury and Poisoning
Conditions Qualified as Traumatic

b. Code the "traumat	following terms to the traumatic category onl ic:"	y when stated to be	
epile	umonia (classifiable to J120-J168, J180-J189, . epsy (G400-G409) rointestinal hemorrhage (any K922)	J690, J698)	
Place	I (a) Pneumonia	J189	
9	(b) Fracture hip	S720	
	II Fall	&W19	
	<u>Code</u> I(a) pneumonia as indexed since it is not reported as traumatic.		
	I (a) Traumatic epilepsy	T905	
	(b) Head injury	T909	
	(c) Fall from ladder	&Y86	
	<u>Code</u> epilepsy to the nature of injury code si traumatic.	nce it is stated	
c. When the	e traumatic form of a condition is classified to	Chapters I-XVIII. code	

c. When the traumatic form of a condition is classified to Chapters I-XVIII, code as traumatic **only** when stated to be "traumatic"

Place	Ι	(a)	Cardiac arrest	I469
9		(b)	Organic brain syndrome	F069
		(c)	Brain injury	S069
		(d)	Fall	&W19

<u>Code</u> organic brain syndrome as indexed since it is not stated "traumatic."

a. When a condition of a specified site is stated to be traumatic but there is no provision in the Classification for coding the condition as traumatic, code to injury unqualified of the site.

Place	Ι	(a)	Traumatic cerebral thrombosis	S069
9		(b)	Fall	&W19

232

Code Injury, cerebral.

2b January 2007

Part E

Part E

b. When a condition that does not indicate a specified site is stated to be traumatic, but there is no provision in the Classification for coding the condition as traumatic, code trauma unspecified and the condition separately.

Place	Ι	(a)	Traumatic coma	T149	R402
9		(b)	Fall	&W19	

<u>Code</u> trauma unspecified and coma separately.

SECTION V

Part E

Effects of External Cause of Injury and External Causes of Injury and Poisoning Conditions Qualified as Traumatic

4. <u>Traumatic hemorrhage (T148, T149)</u>

Internal hemorrhage NOS	1	Due to or on same line with injury (any site)	Code the hemorrhage to T148, internal injury NOS
Hemorrhage NOS	2	Due to injury of a specified site	Relate the hemorrhage to the site of the specified injury
	3	Due to injury NOS or multiple injuries NOS	Code the hemorrhage to T149, injury NOS
	4	Due to injury of multiple specified sites	Relate the hemorrhage to site of the first mentioned specified injury
	5	Due to internal injury NOS or internal injuries NOS	Code the hemorrhage to T148, internal injury NOS
	6	On same line with injury of site	Relate the hemorrhage to the site of the specified injury
	7	On same line with injury of multiple specified sites	Code the hemorrhage to T149, injury NOS
	8	On same line with internal injury NOS or internal injuries NOS	Code the hemorrhage to T148, internal injury NOS
	9	Due to and on same line with injuries of different specified sites	Relate the hemorrhage to the site of the injury that is entered on the same line with hemorrhage

Effects of External Cause of Injury and External Causes of Injury and Poisoning Conditions Qualified as Traumatic

			Instruction
			<u>Number</u>
Place		T148	
9	(b) Crushed thorax	S280	1
	(c)	A 1/200	
	II	&X599	
Place	I (a) Hemorrhage	S799	2
<u>1 lace</u> 9	(b) Fracture of femur	\$729	2
	(c)	5727	
	II	&X590	
Place	I (a) Hemorrhage	S299	2
9	(b) Laceration of chest	S219	
	(c)		
	II	&X599	
Place	e e e e e e e e e e e e e e e e e e e	T149	3
9	(b) Multiple injuries	T07	
	(c)	8 X/200	
	II	&X599	
Place	I (a) Hemorrhage	S299	4
<u>1 lace</u> 9	(b) Injury of chest, lung and	S299 S273 S223	-
	(c) fractured rib	6277 6215 6225	
	II	&X599	
Place	I (a) Contusion chest with	S202 S299	6
9	(b) hemorrhage		
	(c)		
	II	&X599	
			_
	I (a) Laceration of liver, lung,	S361 S273 S360 T149	7
9	(b) & spleen with hemorrhage		
	(c) II Exact former	6730 % X500	
	II Fracture rt. femur	\$729 &X599	
Place	I (a) Cerebral contusion	S062	9
<u>1 lace</u> 9	(b) with hemorrhage	5002	
,	(c) Injury of chest, lung, back	S299 S273 S399	
	II	&X599	

F. Assumption of nature of injury code

When an external cause is reported on a certificate without a nature of injury code, assign both a nature of injury and an external cause code. Assume the nature of injury to be Injury NOS, T149 and place it preceding the external cause code.

Place	I	(a)	Respiratory failure	J969	
9		(b)	Fire	T149	&X09

I(b) is an external cause code only. Since there is not a nature of injury reported on the certificate, code nature of injury T149 preceding the external code for fire.

Place	Ι	(a)	Subarachnoid hemorrhage	I609	
9		(b)	Stroke	I64	
		(c)	Fall	T149	&W19

Do not code the hemorrhage on I(a) as traumatic since it is reported due to a nontraumatic condition. I(c) is an external cause code only and there is not a nature of injury reported on the certificate. Code nature of injury T149 preceding the external code for fall.

Place	I (a) Struck by falling tree	&W20
9	II Head wound	S019

I(a) is an external cause code only. Since there is a nature of injury on the certificate, do not code T149 preceding the external code.

Place	I (a) Struck by falling tree	T149	&W20
9	II Respiratory failure	J969	

I(a) is an external cause code only. Since there is not a nature of injury on the certificate, code T149 preceding the external code.

Exceptions:

1. When conditions classified to categories A000-R99 are reported due to "second hand smoke," code the "second hand smoke" to X49.

(a)	Pulmonary emphysema	J439
(b)	Second hand smoke	X49
(-)	т	C2 40
(a)	Lung cancer	C349
	(b)	(a) Pulmonary emphysema(b) Second hand smoke

2b January 2007

Part 3

Ι	(a)	Cardiac arrest	I469
	(b)	Second hand smoke	X49

2. Anthrax is reported with accident, suicide, homicide or undetermined

When anthrax (A220-A229) is reported with accident, suicide or homicide anywhere on the record (including in the check box) or undetermined in the check box only, code the anthrax as indexed and code the external cause code as:

- Accident specified (X58)
- Suicide specified (X83)
- Homicide specified (Y08)
- Undetermined specified (Y33)

Anthrax designated as an act of terrorism is classified to U016.

MOD	Ι	(a)	Inhalation	anthrax	A221
Η	Π				Y08
			Homicide		

 \underline{Code} I(a) as indexed under Anthrax, inhalation. Code an E-code only in Part II for homicide based upon the check box entry. Also enter a H for Homicide in the Manner of Death item.

Ι	(a)	Anthrax	A229
	(b)	Homicide	Y08

Code I(a) as indexed. Code an E-code only on I(b); do not assume an injury code.

3. When conditions in J680-J709 are reported due to an external cause not considered to be medical or surgical care, refer to Section V, Part O, <u>Guides for differentiating between</u> effects of external causes classifiable to Chapters I-XVIII and Chapter XIX.

Part G

G. Multiple injuries (T00-T07)

When injury (of a site) or specified type of injury (of a site) is:

Stated as	Code as indexed under
Bilateral	Injury (or specified type of injury), site, bilateral
Both	Injury (or specified type of injury), site, both
Multiple	Injury (or specified type of injury), site, multiple

Do not consider the plural form of injury or the plural form of a site to indicate multiple. Do not consider "right and left" as bilateral or both.

Examples of injuries:

1.	Fracture of both hips	T025
	Fracture - hip both T025	
2.	Fracture of hips	S720
	Fracture - hip S720	
3.	Multiple fractures of ribs	S224
	Fracture - rib multiple S224	
4.	Fractures of ribs	S223
	Fracture - rib S223	
5.	Multiple wounds of lower limb	T013
	Wound - limb lower NEC multiple sites T013	

Effects of External Cause of Injury and External Causes of Injury and Poisoning Multiple Injuries

1. Multiple injuries	Followed by specified type(s) of injuries	Code T07 and the specified injuries
2. Multiple injuries	Followed by specified site(s)	Code multiple injuries by site(s) only
3. Single site	Reported on same line with multiple types of injuries	Code the specified types of injuries of the reported site
4. More than one site	Reported on same line with multiple types of injuries	Code the specified type of injury immediately preceding the reported sites to the sites, code all other injuries to the NOS code

1.	Place 9	I	(a) (b) (c)	Multiple injuries with fracture skull and laceration brain	T07 &X59	S029 S062 99
2.	Place 9	I II	(a)	Multiple injuries - head, neck, chest	S097 &X5	S197 S297 99
3.	Place 9	Ι	(b)	Fracture, laceration and contusion of leg Fall from roof	T12 &W1	T131 T130 3
4.	Place 9	I II	(a) (b)	Contusions, lacerations, fracture of trunk and extremities	T140 &X59	

Part G

SECTION V

Part H

Effects of External Cause of Injury and External Causes of Injury and Poisoning Burns: Multiple Degrees of Burns/Percentage of Body Surface Burned

H. Burns: multiple degrees of burns/percentage of body surface burned

1. When multiple degrees of burns are reported, with or without mention of sites, code the most severe degree only.

$\begin{array}{c c} \underline{Place} & I & (a) & 2^{nd} \text{ and } 3^{rd} \text{ degree burns} \\ \hline 0 & (b) & \text{of face, chest wall and abdomen} \\ \hline (a) & \end{array}$	T203 T213
MOD II A	&X00
Accident home house fire	
<u>Code</u> 3^{rd} degree burns of each site reported.	
<u>Place</u> I (a) 2^{nd} and 3^{rd} degree burns	T303

Place	Ι	(a)	2 nd and 3 rd degree but	ms	T303
9		(b)			
		(c)			
	Π				&X09

<u>Code</u> 3^{rd} degree burns of unspecified body region.

2. When a percentage of burns or a percentage of body (entire, total) burns is reported, code to the percentage.

Place	I (a) Burns	of 50% of	T315
9	(b) body	surface	
	(c)		
MOD	II		&X06
А	Accident	clothing caught on fire	

Code burns involving 50-59% of body surface.

3. When specified degrees of burns are reported with the percentage of body surface involved, code only the percentage of body surface involved.

Place	Ι	(a) $30-40\%$, 2^{nd} and 3^{rd} degree burns of body	T314
0		(b)	
		(c)	
	II	House fire	&X00

<u>Code</u> burns involving 40-49% of body surface.

Part H

Effects of External Cause of Injury and External Causes of Injury and Poisoning Burns: Multiple Degrees of Burns/Percentage of Body Surface Burned

4. When a percentage of burns of specified sites is reported, code to burn of site(s) involved.

Place8	I (a) Burns, (b) extrem	76% of face, anterior trunk, and nities	T200	T210	T300
MOD	(c) II		&X00	T300	
A	Accident	burned in fire in abandoned shack			

<u>Code</u> unspecified degree burns of each site reported. In Part II, code burned as burn of unspecified body region, unspecified degree.

2b January 2007

Part I

I. Specified types of injuries

1. When specified **types** of injuries of sites are reported, code to site only. <u>Do not</u> use Index entries of "specified type NEC" or "specified NEC" (usually .8).

Place I (a) Impact injury, upper arm S499 &X599 9

Indexed as:

Injury - arm NEC T119 - - **upper S499** - - - specified NEC S498

Place
9I (a) Blunt injury, trunkT099 &X5999Indexed as:

Injury - trunk T099 - - specified type NEC T098

 When specified sites of injuries are reported, <u>do not</u> use Index entries of "specified type NEC" or "specified NEC". Use only if indexed as "specified <u>site</u> NEC" or "specified <u>part</u> NEC."

Place	I (a)	Fracture third cervical vertebra	S129
9	(b)	Fall	&W19

Indexed as:

Fracture - vertebra T08 - - cervical (teardrop) S129 - - - specified NEC S122

 $\frac{\text{Place}}{9}$ I (a) GSW right side of neck S118 &W34

Indexed as:

Wound - neck S119 - specified part NEC S118

Part J

J. Transportation accidents (V01-V99)

The main axis of classification for land transports (V01-V89) is the victim's mode of transportation. The vehicle of which the injured person is an occupant is identified in the first two characters since it is seen as the most important for prevention purposes.

Definitions and examples relating to transport accidents are in Volume 1, pages XX-9 - XX-17. Refer to these definitions when any means of transportation (aircraft and spacecraft, watercraft, motor vehicle, railway, other road vehicle) is involved in causing death.

For classification purposes, a motor vehicle not otherwise specified is **NOT** equivalent to a car. Motor vehicle accidents where the type of vehicle is unspecified are classified to V87-V89.

A vehicle not otherwise specified is **NOT** equivalent to a motor vehicle **unless** the accident occurred on the street, highway, road(way), etc. Vehicle accidents where the type of vehicle is unspecified are classified to V87-V89.

Additional information about type of transports are given below:

- (1) Car (automobile) includes blazer, jeep, minivan, sport utility vehicle
- (2) Pick-up truck or van includes ambulance, motor home, or truck (farm) (utility)
- (3) Heavy transport vehicle includes armored car, dump truck, fire truck, panel truck, semi, tow truck, tractor trailer, 18-wheeler
- (4) A special all-terrain vehicle (ATV) or motor vehicle designed primarily for off-road use includes dirt bike, dune buggy, four-wheeler, go cart, golf cart, race car, snowmobile, three-wheeler
- (5) Motor vehicle includes passenger vehicle (private)

Part J

1. Use of the Index and Tabular List

The Classification provides a Table of land transport accidents in Volume 3, Section II. This table is referenced with any land transport accident if the mode of transport is known. Since the Index does not always provide a complete code, reference to Volume 1, Chapter XX is required.

For V01-V09, the fourth character indicates whether a pedestrian was injured in a nontraffic accident, traffic accident, or unspecified whether traffic or nontraffic accident.

For V10-V79, the fourth character represents the status of the victim, i.e., whether the decedent was driver, passenger, etc. For each means of transportation, there is a different set of fourth characters. Each means of transportation is preceded by its set of fourth characters in Volume 1.

• Car overturned, killing driver V485

In the Index refer to:

Overturning - transport vehicle NEC (see also Accident, transport) V89.9

Accident

- transport (involving injury to) (see also Table of land transport accidents) V99

In the Table of land transport accidents, select the intersection of:


Under Victim and mode of transport, select Occupant of: - car (automobile)

Under **In collision with or involved in:** select Noncollision transport accident

The code is V48.-. From Volume 1 the fourth character is 5, driver injured in traffic accident.

2.

Auto collision with animal V409
In the Index refer to:
Collision (accidental) NEC (see also Accident, transport) V89.9
Accident - transport (involving injury to) (see also Table of land transport accidents) V99
In the Table of land transport accidents, select the intersection of:
Under Victim and mode of transport, select Occupant of: - car (automobile)
Under In collision with or involved in : select Pedestrian or animal
The code is V40 From Volume 1, determine the fourth character is 9, unspecified car occupant injured in traffic accident.
Classifying accidents as traffic or nontraffic.
If an event is unspecified as to whether it is a traffic or nontraffic accident, it is assumed to be:
 A traffic accident when the event is classifiable to categories V02-V04, V10-V82 and V87.
b. A nontraffic accident when the event is classifiable to categories V83-V86. These vehicles are designed primarily for off-road use.
c. Consider category V05 to be unspecified whether traffic or nontraffic if no place is indicated or if the place is railroad (tracks).
d. Consider accidents involving occupants of motor vehicles as traffic when the place is railroad (tracks).



<u>Code</u> to unspecified occupant of all-terrain or other off road motor vehicle injured in traffic accident. Code as traffic accident since the accident originated on the road.

3. Status of victim

a. General coding instructions relating to transport accidents are in Volume 1, Chapter XX. Refer to these instructions for clarification of the status of the victim when not clearly stated.

Ι	(a)	Multiple internal injuries	T065	
	(b)	Crushed by car	T147	&V031

<u>Code</u> to pedestrian injured in collision with car, pick-up truck or van, traffic. Refer to Volume 1, Chapter XX, instruction 3, Crushed by car. The victim is classified as a pedestrian. Refer to Table of land transport accidents. Victim and mode of transport, pedestrian, in collision (with) car. Refer to Volume 1 for fourth character.

Part J

b. In classifying motor vehicle traffic accidents, a victim of less than 14 years of age is assumed to be a passenger provided there is evidence the decedent was an occupant of the motor vehicle. A statement such as "thrown from car," "fall from," "struck head on dashboard," "drowning," or "carbon monoxide poisoning" is sufficient.

Female, 4 years old

Ι	(a)	Fractured skull	S029

- (b) Struck head on windshield when car &V476
- (c) struck tree that had fallen across road

<u>Code</u> to car occupant injured in collision with fixed or stationary object, passenger (V476).


c. When transport accident descriptions do not specify the victim as being a vehicle occupant and the victim is described as:

pedestrian	versus (vs)	any vehicle (car, truck, etc.)
any vehicle (car, truck, etc.)	versus (vs)	Pedestrian

classify the victim as a pedestrian (V0I-V09).

4. <u>Coding categories V01-V89</u>

a. When drowning occurs as a result of a motor vehicle accident NOS, code as noncollision transport accident. The assumption is the motor vehicle ran off the highway into a body of water. If drowning results from a specified type of motor vehicle accident, code the appropriate E-code for the specified type of motor vehicle accident.




<u>Refer</u> to Table of land transport accidents. Code to occupant of car injured in collision with car, driver.

- b. When falls from transport vehicles occur, apply the following instructions:
 - (1) Consider a transport vehicle to be in motion unless there is clear indication the vehicle was not in transit. Refer to Table of land transport accidents, specified type of vehicle reported, noncollision. Refer to Volume 1 for appropriate fourth character.




<u>Refer</u> to Table of land transport accidents under Victim and mode of transport. Select occupant of pick-up truck, noncollision transport accident, (V58.-). Refer to Volume 1 for fourth character and select 3, unspecified occupant of pick-up truck, nontraffic accident.

- (2) Consider a transport vehicle to be stationary when statements such as these are reported :
 - (a) When alighting, boarding, entering, leaving, exiting, getting in or out of vehicle
 - (b) Stated as stationary, parked, not in transit, not in motion




<u>Refer</u> to Table of land transport accidents under Victim and mode of transport. Select occupant of bus, noncollision transport accident, (V78.-). Refer to Volume 1 for fourth character and select 4, person injured while boarding or alighting.




<u>Refer</u> to Table of land transport accidents under Victim and mode of transport. Select occupant of motor vehicle (traffic), noncollision transport accident (V892).

Part J




5. Additional examples



<u>Code</u> to motorcycle rider injured in collision with car, pick-up truck or van, driver (V234).

I (a)	Third degree burns	T303
(b)	Auto accident - car overturned	&V489
(c)		

Code to car occupant injured in noncollision transport accident, unspecified (V489).



Code to person injured in unspecified motor vehicle accident, traffic (V892). Code as motor vehicle accident since the accident occurred on the street.

Part J

6. <u>Occupant of special all-terrain or other motor vehicle designed primarily for off-road</u> <u>use, injured in transport accident (V86)</u>

This category includes accidents involving an occupant of any off-road vehicle. The fourth character indicates whether the decedent was injured in a nontraffic or traffic accident. Unless stated to the contrary, these accidents are assumed to be nontraffic.

Ι	(a)	Multiple injuries	T07
	(b)	Driver of snowmobile that collided with auto	&V860

<u>Code</u> to driver of all-terrain or other off-road motor vehicle injured in traffic accident since the collision occurred with an automobile.

I	(a)	Injuries of head	S099
	(b)	Fracture both legs	T025
	(c)	Driver of ATV	&V865

<u>Code</u> to driver of all-terrain or other off-road motor vehicle injured in nontraffic accident.

Ι	(a)	Head injuries	S099
	(b)	Overturning snowmobile	&V869

<u>Code</u> to unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident.

Ι	(a)	Fracture skull	S029
	(b)	ATV accident	&V869

<u>Code</u> to unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident (V869)

- 7. <u>Traffic accident of specified type but victim's mode of transport unknown (V87)</u> <u>Nontraffic accident of specified type but victim's mode of transport unknown (V88)</u>
 - a. If more than one type of vehicle is mentioned, do not make any assumptions as to which vehicle was occupied by the victim unless the vehicles are the same. Instead, code to the appropriate categories V87-V88. Statements such as these do not indicate status of victim:

•	Auto (passenger) vs. truck Car vs. truck-driver Driver, car vs. truck	•	Passenger car vs. truck Car vs. truck, driver Driver-car vs. truck
I	(a) Intrathoracic injury(b)		S279
	(c) Auto vs. motor bike accident		&V870

<u>Do</u> not make any assumption as to which vehicle the victim was occupying. Using the Index, code:

Accident

- transport (involving injury to) (see also Table of land transport accidents) V99
- - person NEC (unknown means of transportation) (in) V99
- - collision (between)
- - - car (with)
- ---- two- or three-wheeled motor vehicle (traffic) V87.0

Ι	(a)	Multiple injuries	T07
	(b)	Driver - collision of car and bus	&V873
	(c)		

 \underline{Do} not make any assumption as to which vehicle the victim was driving. Using the Index, code:

Accident

- transport (involving injury to) (see also Table of land transport accidents) V99
- - person NEC (unknown means of transportation) (in) V99
- - collision (between)
- ---- car (with)
- ---- bus (traffic) V87.3

Part J

b. If reported types of vehicles are not indexed under Accident, transport, person, collision, code V877 for traffic and V887 for nontraffic.

Ι	(a)	Multiple injuries	T07
	(b)	Bus and pick-up truck collision, driver	&V877
	(c)		

<u>Do</u> not make any assumption as to which vehicle the victim was driving. Collision between bus and pick-up is not indexed under Accident, transport, person, collision. Code V877.

8. <u>Water transport accidents (V90-V94)</u>

The fourth character subdivision indicates the type of watercraft. Refer to Volume 1, Chapter XX, Water transport accidents for a list of the fourth character subdivisions.

	I (a) Drow	ning T751	&V929
	(b) Fell o	ver-board	
MOD	II		
Α	Accident		

<u>Code</u> drowning, due to fall overboard. Use fourth character "9," unspecified watercraft.

9. Air and space transport accidents (V95-V97)

For air and space transport accidents, the victim is only classified as an occupant. Military aircraft is coded to V958, Other aircraft accidents injuring occupant, since a military aircraft is not considered to be either a private aircraft or a commercial aircraft. Where death of military personnel is reported with no specification as to whether the airplane was a commercial or private craft, code V958.

- Part J
 - 10. <u>Miscellaneous coding instructions (V01-V99)</u>
 - a. When multiple deaths occur from the same transportation accident, all the certifications should be examined, and when appropriate, the information obtained from one may be applied to all. There may be other information available such as newspaper articles. A query should be sent to the certifier if necessary to obtain the information.
 - b. When classifying accidents which involve more than one kind of transport, use the following order of precedence:

aircraft and spacecraft (V95-V97) watercraft (V90-V94) other modes of transport (V01-V89, V98-V99)

- I (a) Multiple fractures and internal injuries T029 T148 (b) Driver of car killed when a private plane &V973
 - (b) Driver of car killed when a private plane &V(c) collided with car on highway after forced landing.

<u>Code</u> to person on ground injured in air transport accident following above order of precedence. Refer to Index under Accident, transport, aircraft, person, on ground.

c. When no external cause information is reported and the place of occurrence of the injury was highway, street, road(way), or alley, assign the external cause code to person injured in unspecified motor vehicle accident occurring on the highway.

1105	(a) Head inj II	uries and fracture	S099 S029 &V892
А	Accident	Highway	

<u>Code</u> to person injured in unspecified motor vehicle accident, traffic since the accident occurred on the highway.

d. Homicide, suicide or undetermined in manner of death

(1) When "undetermined" is reported in the manner of death box with transport accidents, code the external cause as accidental unless a statement on the certificate clearly establishes an investigation has not determined whether accidental, homicidal, or suicidal.

	I (a) Multiple head injuries(b) Car ran off cliff	S097 &V489
MOD	II	
С	Undetermined	

Code I(a) as indexed. Code I(b) as unspecified car occupant injured in noncollision transport accident. Do not code to undetermined since there is no statement that clearly establishes an investigation resulted in an undetermined verdict.


Place	I (a) Multiple he	ad injuries	S097
8	(b) Car ran off	cliff	&Y32
MOD	II Police report in	dicates poss	sible suicide or accident. Verdict
С	pending.		
	Undetermined		

Code I(a) as indexed. Code I(b) as indexed under Crash, transport vehicle, motor NEC, undetermined since there is a statement, which clearly establishes an investigation of "undetermined intent," is pending.

(2) When "homicide" is reported in the manner of death box with transport accidents, code the external cause as accidental unless a statement on the certificate clearly establishes an intentional act of homicide occurred.

<u>Place</u> I (a) Multiple traumatic injuries	T07
8 (b) Decedent run over by vehicle	&Y03
several times in parking lot	
MOD II	
Н	
Homicide	

Code I(a) as indexed. Code I(b) as indexed under Assault, crashing of motor vehicle. Homicide is coded since there was evidence the victim was repeatedly run over.



<u>Code</u> I(a) as indexed. Code pedestrian struck by car on I(b). Do not code as homicide since there is no statement of intentional homicide.

- (3) When "suicide" is reported in the manner of death box with transport accidents, code the external cause qualified as suicide.
- e. Garbage /dump truck accidents

When accidents involving garbage/dump trucks are reported and information indicates the mechanism of the body or truck bed caused the injuries, assign the E-code based on reported information. Usually, the statement of events will be falling on, struck by, or caught in and external codes W20, W22, or W23 will be used.

$\frac{\text{Place}}{4}$ I	(a) Crushed (b) Dump t	S280 &W20	
MOD I	I	-	
А	Accident	Street	

Code external cause to Struck (by), object, falling, W20.

Place I	(a) Fracture	S029	
4	(b) Struck l	&W22	
MOD I	Ι		
А	Accident	Street	

<u>Code</u> external cause to Struck (by), object, W22.

Place	I (a) Crushed chest					S280
4	(b) Caugh	t in c	&W23		
		truck				
MOD	II					
А	Ac	cident		Street		

Code external cause to Caught, between, objects, W23.

Part K

K. Falls

1. Other fall on same level (W18)

Code W18 if other or additional information is reported about the fall such as:

Fell from standing height Fell moving from wheelchair to bed Fell striking head Fell striking object Fell to floor Fell while transferring from chair to bed Fell while walking Lost balance and fell

	I (a) Fractu II Lost balan	S720 &W18	
MOD A	Accident	Home	

<u>Code</u> external cause to other fall on same level.

2. <u>Unspecified fall (W19)</u>

Code W19, unspecified fall, for terms such as:

Fall Fell Fell at a place

	I (a) Fractur II Fell at nurs	\$720 &W19			
A	Accident	Nursing Home			

Code external cause to fall, unspecified.

Part L

L. Natural and environmental factors

1. Lightning

Code X33 only when the decedent is injured from direct contact with lightning.

Code injuries, such as stroke or shock, due to direct contact with lightning to T750.

Code burn(s) due to lightning to burn(s) (T200-T289, T300-T319).

Place	Ι	(a)	Shock	T750	
9		(b)	Struck by lightning	T750	&X33

Place	Ι	(a)	Burns	T300
0		(b)	House fire	&X00
		(c)	House struck by lightning	

When a secondary fire results from lightning, code to the fire. Do not enter a code for lightning.

2. Exposure, cold exposure and hypothermia

When exposure, cold exposure or hypothermia is reported anywhere on the record with another stated or implied external cause, code the nature of injury code (T68-T699, T758) and the E-code for the exposure, cold exposure or hypothermia (X599, X31). Do not modify the nature of injury code for exposure NOS. Ampersand the external cause code for the other event.

Place 9	I II		Exposure Intoxication with hip fx	T758 T519 X590		5 S720	
Place 9	Ι	(a) (b) (c)	Hypothermia with drowning	T68	X31	T751	&W74

Part L

Place I (a) Exposure 4 (b)	T758 X83
(c) <u>MOD</u> II Multiple fractures S	T029 &X80
Suicide Jumped from bridge	
$\frac{\text{Place}}{9} \begin{array}{c} \text{I} (a) \text{Exposure to cold} \\ \end{array}$	T699 X31
(c) II MVA	&V892
Place I (a) Exposure and hypothermia 9 (b) Unconsciousness (c)	T758 X31 T68 R402
MOD II Blunt trauma to head	S099 &W18 T758
A Accident Exposed to elements	after falling and striking head

Part M

M. Firearms and firearm injuries

1. Coding specific types of firearms

The type of firearm involved in a death is identified at the three character level. Use the following guide to identify the type of firearm:

Type Firearm	Accidental	Intentional Self-harm	Assault	Undetermined Intent
Handgun	W32	X72	X93	Y22
25 Caliber				
32 Caliber				
38 Caliber				
45 Caliber				
357 Magnum				
Pistol				
Revolver				
Saturday night special				
Rifle, shotgun, larger firearm	W33	X73	X94	Y23
25.06 (25 ought 6)				
30.6 (30 ought 6)				
30/30				
308				
AK47				
M1 (carbine)				
M14				
M16				
Machine gun				
Rifle (army) (hunting) (military)				
Shotgun (8, 10, 12, 16, 20, 410				
gauge, buckshot)				
Other and unspecified firearms	W34	X74	X95	Y24
9 mm				
22 Caliber gun				
30 Caliber gun				
Airgun				
BB gun				
Pellet gun				
Pellet pistol				
Very pistol (Flare)				

Part M

- 2. External cause code
 - a.

<u>When reported as</u>	<u>Code</u>
"playing with gun" NOS	external cause as accidental
or "cleaning gun" NOS	(W32-W34)
"playing Russian roulette" (whether or not stated suicide)	external cause as handgun accident (W32)

Place	Ι	(a)	Gunshot wound of femur	S711	&W34
9		(b)	Cleaning gun		

<u>Code</u> as accidental since reported due to cleaning gun.

Place	Ι	(a)	Gunshot wound chest	S219	&W32
9		(b)	Self-inflicted while playing Russian roulette	e	

$\frac{\text{MOD}}{\text{S}}$ II

Suicide

<u>Code</u> as handgun accident since Russian roulette is reported.

3. <u>Nature of injury code</u>

a	

When	<u>Is reported due to</u>	Code
Injury NOS	any caliber bullet gun went off pulled trigger specified firearm	the nature of injury to wound

Place	I	(a)	Injury	T141
9		(b)	Rifle	&W33

b.

When reported as	Code
Gunshot or bullet entering and/or exiting a site	the nature of injury to wound of site(s)

Place I	(a)	Bullet entering chest &	S219	&W34	S212
9	(b)	exiting back			

<u>Code</u>
the nature of injury to wound (of site(s))

 $\frac{\text{Place}}{9} \quad \text{I} \quad \text{(a) Shot in head}$

S019 &W34

Part M


4.	Other firearm examples			
	PlaceI(a)Gunshot wound chest9(b)Self-inflicted	S219	&Y24	
	<u>Code</u> as undetermined gunshot since self-inflicted is reported accidental or intentional.	and is u	inspecifie	ed as
	PlaceI(a)Gunshot injury chest9(b)and lung	S219	&W34	S273

Part	N
------	---

N. Child abuse, battering and other maltreatment (Y070-Y079)

Code to <u>Child battering and other maltreatment (Y070-Y079)</u> if the age of the decedent is under 18 years and the cause of death meets one of the following criteria:

1. The certifier specifies abuse, battering, beating, or other maltreatment, even if homicide is not specified.



2. The certifier specifies homicide and injury or injuries with indication of more than one episode of injury, i.e., current injury coupled with old or healed injury consistent with a history of child abuse.

	Male, 1-1/2 yea	ars		
	I (a) Anoxic	encephalopathy	G931	
	(b) Subdura	l hematoma	S065	
	(c) Old and	recent contusions of body	T910	T090
MOD	Π		&Y079)
Н	Homicide			

Part N

3. The certifier specifies homicide and multiple injuries consistent with an assumption of battering or beating, if assault by a peer, intruder, or by someone unknown to the child cannot be reasonably inferred from the reported information.

	Female, 1 year		
	I (a) Massive internal bleeding	T148	
	(b) Multiple internal injuries	T065	
	(c)		
MOD 1	II Injury occurred by child being struck	T149	&Y079
Η	Homicide		

Exception:

Deaths at ages under 18 years for which the cause of death certification specifies homicide and an injury occurring as an isolated episode, with no indication of previous mistreatment, should not be classified to Y070-Y079. This excludes from Y070-Y079 deaths due to injuries specified to be the result of events such as shooting, stabbing, hanging, fighting, or involvement in robbery or other crime, because it cannot be assumed such injuries were inflicted simply in the course of punishment or cruel treatment.

	Female, 1 year		
Place	I (a) Hypovol	lemic shock	T794
0	(b) Lacerati	S268	
	(c) Multiple	e stab wounds thorax	S217 &X99
MOD	II Stabbed with	h kitchen knife by mother	T141
Η			
	Homicide	Home	

Part O

Effects of External Cause of Injury and External Causes of Injury and Poisoning Guides for Differentiating Between Effects of External Causes Classifiable to Chapters I - XVIII and Chapters XIX

O. <u>Guides for differentiating between effects of external causes classifiable to</u> Chapters I - XVIII and Chapter XIX

Categories in Chapters I-XVIII and XIX are mutually exclusive. Where provision has been made for coding effects of an external cause to Chapters I-XVIII, do not use a nature of injury code.

The effects of external causes classifiable to Chapters I-XVIII are primarily those associated with drugs, medicaments and biological substances, surgical procedures, and other medical procedures. Refer to Section V, Part R, <u>Complications of medical and surgical care (Y40-Y84)</u>.

A limited number of conditions that can result from other external causes, e.g., certain localized effects of fumes, vapors and nonmedicinal chemical substances and respiratory conditions from aspiration of foreign substances are also classified to Chapters I-XVIII. It is intended that Chapters I-XVIII be used to identify the localized effects and the substance be identified by the external cause code in Chapter XX.

To determine if the conditions reported due to external causes, other than drugs, medicaments, and biological substances, surgical procedures, and other medical procedures, are classified to localized effects in Chapters I-XVIII or to the nature of injury in Chapter XIX – look up the stated condition in the Index and scan the listing under this condition for qualifying terms that relate to the reported external cause. For example, to determine whether pneumonia due to aspiration of vomitus should be coded to Chapter X or to Chapter XIX, look up "Pneumonia, aspiration, due to, food (regurgitated), milk, vomit." This determination cannot be made by looking up "Aspiration." Where there is provision in the Index for coding a condition due to an external cause to Chapter I-XVIII, take the external cause into account if it modifies the coding.

Ι	(a)	Pneumonia	&J690
	(b)	Aspiration of vomitus	W78

<u>Code</u> Pneumonia, aspiration, due to vomit. Code "aspiration of vomitus" as an external cause code only.

I	(a)	Pneumonia	&J690
	(b)	Aspiration	W80
	(c)	Cancer of lung	C349

<u>Code</u> Pneumonia, aspiration. Code I(b) "aspiration" as an external cause code only.

Part O

Effects of External Cause of Injury and
External Causes of Injury and Poisoning
Guides for Differentiating Between Effects of External
Causes Classifiable to Chapters I - XVIII and Chapters XIX

	I (a) Pneumonia (b) Asphyxia (c) Aspiration	&J690 W80
	<u>Code</u> Pneumonia, aspiration. Code I(b) external cause	e code only.
	I (a) Pneumonia(b) Smoke inhalationII House fire	&J680 X00
	<u>Code</u> Pneumonia, in (due to), fumes and vapors (J680) cause code only.). Code I(b) external
	I (a) Acute pulmonary edema(b) Inhaled gasoline fumes	&J681 X46
	<u>Code</u> Edema, pulmonary, acute, due to, chemicals fun Code I(b) external cause code only.	nes or vapors (J681).
Place 9	I (a) Pneumonia(b) Cardiac arrest(c) Aspiration of vomitus	J189 I469 T179 &W78
	<u>Code</u> each entity as indexed. Do not code the pneumo aspiration of vomitus since it is reported due to anothe	

P. <u>Threats to breathing</u>

Certain effects of external causes can be classified to more than one nature of injury code depending on the type of external cause. Some of these effects are "anoxia," "asphyxia," "aspiration," "choking," "compression of neck," "obstruction of a site," "strangulation," "stricture of neck," and "suffocation."

The most frequently reported external causes which result in these effects are "aspiration, ingestion, and inhalation of objects and substances," "drowning," "fires," "fumes, gases and vapors," "hanging," "mechanical strangulation and suffocation," and "submersion."

The following pages contain tables that are used as guides in coding these types of external causes and effects.

In general, if the specific external cause is not in Tables 1-5, it will most likely be in Table 6, which contains the most frequently reported external causes which result in asphyxia, suffocation, etc. If not in any of the tables, code the effect as indexed.

Table	Title	
Table 1	Drowning and submersion	
Table 2	*Hanging and mechanical strangulation (by external means)	
Table 3	Fires (includes burns, gases, fumes in association with burns and fires)	
Table 4	Ingestion, inhalation of gases, fumes, vapors (without fires, burns)	
Table 5	Compression chest, crushed chest by external means	
Table 6	Aspiration NOS, ingestion NOS, inhalation NOS or aspiration, ingestion, inhalation of substances or objects (W78, W79, W80)	

***NOTE:** Interpret mechanical strangulation as strangulation caused by external means to the exterior of the body.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Part P

Table 1. Drowning and submersion

Instruction	When	Is reported due to	Code
1	anoxia asphyxia strangulation suffocation	drowning submersion	upper line T751 and the appropriate external cause code.
			lower line T751 only.

Instruction	When	Is reported on the same line with	Code
2	anoxia asphyxia strangulation suffocation	drowning submersion	T751 and the appropriate external cause code.

Α

Π

Accident

Part P

Table 1. Drowning and submersion

				Examples	5			Corresponding Table and Instruction
1.	Place	Ι	(a)	Asphyxia		T751	&W69	1.1
	8		(b)	Drowning		T751		
	MOD		(c)					
	А	II				T751		
				Accident	Drowned w	hile swimn	ning in river	
2.		Ι	(a)	Asphyxia		T751	&V909	1.1
2.		1	(b)	Strangulatio	on	T751	a () ()	1.1
	MOD		(c)	Drowning		T751		
	А	II		U				
				Accident	Lake	Boat ov	erturned	
3.	Place	Ι	(a)	Anoxia		T751	&W70	1.1
	8	-	(b)	Drowning		T751		
	MOD		(c)					
	А	II						
				Accident	Fell into I	ake		
4.	Place 9 MOD	Ι	(a) (b) (c)	Drowning –	asphyxia	T751	&W74	1.2
1		тт	(-)					

Table 2. Hanging and mechanical strangulation (by external means)

Instruction	When	Is reported due to	Code
1	asphyxia strangulation suffocation	hanging mechanical strangulation (by external means) compression of neck	upper line T71 and the appropriate external cause code. lower line T71 only.

Instruction	When	Is reported on the record with	Code
2	asphyxia strangulation suffocation	hanging mechanical strangulation (by external means) compression of neck	the asphyxia, strangulation, suffocation, T71 followed by the appropriate external cause code. T71 only where the hanging, mechanical
			strangulation, compression of neck is reported.

Instruction	When	Is reported	Which is reported	Code
		due to	due to	
3	asphyxia strangulation suffocation	asphyxia strangulation suffocation	the external means of the mechanical strangulation (such as: ligature, rope around neck, sheet)	uppermost line to T71 and the appropriate external cause code. the next lower line to T71.
				lower line blank.

Instruction	When	Is reported due to	Code
4	compression	hanging	upper line T71 only.
	of neck	mechanical strangulation	lower line T71 and the
	stricture of	(by external means)	appropriate external cause
	neck	suffocation	code.

Table 2 . Hanging and mechanical s							
				Examples			
1. <u>P</u>	lace	Ι	(a)	Asphyxia			

Tab rangulation (by external means)

Examples		Corresponding Table and Instruction
1. <u>Place</u> I (a) Asphyxia 0 (b) Hanging <u>MOD</u> (c) S II Suicide Home	T71 &X70 T71	2.1
2. Place I (a) Aspiration of vomitus 0 (b) Strangulation <u>MOD</u> (c) Hanging S II Suicide Home	T179 W78 T71 &X70 T71 T71 Hanged self	2.1 and 6.9
3. I (a) Asphyxia (b) Compression of neck (c) Auto accident II	T71 &V499 T71	2.1

4. <u>Place</u> 9 <u>MOD</u> S	I (a) Suffocatio (b) (c)	on by hanging	T71	&X70	2.2
	Suicide	Hanging by neck			

5. <u>Place</u> I (a) Asphyxia	T71 &W75	2.3
9 (b) Suffocation (c) Crib sheet	T71	
II		

6.PlaceI(a) Compression of neck9(b) HangingMOD(c)			T71 T71	&X91	2.4
H I	II I		T71		
	Homicide	Hanging			

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Instruction	When	Is reported on the record with	Code
5	compression of neck stricture of neck	hanging mechanical strangulation (by external means) suffocation	compression of neck, stricture of neck to T71 only. T71 followed by the appropriate external cause code for the hanging, mechanical strangulation, suffocation.

Table 2. Hanging and mechanical strangulation (by external means)

	Corresponding Table and Instruction		
7. <u>Place</u> 9	I (a) Compression of neck (b)	T71	2.5
MOD	(c)		
Н	II Strangulation by cord around neck	17/1 &X91	
	Homicide		

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Part P

Table 3.
 Fires (includes burns, gases, fumes in association with burns and fires)

Instruction	When	Is reported due to		Code
1	asphyxia suffocation	ingestion, inhalation	of gas, fumes, or vapors (carbon monoxide, products of combustion, smoke)	the asphyxia, suffocation to the nature of injury code for the gas, fumes, vapor and the appropriate external cause code for the fire where required.
		with		lower line to the appropriate nature of
		mention of a	fire (specified)	injury code for the gas, fumes, vapor.

Instruction	When	Is reported on the record with		Code
2	asphyxia suffocation	ingestion, inhalation	of gas, fumes, or vapors (carbon monoxide, products of combustion, smoke)	the asphyxia, suffocation to the nature of injury code for the gas, fumes, vapor and the appropriate external cause code for the fire where required.
		with	n	the appropriate nature of injury code for the gas,
		mention	of a fire (specified)	fumes, vapor where reported.

Instruction	When	Is reported due to	Code
3	asphyxia suffocation	burns NOS (any degree) (any percentage) (any site)	upper line T300 and the appropriate external cause code.
			lower line as indexed.

Instruction	When	Is reported due to	Code
4	asphyxia suffocation	fire NOS specified fire	upper line T300 and the appropriate external cause code.
			lower line blank.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Part P

Table 3. Fires (includes burns, gases, fumes in association with burns and fires)

Examples	Corresponding Table and Instruction
1.PlaceI(a)SuffocationT599 & X00	3.1
0 (b) Inhalation of products of combustion T599	
$\begin{array}{c} \underline{\text{MOD}} & \text{(c)} \\ A & \text{II} & \text{T599} \end{array}$	
Accident Inhaled fumes in house fire	
2.PlaceI(a)SuffocationT598&X09	3.1
9 (b) Smoke inhalation T598	
MOD (c) Fire A II	
Accident	
3. <u>Place</u> I (a) Asphyxia – carbon monoxide T58 &X00	3.2
$\begin{array}{c} 0 \\ 0 \\ \end{array} $	3.2
$\underline{\text{MOD}}$ (c)	
A II	
Accident Home House fire	
4. PlaceI(a) AsphysiaT300&X040(b) Burns of chest and faceT210T200	3.3
MOD (c)	
A II	
Accident Home Ignition of kerosene	
5. <u>Place</u> I (a) Suffocation T300 &X00	3.3
9 (b) 3° burns T303	
$\frac{MOD}{A}$ (c)	
A II	
Accident Burning Bldg.	

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Part P

Table 3. Fires (includes burns, gases, fumes in association with burns and fires)

Instruction	When	Is reported on the record	Code
		with	
5	asphyxia	fire NOS	the asphyxia, suffocation
	suffocation	specified fire	T300, followed by the
			appropriate external
			cause code for the fire.

Part P

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Table 3. Fires (includes burns, gases, fumes in association with burns and fires)

Example	Corresponding Table and Instruction	
6. <u>Place</u> I (a) Asphyxia, fire in house 0 (b) (c) II	T300 &X00	3.5

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

 Table 4.
 Ingestion, inhalation of gases, fumes, vapors (without fires, burns)

Instruction	When	Is reported due to	Code
1	asphyxia suffocation	ingestion inhalation of gas, fumes, or vapors	upper line to the appropriate nature of injury code for the gas, fumes, or vapor and the appropriate external cause code.lower line to the appropriate nature of injury code for the gas, fumes, or vapor.

Instruction	When	Is reported on the same line with		Code
2	asphyxia suffocation	ingestion ¬ inhalation	of gas, fumes, or vapors	the appropriate nature of injury code for the gas, fumes, or vapor and the appropriate external cause code.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Part P

Table 4. Ingestion, inhalation of gases, fumes, vapors (without fires, burns)

Examples					
T58	&X67	4.1			
0 (b) Inhalation of carbon monoxide T58					
T58					
Suicide Home Inhaled car exhaust fumes in garage					
T598	&X47	4.2			
-	T58 T58 st fumes i	T58 T58 st fumes in garage			

2	2. <u>Place</u> 1 (a) Sufficient by inhalation 0 (b) of propane gas			8 &X47	4.2
	$\frac{\text{MOD}}{\text{A}} \text{(c)}$		T598	3	
	Accident	Home	Inhaled propane gas		

Part P

Table 5. Compression chest, crushed chest by external means

Instruction	When	Is reported due to	Code
1	asphyxia suffocation	crushed chest	upper line S280 plus the appropriate external cause code.
			lower line S280.

Instruction	When	Is reported due to	Code
2	asphyxia suffocation	compression chest	upper line S299 plus the appropriate external cause code. lower line S299.

Part P

Table 5. Compression chest, crushed chest by external means

		Examples		Corresponding Table and Instruction
1.		I (a) Asphyxia	S280 &V892	5.1
		(b) Crushed chest	S280	
	MOD	(c) MVA		
	А	II		
		Accident Street	MVA	
2.	Place	I (a) Suffocation	S299 &W30	5.2
	7	(b) Compression chest	S299	
	MOD	(c) Tractor accident		
	А	II		
		Accident Farm	Tractor overturned on victim	

Part P

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Table 6.Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion,
inhalation of substances or objects (W78, W79, W80)

Instruction	When	Is reported du	e to	Code
1	asphyxia aspiration choking obstruction of a site occlusion of a site strangulation suffocation	aspiration NOS ingestion NOS inhalation NOS or aspiration of ingestion su inhalation or	bstances	upper line to T17 plus appropriate fourth character and the appropriate external cause code (W78, W79, W80). lower line to T17 with appropriate fourth character.
2	asphyxia aspiration choking obstruction of a site occlusion of a site strangulation suffocation	foreign body in (such as: blood gum, medicine, vomitus)	, food,	upper line to T17 plus appropriate fourth character and the appropriate external cause code (W78, W79, W80). lower line to T17 with appropriate fourth character.
3	asphyxia aspiration choking obstruction of a site occlusion of a site strangulation suffocation	foreign body N (such as: blood gum, medicine, vomitus)	, food,	upper line to T17 plus appropriate fourth character and the appropriate external cause code (W78, W79, W80). lower line blank.

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

Part P

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Table 6. Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion, inhalation of substances or objects (W78, W79, W80)

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

				Corresponding Table and Instruction		
1.	Place 9	I (a) (b) (c) II) Aspiration of food	T179 T179	&W79	6.1
2.	Place 9	I (a) (b) (c) II) Bolus of meat in throat	T172 T172	&W79	6.2
3.	Place 9) Obstruction of trachea) Bolus of meat)	T174	&W79	6.3
4.	Place 9	I (a) (b (c II) Aspiration	T179 T179	&W78	6.1 and 6.3

2b January 2007

Part P

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Table 6.Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion,
inhalation of substances or objects (W78, W79, W80)

Instruction	When	Is reported on the same	Code
4	asphyxia aspiration choking obstruction of a site occlusion of a site strangulation suffocation	line with aspiration NOS ingestion NOS inhalation NOS or aspiration of ingestion substances inhalation or objects	on the same line, T17 with appropriate fourth character and the appropriate external cause code (W78, W79, W80).
	Surrocation	or objects	
	1		
5	asphyxia aspiration choking obstruction of a site occlusion of a site strangulation suffocation	foreign body in a site (such as: blood, food, gum, medicine, mucus, vomitus)	on the same line, T17 with appropriate fourth character and the appropriate external cause code (W78, W79, W80).
			1 1 717
6	asphyxia aspiration choking obstruction of a site occlusion of a site strangulation suffocation	foreign body NOS (such as: blood, food, gum, medicine, mucus, vomitus)	on the same line, T17 with appropriate fourth character and the appropriate external cause code (W78, W79, W80).

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

Part P

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Table 6. Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion, inhalation of substances or objects (W78, W79, W80)

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

	Examples			Corresponding Table and Instruction
5. <u>Pla</u> 9	(a) Asphyxia by aspiration of vomitus(b)(c)	T179	&W78	6.4

6	5. <u>Place</u> 9	Ι	(a) (b) (c)	Choked by peanut obstructing trachea	T174	&W79	6.5
		Π					

7.	Place 9	I II	(a) Choked on chicken bone(b)(c)	T179	&W79	6.6
8.	Place 9	I II	(a) Obstruction airway by bolus of food(b)(c)	T179	&W79	6.6

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Table 6.Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion,
inhalation of substances or objects (W78, W79, W80)

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

Instruction	When	Is reported due to	Code
7	aspiration NOS aspiration of substances strangulation NOS strangulation by substances	a disease	upper line T17 plus appropriate fourth character and the appropriate W78, W79, W80 if not previously coded. lower line as indexed.

8	aspiration NOS	vomiting	upper line T179, W78.
			lower line R11.

9	aspiration NOS ingestion NOS inhalation NOS	injuries (other than those classified to	upper line T17 plus appropriate fourth character. Also, code
	or aspiration	T17-) and/or an external cause (other than W78, W79, W80)	the appropriate W78, W79, W80 if not previously coded.
	ingestion substances inhalation or objects		lower line as indexed.

Part P

Part P

Effects of External Cause of Injury and External Causes of Injury and Poisoning Threats to Breathing

Table 6. Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion, inhalation of substances or objects (W78, W79, W80)

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

		Examples			Corresponding Table and Instruction
9.	Place 9	(a) Aspiration(b) C.V.A(c)	T179 I64	&W80	6.7
10.	Place 9	(a) Aspiration(b) Vomiting(c)	T179 R11	&W78	6.8
11.	Place 9	(a) Choked(b) Aspiration of blood(c) Crushed chestCar vs. Pedestrian	T179 T179 S280 &V031	W80	6.1 and 6.9
12.	Place 9 <u>MOD</u> A	 (a) Aspiration (b) Drowning (c) Accident 	T179 T751	W80 &W74	6.9

2b January 2007

Part Q

Q. Poisoning

When poisoning (any) is reported, code nature of injury code and external cause code for the substance.

When poisoning by fumes, gas, liquids, or solids is reported, refer to Index under "Poisoning (acute)" to determine the nature of injury code for the substance.

To determine the external cause code when a poisonous substance is ingested, inhaled, injected, or taken, refer to the description of such circumstances (acts) for example, Ingestion, Inhalation, or Took.

When a condition is reported due to poisoning and the Index provides a code for the condition qualified as "toxic," use this code. If the Index does not provide a code for the condition qualified as "toxic," code the condition as indexed.

1. Poisoning by substances other than drugs

Assume poisoning (self- inflicted) by a substance to be accidental unless otherwise indicated.

Place	Ι	(a)	Aplastic anemia	D612	
9		(b)	Benzene poisoning	T521	&X46

<u>Code</u> I(a) Anemia, aplastic, toxic. Code I(b) to nature of injury and external cause code for benzene poisoning from Table of Drugs and Chemicals.

Place	Ι	(a)	Toxic poisoning	T659	&X46
9		(b)	Drank turpentine	T528	

<u>Code</u> I(a), nature of injury code for poison NOS and the most specific external cause code (turpentine) taking into account the entire certificate. Code nature of injury for turpentine on I(b).

a. Carbon monoxide poisoning

Code carbon monoxide poisoning from motor vehicle exhaust gas to noncollision motor vehicle accident (traffic) according to type of motor vehicle involved unless there is indication the motor vehicle was not in transit. Consider statements of "sleeping in car," "sitting in parked car," "in parked car" or place stated as "garage" to indicate the motor vehicle was "not in transit." Assume "not in transit" in self-harm (intentional) and self-inflicted cases.

Ι	(a) Carbon monoxide poisoning	T58	&V892
	(b)		
	(c)		
II	Motor vehicle exhaust gas	T58	

<u>Code</u> I(a) nature of injury for carbon monoxide and most specific external cause. Code external cause to person injured in unspecified motor vehicle accident, traffic. Refer to Table of land transport accidents under Victim and mode of transport. Select occupant of motor vehicle (traffic), noncollision transport accident. Code nature of injury for exhaust gas in Part II.

Place	Ι	(a) Poisoned by carbon monoxide	T58	&X47
9	Π	Sitting in parked car		

 \underline{Code} I(a) nature of injury and external cause for carbon monoxide from Table of drugs and chemicals. The external cause includes poisoning by gas, motor exhaust, not in transit.

Place	Ι	(a) Carbon monoxide inhalation	T58	&X67
5	Π	Found in garage. Suicide.		

 \underline{Code} I(a) nature of injury and external cause for carbon monoxide from Table of drugs and chemicals. The external cause includes intentional self-harm poisoning by gas, motor exhaust, not in transit.

b. Inhalation and sniffing sprays and aerosol substances

When inhalation of sprays, aerosol substances, etc. is reported, code to the appropriate accidental poisoning category for the external cause.

Exceptions:

"Glue sniffing" and "cocaine sniffing" are indexed to mental and behavioral disorders due to psychoactive substance use (F182, F142).

Place 1	(a) Toxicity	Y		T659	&X46
0	(b) Inhalati	on of aeroso	ol substance	T659	
	(c)				
MOD 1	I Breathed "F	PAM" (freor	n) in plastic bag	T535	
А	Accident	Home			

<u>Code</u> I(a) nature of injury code for toxicity as indexed. Code external cause to accidental inhalation of freon gas or spray (X46), the specific substance indicated by the certifier. Code nature of injury for aerosol on I(b) and freon in Part II.

c. Intoxication by certain substances or toxic poisoning due to disease

When ammonia intoxication (NH³), carbon dioxide intoxication (CO²), or toxic poisoning is reported due to a disease, **do not** code to poisoning. When due to a disease, code ammonia intoxication to R798, carbon dioxide intoxication to R068, and toxic poisoning to R688.

Ι	(a)	Ammonia intoxication	R798
	(b)	Cirrhosis of liver	K746

Code I(a) as indexed, Intoxication, ammonia, due to disease (R798).

I	(a)	Carbon dioxide intoxication	R068
	(b)	Chronic pulmonary emphysema	J439

Code I(a) as indexed, Intoxication, carbon dioxide, due to disease (R068).

Ι	(a)	Toxic poisoning	R688
	(b)	Gastroenteritis	K529

<u>Code</u> I(a) as indexed, Poisoning, toxic, from a disease (R688).

Part Q

Effects of External Cause of Injury and
External Causes of Injury and Poisoning
Poisoning

d. Condition qualified as "toxic" with poisoning reported

(1) When a condition is qualified as "toxic" and there is indication of poisoning on the certificate, code the external cause code for the poisoning where the "toxic" is reported, followed by the condition code. If the Classification provides a code for the condition qualified as "toxic," use this code. If no provision is made for qualifying the condition as toxic, code to the unspecified code for the condition.

Place	Ι	(a) Toxic nephritis	&X48	N144
9	Π	Organophosphate poisoning,	T600	
		accidental		

<u>Code</u> most specific external cause code on I(a) where toxic is reported followed by condition code for toxic nephritis as indexed. Code nature of injury for organophosphate in Part II.

Place 1	(a)	Toxic GI hemorrhage	&X49	K922
9	(b)	Carbolic acid	T540	

<u>Code</u> most specific external cause code on I(a) where toxic is reported followed by condition code for GI hemorrhage as indexed. The Classification does not provide a code for GI hemorrhage qualified as toxic. Code nature of injury for carbolic acid on I(b).

Place	I (a) Toxic diarrhea	&X48	K521
9	II Rat poison	T604	

 \underline{Code} most specific external cause code on I(a) where toxic is reported followed by condition code for toxic diarrhea as indexed. Code nature of injury for rat poison in Part II.

(2) When a condition is qualified as "toxic" and there is no indication of poisoning on the certificate, code the condition as indexed to the unspecified code.

I (a) Toxic anemia D612

<u>Code</u> toxic anemia as indexed since there is no indication of poisoning on the certificate.

Part Q

2. Poisoning by drugs

a. When the following statements are reported, see Table of Drugs and Chemicals and code as accidental poisoning unless otherwise indicated.

Interpret all these statements to mean <u>poisoning</u> by drug and code as poisoning whether or not the drug was given in treatment:

Drug taken inadvertently Lethal (amount) (dose) (quantity) of a drug Overdose of drug Poisoning by a drug Toxic effects of a drug Toxic reaction to a drug Toxicity (of a site) by a drug Wrong dose taken accidentally Wrong drug given in error

Place	Ι	(a)	Cardiac arrest	I469	
9		(b)	Digitalis toxicity	T460	&X44
		(c)	Congestive heart failure	I500	

<u>Code</u> digitalis toxicity to digitalis poisoning. Code nature of injury and external cause code for digitalis poisoning on I(b). Do not ampersand a disease condition when poisoning from a drug occurs while the drug is being administered for medical reasons.

Place	Ι	(a)	Shock	R578	
9		(b)	Insulin overdose	T383	&X44
		(c)	Diabetes	E149	

<u>Code</u> I(a) shock, toxic since reported due to poisoning. Code insulin overdose to insulin poisoning. Code nature of injury and external cause code for insulin poisoning on I(b). Do not ampersand a disease condition when poisoning from a drug occurs while the drug is being administered for medical reasons.

b. Interpret the term "intoxication by drug" to mean poisoning by drug unless indicated or stated to be due to drug therapy or as a result of treatment for a condition (refer to Section V, Part R, 1, (6), "<u>Intoxication by drug" due to drug therapy</u>).

Place	Ι	(a) Respiratory failure	J969	
9		(b) Drug intoxication	T509	&X44
	II	Ingested undetermined	T509	
		amount of drugs		

<u>Code</u> "drug intoxication" to poisoning when there is no indication the drug was given for therapy. Code I(b) nature of injury and external cause code for drug poisoning. Code nature of injury code for drug NOS in Part II.

c. When poisoning by drug NOS is reported in Part I and a specified drug is reported in Part II, code the external cause code to the specified drug.

Place	Ι	(a) Took overdose of drug	T509	&X41
9	Π	Overdose of barbiturates	T423	

<u>Code</u> "took overdose of drug" as accidental unless otherwise specified. Code I(a) nature of injury for drug NOS and external cause code to the specified drug reported in Part II. Code nature of injury for barbiturates in Part II.

Part Q

d. When a condition is qualified as "toxic" or "drug induced" <u>and</u> there is indication of drug poisoning on the certificate, code the external cause code for the drug poisoning where the "toxic" or "drug induced" is reported, followed by the condition code. If the Classification provides a code for the condition qualified as "toxic" or "drug induced," use this code. If no provision is made for qualifying the condition as "toxic" or "drug induced," whichever applies, code to the unspecified code for the condition. Code the nature of injury code for poisoning by the specified drug.

Place	Ι	(a)	Toxic hemolytic anemia	&X41	D594
9		(b)	Levodopa toxicity	T428	

<u>Code</u> most specific external cause on I(a) where toxic is reported followed by condition code for toxic hemolytic anemia as indexed. Code nature of injury for levodopa on I(b).

When a condition is qualified as "toxic" and there is no indication of drug poisoning on the certificate, code the condition as indexed.

When a condition is qualified as "drug induced" and there is no mention of drug poisoning on the certificate, code as a complication of drug therapy (refer to Section V, Part R, 1, (5), "<u>Drug induced" complications</u>).

- e. Poisoning by combination of drugs (X40-X44)
 - (1) When poisoning by a combination of drugs is stated or indicated to be <u>accidental</u>, <u>intentional self-harm (suicide</u>), or <u>undetermined</u> code as follows:
 - (a) When poisoning by a combination of drugs classified to the same external cause code is reported, use that external cause code.
 - Place I (a) Doxepin and barbiturate overdose T430 &X41 T423 9

<u>Code</u> external cause code to X41 since both doxepin and barbiturates are indexed to this code. Code nature of injury for each drug reported.

 $\frac{\text{Place}}{9} \quad \text{I} \quad \text{(a) Doxepin and prozac overdose} \qquad \text{T430 & & X61 T432}$

 $\frac{MOD}{S}$ Suicide

<u>Code</u> external cause code to X6l since both doxepin and prozac are indexed to this code. Code nature of injury for each drug reported.

Part Q

(b)	When poisoning from a single drug is reported in Part I with a combination of drugs in Part II, code the external cause code for the drug reported in Part I. Code the nature of injury for each drug reported.				
	9 II Took unknown MOD barbiturates an A Accident <u>Code</u> external cause barbiturates, the sin		rt I. Code nature of		
(c)	When poisoning by a combina cause codes is reported and (b cause codes when the manner) does not apply, use th	ne following external		
	Accident	Code X44, Accidenta and exposure to other drugs, medicaments a substances.	and unspecified		
	Intentional self-harm (Suicide)	Code X64, Intentiona and exposure to other drugs, medicaments a substances.	and unspecified		
	Undetermined	Code Y14, Poisoning other and unspecified and biological substa intent.	drugs, medicaments		
	<u>Place</u> I (a) Drug intoxic 9 (b) Digitalis, co		T509 &X44 T460 T405		
		code for accidental poi e is $X42$ Since the dru			

The external cause code for accidental poisoning by digitalis is X44 and for cocaine is X42. Since the drugs are assigned to different external cause codes, code X44, Accidental poisoning by and exposure to other and unspecified drugs, medicaments and biological substances. Code nature of injury for each drug reported.

Part	0
I UI U	×

Place I (a) Drug toxicity 9 (b) Overdose of salicylates	T509 &X64 T390 T423
(c) and seconal <u>MOD</u> II Overdose of drugs	T509
S Suicide	

<u>The</u> external cause code for intentional self-harm (suicide) by salicylates is X60 and for seconal, X61. Since the drugs are assigned to different external cause codes, code X64, Intentional self poisoning by and exposure to other and unspecified drugs, medicaments and biological substances. Code nature of injury for each drug reported.

Place	Ι	(a) Darvon and promazine	T404	&Y14	T433
9		(b) intoxication			
MOD	Π	Drug intoxication	T509		
С		Undetermined			

<u>The</u> external cause code for poisoning of undetermined intent by darvon is Y12 and for promazine, Y11. Since the drugs are assigned to different external cause codes, code Y14, Poisoning by and exposure to other and unspecified drugs, medicaments and biological substances, undetermined intent. Code nature of injury for each drug reported.

3. <u>Percentage of drug(s) in blood</u>

When a percentage (%) of any drug(s) in the blood is reported, code the nature of injury code for the drug if there is mention of drug poisoning elsewhere on the record.

When a complication is reported due to a percentage (%) of any drug(s), code as a complication of drug therapy unless otherwise indicated.

When a percentage (%) of any drug(s) in the blood is reported without mention of drug poisoning or a complication, do not enter a code for the drug.

Place	I (a) Gunshot wound brain	S069	&X74
9	II .05 mg. barbiturates in blood		
MOD S	Suicide		

<u>Since</u> there is no mention of poisoning or a complication of the barbiturates, **do not** enter a code for the percentage of drug in the blood.

Part Q

4. Poisoning by alcohol and drugs

When alcoholism or alcohol poisoning (any F10-, R780, R826, R893, T510-T519) is reported in Part I with drug poisoning in Part I, code the alcohol to the appropriate code (F10-, R780, R826, R893, T510-T519), the nature of injury code for the drug and code the appropriate external cause code for the drug preceded by an ampersand. If alcohol poisoning is reported, code the external cause code for alcohol also, but do not precede this code with an ampersand. Interpret the following statements to mean poisoning by alcohol and drugs and code the appropriate E-code for alcohol poisoning:

Alcohol and drug <u>interaction</u> Alcohol and drug <u>synergism</u> <u>Combination</u> of alcohol and drugs <u>Combined</u> action alcohol and drugs <u>Combined</u> effects of alcohol and drugs <u>Mixed</u> effects of alcohol and drugs <u>Synergistic</u> effects of alcohol and drugs

		(a) Combined effects of alcohol	T519	X45	T509	&X44
9		(b) and drugs				
MOD	Π	Ingested alcohol and drugs	T519	T509		
А		Accident				

<u>Interpret</u> I(a) as alcohol poisoning and drug poisoning. Code the nature of injury and external cause for the alcohol and drugs. Precede the E-code for the drugs with an ampersand. In Part II, apply Section III, Intent of Certifier instruction for coding alcohol. Code the ingested alcohol as poisoning since reported on the certificate with alcohol poisoning. Code nature of injury for drugs as last entry.

Place	Ι	(a)	Alcohol ingestion	F109	
9		(b)	Barbiturate intoxication	T423	&X41

<u>Code</u> I(a) alcohol ingestion as indexed and code the nature of injury and external cause for barbiturate intoxication on I(b).

Part Q

	I (a) Alcoholism II Alcohol and barb intoxication	F102 T519	X45	T423	&X41
A	Accident				

Code alcoholism as indexed in Part I. Code the nature of injury and external cause for the alcohol and barbiturate intoxication in Part II. Precede the Ecode for the drug with an ampersand.

Place	I (a) Barbiturat	e toxicity	T423	&X61
9	II Barbiturate an	T519 X65		
MOD	alcohol into	kication		
S	Suicide			

Code I(a) nature of injury for barbiturate T423 and external cause code X61 for suicidal barbiturate toxicity. Precede the E-code for barbiturate with an ampersand. Code the nature of injury and external cause for barbiturate and alcohol intoxication as indexed Part II.

Place	I (a) Poisoning by alcohol	T519	&X45
9	II Toxic levels of heroin and	T401	X44 T424
	flunitrazepam		

Code I (a) nature of injury for alcohol, T519 and external cause X45. Precede the E-code for alcohol with an ampersand. Code the nature of injury and external cause for the heroin and flunitrazepam in Part II.

Part Q

5. Intoxication (acute) NOS due to specified substances

When intoxication (acute) NOS is reported "due to" drugs or poisonous substances, code the intoxication to the nature of injury code for the first substance reported in the "due to" position.

Exception:

Intoxication (acute) NOS "due to" drug(s) with indication the drug was being given for therapy.

<u>Place</u>	Ι	(a) Acute intoxication	T404			
9		(b) Darvon & alcohol poisoning	T404	&X62	T519	X65
MOD	Π					
S		Suicide				

<u>Code</u> I(a) T404, the nature of injury code for darvon since this is the first substance reported in the "due to" position. Code I(b) to the nature of injury and external cause code for darvon poisoning and alcohol poisoning. Precede the external cause code for darvon poisoning with an ampersand. Do not ampersand external cause code for alcohol poisoning.

Place	Ι	(a)	Intoxicati	on	T58	
9		(b)	Carbon m	nonoxide inhalation	T58	&X47
MOD	II					
А		Aco	cident			

<u>Code</u> I(a) T58, the nature of injury for the substance (carbon monoxide) reported in "due to" position. Code I(b) to the nature of injury and external cause code for carbon monoxide inhalation. Precede the external cause code with an ampersand.

NOTE: See Appendix H for additional drug examples.

Part R

R. <u>Complications of medical and surgical care (Y40-Y84)</u>

Code any complication, abnormal reaction, misadventure to patient, or other adverse effect that occurred as a result of or during medical care except obstetrical procedures to the appropriate category in Chapters I-XIX, but take into account the medical care if it modifies the code assignment. Assign the appropriate external cause (E-code) pertaining to the medical care regardless of whether the complication is classified to Chapters I-XVIII or to Chapter XIX.

The E-code distinguishes between:

- 1. Drugs, medicaments and biological substances causing adverse effects in therapeutic use (Y40-Y59).
- 2. Misadventures to patients during surgical and medical care (Y60-Y69).
- 3. Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83-Y84).

Part R

<u>Use of ampersand</u> (More than one instruction may apply)

1. Always precede the condition that necessitated the medical or surgical care with an ampersand the first time it is reported. Generally, the first condition on the lowest used line will be the reason for medical care.

Ι	(a)	Pneumonia	J958
	(b)	Surgery	Y839
	(c)	Pulmonary hemorrhage	R048
	(d)	Lung cancer	&C349

2. Precede the external cause (Y40-Y84) with an ampersand **if the complication** is classified to Chapter XIX (T80-T88).

Ι	(a)	Pulmonary embolism	T817
	(b)	Surgery	&Y839

3. Precede the first complication with an ampersand **if the complication** is classified to Chapter I-XVIII and the condition requiring medical or surgical care is **NOT** reported.

Ι	(a)	Renal failure	&N19
	(b)	Drug therapy	Y579

4. If the medical or surgical care was administered for an injury, precede the code for the external cause of the injury with an ampersand.

	I	(a)	Pneumonia	J958
Place		(b)	Surgery	Y839
9		(c)	Fracture of hip	S720
		(d)	Fall	&W19

5. If two or more conditions for which the medical or surgical care could be administered are reported and the reason for treatment cannot be determined, precede the first condition with an ampersand.

I (a) Pneumonia	J958	
(b) Surgery	Y839	
II Lung cancer, gastric ulcer	&C349	K259

6. If the medical care was administered for diagnostic purposes, precede the code for the condition that was found or confirmed by the diagnostic finding with an ampersand the first time it is reported.

(a) Cerebral edema	G978
(b) Cerebral arteriogram	Y848
(c) Brain tumor	&D432

Ι

- 1. <u>Drugs, medicaments and biological substances causing adverse effects in therapeutic</u> <u>use (Y40-Y59)</u>
 - a. <u>Complications of drugs</u>

Although almost any condition reported due to drug therapy is regarded as a complication, there are a few diseases that are not considered complications. The drug therapy (Y40-Y59) is not coded when there is no evidence of a complication.

Interpret "due to drug therapy" as a condition(s) on an upper line with drug therapy as the first condition on the next lower line.

- (1) The following are not regarded as complications of drug therapy.
 - (a) These conditions due to drug therapy:

Infectious and parasitic diseases	A000-A309, A320-A329, A360-A399, A420- A449, A481-A488, A500-A690, A692-B199, B250-B349, B500-B942, B949 (EXCEPT: Antineoplastic drugs Y431-Y433; Immunosuppressive agents Y434) B200-B24
Neoplasms	C000-D45, D47-D489
Diabetes	E10-E14 (EXCEPT: Steroids Y425, Y427)
Hemophilia	D66-D682
Alcoholic disorders	E244, E52, F101-F109, G312, G405, G621, G721, I426, K292, K700-K709, K860, L278, R780, R826, R893
Rheumatic fever or rheumatic heart disease	100-1099
Arteriosclerosis and arteriosclerotic conditions	

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Influenza	J09-J118
Hernia	K400-K469
Congenital malformations	Q000-Q999

This is <u>not</u> an all inclusive list.

	Ι		Lung cancer Drug therapy		C349
			lung cancer is not co le is assigned for I(b	-	tion of drug therapy,
	Ι		Pancytopenia Lung cancer chemo	otherapy	D619 C349
	cc			rapy since there is no r is the first conditio	-
(b)	-			enital, familial, hered at predates the drug t	• •
	Ι		Congenital cardion Drug therapy	nyopathy	I424
			t code the drug thera be considered as co	py since conditions omplications.	stated as congenital
	Ι		Nephritis		N059
		(D)	Drug therapy	∠ months	Reject 1
	D	o not	t code the drug thera	py on I(b). The nep	hritis cannot be

<u>Do</u> not code the drug therapy on I(b). The nephritis cannot be considered as a complication since it occurred prior to the drug therapy.

Part R

(2) Code any condition classifiable to Chapters I-XVIII that could result from a drug, medicament, or biological substance (including anesthesia) known or presumed to have been properly administered to the appropriate category in these chapters.

If the Classification provides a code for the condition reported as "due to drug" or "drug induced," use this code. If no provision is made for the condition reported as "due to drug" or "drug induced," code to the unspecified code for the condition.

When a condition classifiable to Chapters I-XVIII is reported due to a drug reaction (named drug) NOS, e.g., insulin reaction, code the condition as indexed and code the drug reaction to the external cause code.

Classify only those complications that cannot be assigned to Chapters I-XVIII to Chapter XIX (T80.-, T88.-).

Ι	(a)	Respiratory and cardiac arrest	&R092	I469
	(b)	Local anesthesia reaction	Y483	

<u>Code</u> the conditions reported on I(a) as complications of local anesthesia since the local anesthesia is presumed to have been properly administered. Precede the first complication with an ampersand. Since a complication is reported, assign only an external cause on I(b) indicating Adverse effect in therapeutic use.

Ι	(a)	Drug reaction	T887	&Y400
	(b)	Penicillin		

<u>Code</u> the drug reaction on I(a) to nature of injury and external cause since no specified complication is reported. Precede the E-code with an ampersand. Do not enter a code for penicillin on I(b) since it was coded on I(a).

Ι	(a)	Encephalitis	&G040
	(b)	Measles vaccination	Y590

<u>Code</u> the encephalitis as a complication of the measles vaccine since the measles vaccine is presumed to have been properly administered. Encephalitis is indexed following vaccination or other immunization procedure. Precede the complication (G040) with an ampersand. Code the measles vaccination toY590, Adverse effect in therapeutic use.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care


Ι	(a)	Pulmonary embolism	I269		
		Estrogen to control excessive	Y425	&N920	

(c) menses

<u>Code</u> the pulmonary embolism as a complication of the estrogen since the estrogen is presumed to have been properly administered. Code the estrogen as Adverse effect in therapeutic use and excessive menses as indexed. Precede the code for excessive menses with an ampersand to indicate the condition requiring treatment.

- (3) Unless there are indications to the contrary, assume the drug, medicament, or biological substance was used for medical care purposes and was properly administered in correct dosage. <u>Do not</u> make this assumption if:
 - The drug was one which is not used for medical care purposes, e.g., LSD or heroin, **or**
 - It was an analgesic, sedative, narcotic or psychotropic drug (or combination thereof) or drug NOS
 <u>AND</u> the certifier indicated the death was due to an "accident" or it occurred under "undetermined circumstances ,"
 or
 - One or more of these drugs was taken in conjunction with alcohol

Code to poisoning (refer to Section V, Part Q, 2, Poisoning by drugs).



<u>Code</u> I(a) as indexed. Code I(b) nature of injury and external cause code for accidental poisoning by mixed sedatives. Code as poisoning since the drug is a sedative <u>and</u> the certifier indicated the death was due to an accident. Precede the E-code with an ampersand.

Place	I (a) Cerebral anoxia	G931	
9	(b) Ingestion of barbiturates	T423	&X41
	II Had been drinking	F109	

<u>Code</u> I(a) as indexed. Code I(b), accidental ingestion of barbiturates since the drug is a sedative <u>and</u> it was taken in conjunction with alcohol. Precede the E-code with an ampersand. Code Part II as indexed.

Part R

(4) When the condition for which the drug is usually administered is reported elsewhere on the certificate, code this condition as indexed, preceded by an ampersand to identify the condition requiring treatment.

Ι	(a)	Hemorrhage	K922
	(b)	Ulcer of stomach	K259
	(c)	Cortisone therapy	Y420
Π	Scl	eroderma	&M349

<u>The</u> ulcer of the stomach is the complication of the cortisone therapy. Code the E-code for cortisone on I(c). Since cortisone is used in treatment of scleroderma, precede this condition with an ampersand.

When a complication occurs as the result of a drug being given in treatment and the condition requiring the drug is <u>not</u> reported elsewhere on the certificate, **do not** <u>assume</u> a disease condition.

When a complication classifiable to Chapters I-XVIII occurs as the result of a drug being administered in therapeutic use <u>and</u> the condition requiring the treatment is not reported, place an ampersand preceding the code for the complication.

Ι	(a)	Renal failure	&N19
	(b)	Ingested antidiabetic drug	Y423

<u>The</u> renal failure on I(a) is the complication of the antidiabetic drug. Code the E-code for antidiabetic drug on I(b). **Do not** assume a disease condition requiring therapy even though antidiabetic drug is one used in the treatment of diabetes. Precede the complication with an ampersand.

(5) "Drug induced" complications

When a condition is stated to be "drug induced," consider the condition to be a complication of drug therapy, unless otherwise indicated. Code as follows:

(a) If the complication is classified to Chapter I-XVIII, code the E-code for the drug, followed by the code for the complication.

Ι	(a)	Drug induced aplastic anemia	Y579	D611
Π	Car	rcinoma of lung	&C34	9

<u>Code</u> I(a) Y579, complication of an unspecified drug, and the "drug induced aplastic anemia" as indexed. Ampersand the carcinoma of lung as the condition requiring treatment.

Part R

	Complications of Med	ilear and Burgiear Care
I (a) Drug indu	ced polyneuropathy	Y579 &G620
	complication of an unspecific opathy" as indexed. Place a omplication.	
	s classified to Chapter XIX, ation followed by the E-code g the E-code.	
I (a) Chlorampl (b) Septicemia	henicol induced reaction	T887 &Y402 &A419
injury for the com drug. Place an an	nplication of the drug (name plication followed by the E- persand preceding the E-co tion requiring treatment.	-code for the named
(6) <u>"Intoxication by drug" du</u>	e to drug therapy	
	rug" is reported or indicated herapy, consider these to be	
I (a) Cardiac arrest (b) Digitalis intoxi (c) ASHD	cation	I469 T887 &Y520 &I251
Code the digitalis into	vication as drug therapy sind	ce it is indicated as

<u>Code</u> the digitalis intoxication as drug therapy since it is indicated as treatment for a condition by its position on the record. Code the intoxication as indexed under Intoxication, drug, correct substance properly administered and the E-code for digitalis.

Part R

(7) Combined effects of two or more drugs

When a complication is reported due to the combined effects of two or more drugs, code the complication as indexed. On the next lower line, code the appropriate E-code (Y400-Y599). To determine the appropriate E-code, refer to the column for "Adverse effect in therapeutic use" in the Table of drugs and chemicals. (refer to Section V, Part R, 1 (3) when coded as poisoning)

(a) When the drugs are classified to different fourth characters of the same three-character category, code the appropriate E-code with the fourth character for "other."

Ι	(a)	Cardiac arrest	I469
	(b)	Valium and sleeping pills	Y478
	(c)	Anxiety	&F419

 \underline{Code} I(b) to the appropriate E-code for the combined effects of two drugs in therapeutic use classified to the same three-character category.

(b) When the drugs are classified to different three-character categories, code the E-code to Y578, "Other drugs and medicaments."

I (a) Congestive heart failure	I500
(b) Cor pulmonale	&I279
II Hemorrhage from anticoagulant	R5800 Y578
and aspirin	

<u>Code</u> Y578, the appropriate E-code for combined effect of two drugs in therapeutic use classified to different three-character categories.

(8) Complication of chemotherapy

(a) When a complication of chemotherapy is reported, code the complication as indexed and Y579 unless a malignancy is reported on the certificate. When the complication is classified to Chapters I-XVIII and the reason for the chemotherapy is not reported, precede the complication with an ampersand.

Ι	(a)	Aplastic anemia	&D611
	(b)	Chemotherapy	Y579

Code I(a), aplastic anemia due to drugs (D611) and code I(b) Y579, adverse effect of unspecified drug in correct usage. Precede the complication with an ampersand.

(b) When a con by is reported with mention of a malignancy on the certificate, consider the chemotherapy to be antineoplastic drugs and code E-code Y433.

Ι	(a)	Purpura	D692
	(b)	Chemotherapy	Y433
	(c)	Leukemia	&C959

Code I(a) as indexed. Consider the chemotherapy on I(b) as antineoplastic drugs and code Y433. Ampersand the leukemia as the condition requiring treatment.

(9) Complications of immunosuppression

Immunosuppression can be drug therapy or a complication of drug therapy. Code immunosuppression as **drug therapy** unless reported **due to** a drug, then code as a complication of the drug (D849). If the drug is not reported elsewhere on the certificate, code Y434 for the immunosuppressive drug.

Ι	(a)	Pneumonia and sepsis	J189	A419
	(b)	Immunosuppression	D849	
	(c)	Chemotherapy for carcinoma of brain	Y433	
	(d)		&C719)

<u>Since</u> the immunosuppression is due to chemotherapy, consider as a complication. Ampersand the carcinoma of brain as the condition requiring treatment.

	1
mplication of ch	emotherap
on the certifica	te conside

Ι

Part R

Effects of External Cause of Injury and **External Causes of Injury and Poisoning Complications of Medical and Surgical Care**

(a) Immunosuppression	D849
(b) Vancomycin	Y408
(c) Acute bacterial endocarditis	&I330

Since the immunosuppression is due to a drug, consider as a complication. Ampersand the acute bacterial endocarditis as the condition requiring treatment.

Ι	(a)	Infection	B99
	(b)	Immunosuppression for	Y434
	(c)	Carcinoma of prostate	&C61

Consider the infection as a complication of drug therapy (immunosuppression) on I(b). Ampersand the carcinoma of prostate as the condition requiring treatment.

Ι	(a)	Cardiorespiratory arrest	I469
	(b)	Sepsis	A419
	(c)	Immunosuppression for	Y434
	(d)	Rheumatoid vasculitis	&M052

Consider the sepsis as a complication of drug therapy (immunosuppression) on I(c). Ampersand the rheumatoid vasculitis as the condition requiring treatment.

Ι	(a)	Sepsis	A419
	(b)	Immunosuppression	Y427
	(c)	Renal transplant	&N289
Π	Ste	eroid therapy	

II Steroid therapy

Consider the sepsis as a complication of drug therapy (immunosuppression) on I(b). Code external cause code to steroids, the immunosuppressive drug reported elsewhere on the certificate. Code and ampersand Disease, kidney, as the condition for which the renal transplant was performed and the condition requiring the immunosuppressive drug.

Ι	(a)	Respiratory arrest	R092
	(b)	Septicemia	A419
	(c)	Immunosuppression	Y434
II	Re	nal transplant	&N289

Consider the septicemia as a complication of drug therapy (immunosuppression) on I(c). In Part II, code and ampersand Disease, kidney, as the condition for which the renal transplant was performed and the condition requiring the immunosuppressive drug.

I (a) Bacteremia	A499
(b) Immunosuppression(c)	Y434
II Idiopathic thrombocytopenia purpura	&D693
<u>Consider</u> the bacteremia as a complication of (immunosuppression) on I(b). Ampersand the thrombocytopenia purpura as the condition r	ne idiopathic
I (a) Cardiac arrest	I469
(b) ASHD (c)	I251
II D.M., AS, immunosuppression	E149 I709

Do not enter a code for the immunosuppression since there is not a reported complication.

(10) Drugs administered for one year or more

When a complication is reported due to a drug being administered for one year or more, consider the drug was given on a continuing basis. Code as a current complication; do not code as sequela.

Ι	(a)	Hypercorticosteronism	E242
	(b)	Steroids - 6 years	Y427
	(c)	Arthritis	&M139

Consider the steroids as being administered on a continuing basis for six years. Code as a current complication of the drug. Code I(a) Hypercorticosteronism, correct substance properly administered (E242).

Part R

- 2. <u>Surgical procedures as the cause of abnormal reaction of the patient or later</u> <u>complication (Y83)</u>
 - a. Complications of surgical procedures

Although almost any condition reported <u>due to surgery</u> is regarded as a complication of surgery, there are few diseases that are not considered complications. The surgical procedure (Y83) is not coded when there is no evidence of a surgical complication.

Interpret "due to surgery" as a condition(s) on an upper line with a surgical procedure as the first condition on the next lower line.

(1) The following are not regarded as complications of surgical procedures:

Infectious and parasitic diseases	A000-A309, A320-A329, A360-A399, A420-A449, A481-A488, A500-A690, A692-B349, B500-B978
Neoplasms	С000-D489
Hemophilia	D66, D67, D680, D681, D682
Diabetes	E10-E14
Alcoholic disorders	E52, E244, F101-F109, G312, G405, G621, G721, K860, I426, K292, K700- K709, L278, R780, R826, R893
Rheumatic fever or rheumatic heart disease	100-1099
Hypertensive diseases	I11-I139
Coronary artery disease Coronary disease	I251
Ischemic cardiomyopathy	1255
Chronic or degenerative myocarditis	1514

(a) These conditions reported due to surgery:

Arteriosclerosis and arteriosclerotic conditions <u>except</u> those classified to I219	
Calculus or stones of any type or site	
Influenza	J09-J118
Hernia except ventral (incisional)	K400-K429 K440-K469
Diverticulitis	К570-К579
Rheumatoid arthritis	M050-M089
Collagen diseases	M300-M359
Congenital malformations	Q000-Q999

This is <u>not</u> an all inclusive list.

Ι	(a)	Myocardial infarction	I219
	(b)	Arteriosclerosis	I709
	(c)	Surgery	

Since arteriosclerosis is not accepted as a complication of surgery, do not code the surgery.

Ι	(a)	Diabetic gangrene	E145
	(b)	Leg amputation	

Do not code the leg amputation (surgery) since there is no indication of a surgical complication.

I	(a)	Pneumonia	J189
	(b)	Brain tumor removal	D432

Do not code the removal since there is no complication. Brain tumor is the first condition on the next lower line.

Part R

(b) Do not accept conditions with a duration which <u>predates the surgery</u>				
I (a) (b)	MI Surgery	2 weeks 2 days	I219	
(0)	Surgery	2 days	Reject 1	
	-	ry on I(b). Since the MI occu d it cannot be a complication		
		lue to a named surgical (open tion or abnormal reaction, co		
	Determine if the amed surgery r	complication is in the Index eported	qualified by the	
	I (a) Lymp (b) Postm (c) Breast	astectomy	I972 Y836 &C509	
	<u>Code</u> I(a) usin	ng Step 1:		
	Lymphedema - postmastecto			
	. ,	orrhage aary artery bypass graft aary heart disease	T828 &Y832 &I259	
	Code I(a) usin	ng Step 1:		
	Hemorrhage - due to or ass device, im heart NE	plant or graft		
	•	s not indexed, but is located i art can be used in place of con		

Part R

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

NOTE:	Before continuing to STEP 2 (below), it is important to determine the nature of the named surgery.		
	I (a) Hemorrhage(b) Cardiac revascularization(c) Cardiovascular disease	T828 &Y832 &I516	
	Revascularization is defined as the re-establishment of adequate blood supply to a part, by means of a vascular graft Code I(a) as indexed: Hemorrhage - due to or associated with device, implant or graft heart NEC T82.8		
STEP 2:	If the Index does not qualify the complication with the named surgery, determine if the complication is indexed under Complications (from) (of), surgical procedure.		
	I (a) Hemorrhage(b) Postlaminectomy(c) Intervertebral disc degeneration	T810 &Y836 &M513	
	The Index does not qualify hemorrhage as postlaminectomy. Code I(a) as indexed:		
	Complications (from) (of) - surgical procedure hemorrhage or hematoma (any site) T81.0		
	Code I(h) as indexed under Complication		

<u>Code</u> I(b), as indexed under Complication, laminectomy.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

	I (a) Intestinal obstruction(b) Colostomy(c) Ulcerative colitis	K913 Y833 &K519
	Code I(a) as indexed:	
	Complications (from) (of) - surgical procedure intestinal obstruction K91.3	
	<u>Code</u> I(b), surgery, as indexed under Co colostomy. Code I(c), ulcerative colitis precede with an ampersand indicating t surgery.	s, as indexed and
STEP 3:	If the Index does not qualify the complicat surgery nor is the complication indexed un (from) (of), surgical procedures, determine is indexed under Complications (from) (of	nder Complications e if the named surgery
	 I (a) Stroke (b) Coronary artery bypass (c) Arteriosclerotic heart disease 	T828 &Y832 &I251
	The Index does not qualify stroke with nor is stroke indexed under Complication procedures; therefore, <u>code</u> I(a) using S	ons, surgical
	Complications (from) (of) - coronary artery (bypass) graft specified NEC T82.8	

Stroke is neither an infection nor an inflammation nor mechanical; therefore, select "specified NEC."

	MI Postfemoral bypass graft Peripheral vascular disease	T828 &Y832 &I739
Code I	(a) as indexed:	
- graft fem	ications (from) (of) oral artery (bypass) - See Complica	tions, graft, arterial
- graft arte	ications (from) (of) rial ecified NEC T82.8	
	(b), Y832, as indexed under Complete the E-code (Y832) by an ampersa	
	Cerebral embolism Bypass	T858 &Y832
Code I	(a) as indexed:	
-	ications (from) (of) ss (see also Complications, graft)	
- graft	cations (from) (of) ified NEC T85.8	
	b), Y832, as indexed under Complie the E-code (Y832) by an ampersar	• •

I (a) Anemia(b) Gastrointestinal bypass(c) Diverticulitis	T858 &Y832 &K579
Code I(a) as indexed:	
Complications (from) (of) - bypass (see also Complications, graft)	
Complications (from) (of) - graft intestinal tract specified NEC T85.8	
<u>Code</u> I(b), Y832, as indexed under Compl Precede the E-code (Y832) by an ampersa Diverticulitis, K579, as indexed. Precede an ampersand to indicate the reason for su	nd. Code I(c), the code (K579) by

- (3) When a condition that is
 - (a) reported due to a **named** surgery cannot be assigned a code using **STEP 1- STEP 3** or
 - (b) reported due to a surgery (operation) (of a site) NOS, and can be considered as a complication or abnormal reaction, code as follows:
 - **STEP 4:** Determine if the complication is in the Index, qualified:
 - (a) as reported
 - (b) with any term meaning "due to" **surgery** (see Section II, Part C, 2, a, "<u>Due to" written in or implied</u>)
 - (c) as surgical or as complicating surgery
 - (d) as postoperative or postsurgical
 - (e) as postprocedural
 - (f) during or resulting from a procedure, so stated
 - (g) resulting from a procedure, **so stated**
 - I (a) Pulmonary insufficiency following &J952 (b) Surgery Y839

Code I(a) as reported using Step 4 (a):

Insufficiency

- pulmonary
- - following
- - surgery J952

Precede the code J952 by an ampersand. <u>Code</u> I(b), surgery, Y839, as indexed under Complication, surgical operation NEC.

		ituicai anu Burgicai Care
Ι	(a) Hypothyroidism(b) Thyroid surgery	E890 Y839
	(c) Thyroid cancer	&C73
	ode I(a) using Step 4 (b) . Refer t art C, 2, a, <u>"Due to" written in or</u>	
	ypothyroidism	
	due to - surgery E890	
TI	hyroid surgery is equivalent to su	rgery NOS.
Ι	(a) Cardiac insufficiency	T818
1	(b) Surgery	&Y839
<u>C</u>	ode I(a) using Step 4 (c):	
	nsufficiency cardiac	
	- complicating surgery T818	
su	ode I(b), surgery, Y839, as indexourgical operation NEC. Precede the presend.	1
I	(a) Pneumonia	&J958
	(b) Surgery	Y839
	ode I(a) using Step 4 (d) . Indexe neumonitis).	ed as Pneumonia (see also
	neumonitis postoperative J958	
	recede the code J958 by an amper ode I(b), surgery, Y839, as index	

SECTION V

Part R

I (a) Renal failure (b) Surgery	&N990 Y839
Code I(a) using Step 4 (e):	
Failure - renal postprocedural N99.0	
Precede the code N990 by an ampe <u>Code</u> I(b), surgery, Y839, as index surgical operation NEC.	
I (a) Cerebral anoxia (b) Surgery	&G978 Y839
Code I(a) using Step 4 (f):	
Anoxia - cerebral during or resulting from a proce	dure G97.8
Precede the code G978 by an ampe <u>Code</u> I(b), surgery, Y839, as index surgical operation NEC.	
I (a) Anoxic brain damage(b) Surgery	&G978 Y839
Code I(a) using Step 4 (g):	
Damage - brain anoxic resulting from a procedure G97	7.8
Precede the code G978 by an amper Code I(b), surgery, Y839, as indexe surgical procedure NEC.	

	•	3
STEP 5:	If the Index does not provide for any of the terms defined in the pr complication is indexed under Co procedure.	revious steps, determine if the
NOTE:	If a "named" surgery is reported, completed in Step 2 .	this step has already been
	I (a) Hyperglycemia (b) Surgery	&E891 Y839
	Code I(a) as indexed:	
	Complications (from) (of) - surgical procedure hyperglycemia E89.1	
	Precede the code E891 by an a <u>Code</u> I(b), surgery, Y839, as i surgical operation NEC.	1

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

STEP 6:	If the Index does not provide for the com determine if:	plication as above,
	 (a) the site of the complication is in the Index under Complications (from) (of), surgical procedure or (b) the system in which the complication occurred (based upon the code assigned in the Index) is in the Index under Complications (from)(of), surgical procedure. 	
		T010
	I (a) MI (b) Surgery	T818 &Y839
	Code I(a) using Step 6 (a):	
	Complications (from)(of) - surgical procedure cardiac T81.8	
	The site of a myocardial infarction is the heart which is synonymous with cardiac. Y839, as indexed under Complication, so Precede the E-code with an ampersand.	. Code I(b), surgery,
	I (a) Uremia (b) Surgery	&N998 Y839
	Code I(a) using Step 6 (b):	
	Complications (from) (of) - surgical procedure genitourinary specified NEC N99.8	

Uremia NOS is indexed to N19 which indicates this condition is a specified disease in the genitourinary system.

	I (a) Mesenteric embolism(b) Gallbladder surgery(c) Gallstones	K918 Y839 &K802
	Code I(a) using Step 6 (b):	
	Complications (from)(of) - surgical procedure digestive system specified NEC K91.8	
	Mesenteric embolism is indexed to this condition is a specified disease	
STEP 7:	When a reported complication cannot which is indexed, code to T818, other procedures, not elsewhere classified.	•
	I (a) Anemia (b) Surgery	T818 &Y839
	Anemia is not indexed as due to su Anemia is a disease of the blood-fo the term nor the body system is ind (from) (of), surgical procedure.	orming organs and neither
	Code I(a) as indexed:	
	Complications (from)(of) - surgical procedure specified NEC T81.8	
	<u>Code</u> I(b), surgery, Y839, as index surgical operation NEC. Precede t ampersand.	-

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Ι	(a)	Cardiac arrest	I469
	(b)	Brain death	T818
	(c)	Surgery	&Y839

<u>Code</u> line I(b) using **Step 7**. Brain death is not a codable condition but can be a complication of surgery.

Complications (from) (of) - surgical procedure

- - specified NEC T818

<u>Code</u> I(c) surgery, Y839, as indexed under Complication, surgical operation NEC. Precede the E-code with an ampersand.

- Part R
- b. Condition necessitating surgery
 - (1) When a complication of surgery is reported and the underlying condition which necessitated the surgery is <u>stated</u> or <u>implied</u>, place an ampersand (&) preceding this condition to indicate the reason for surgery.

Ι	(a)	Pulmonary embolism	T817
	(b)	Surgery for	&Y839
	(c)	Gangrene of foot	&R02

<u>Code</u> the pulmonary embolism as the complication, Y839 for the surgery, and precede the code for gangrene with an ampersand to identify the reason for surgery. Precede the surgery code with an ampersand since the complication is coded to Chapter XIX.

(2) When the condition necessitating the surgery is <u>not stated</u> or <u>implied</u> and the complication is classifiable to Chapters I-XVIII, place an ampersand preceding the code for the complication.

Ι	(a)	Renal failure	&N990
	(b)	Surgery	Y839

<u>Code</u> I(a), renal failure, N990, as the complication of the surgery (Y839) on I(b). Precede the N990 with an ampersand since it is classified to Chapter I-XVIII and the reason for the surgery is not reported.

(3) **Do not** ampersand a condition necessitating surgery unless a complication of the surgical procedure is coded.

I (a) ASHD	I251
II SP mastectomy, Cancer of breast	C509

Do not precede the reason for surgery, C509 with an ampersand since no complication of the mastectomy is reported.

(4) When the condition that necessitated the surgery is not reported, but the organ or site is implied by the operative term, code disease of the organ or site.

Exception:

Appendectomy

Code appendicitis (K37) when appendectomy is the only operative procedure reported. If appendectomy is reported with other abdominal or pelvic surgery, assume the appendectomy to be incidental to the other surgery and **do not** code K37.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Use the following codes when these surgical procedures are reported <u>and</u> the condition necessitating the surgery is <u>not</u> reported:

Aorta (with any other vessel NEC) bypass or graft	I779
Aorta coronary bypass or graft	I251
Atrio-ventricular shunt	G919
Bariatric surgery	E668
Billroth (I or II)	K3190
Brock valvulotomy	Q223
Cardiac revascularization	I251
Carotid endarterectomy	I679
Choledochoduodenostomy	K829
Cholecystectomy	K829
Cholelithotomy	K802
Colostomy	K639
Coronary artery bypass graft (CABG)	I251
Coronary endarterectomy	I251
Coronary revascularization	
Endarterectomy (artery) (aorta)	I779
Femoral bypass	I779
Femoral-popliteal bypass	I779
Gastrectomy	
Gastric stapling	E668
Gastroenterostomy	K929
Gastro-intestinal surgery NOS	K929
Gastrojejunostomy	K929
Gastrojejunectomy	K929
Herniorrhaphy code	hernia
Hip fixation	S720
Hip pinning	S720
Hip prosthesis	M259
Hip replacement	
Hysterectomy	N859
Ileal conduit	N399
Ileal loop	N399
Iliofemoral bypass	I779
Lobectomy-when indicating lung	J9840
Mammary artery(internal) implant	I251
Nephrectomy	N289
Revascularization of heart	I251
Revascularization, myocardial	I251
T and A	J359
Thoracoplasty	J989
Tonsillectomy	J359
-	

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Ureterosigmoid bypass	N399
Ureterosigmoidostomy	N399
Vein stripping	I839
Ventricular peritoneal shunt	G919
Vineberg operation	I251

When the condition that necessitated the surgery is not reported, do not assume a disease condition for surgical procedures such as the following:

amputation	pelvic exenteration
arteriovenous shunt	portocaval shunt
chordotomy	radical neck dissection
craniotomy	rhizotomy
cystostomy	sympathectomy
D & C	tracheotomy
gastrostomy	tracheostomy
laminectomy	tubal ligation
laparotomy	vagotomy
lobectomy NOS	vasectomy
lobotomy	vas ligation

If one of these types of procedures is the only entry on the certificate, code R99.

When the following complications of surgery are reported <u>and</u> the reason for the surgery is not reported, use the following codes as the reason the surgery was performed:

	Reason for Surgery <u>Code</u>
Postsurgical hypothyroidism Postsurgical hypoinsulinemia	E079 K869
Postsurgical blind loop syndrome	K639
Other and unspecified postsurgical malabsorption	K639
I (a) Postsurgical blind loop syndro	me Y839 K912 &K639

When a complication is reported due to:

"Surgery" with the underlying condition that necessitated the surgery stated, code:

the complication to Chapters I-XIX, the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required, and the underlying condition necessitating the surgery preceded by an ampersand.

Ι	(a)	Hemorrhage	T810
	(b)	Surgery	&Y839
	(c)	Ca. of lung	&C349

<u>Code</u> I(a) as postoperative hemorrhage (T810). Code the external cause code for the surgical procedure and precede by an ampersand. Code C349, cancer of lung and precede by an ampersand to identify the stated underlying condition for which surgery was performed.

I (a) Pulmonary hemorrhage	R048
(b) Lung cancer	&C349
II Pneumonia due to surgery for	J958 Y839 R048
pulmonary hemorrhage	

<u>Code</u> line I(a) and (b) as indexed. Precede cancer of lung with an ampersand to indicate the underlying reason for which surgery was performed. Since the first entry in Part II, pneumonia, is reported due to surgery, code as a complication of surgery.

"<u>Surgery</u>" with the condition which necessitated the surgery not stated <u>and</u> only one condition for which surgery could have been performed is reported, code:

the complication to Chapters I-XIX, the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required. Since only one condition for which the surgery could have been performed is reported, code the condition and precede with an ampersand to identify the reason for the surgery.

Ι	(a)	Mesenteric thrombosis	K918
	(b)	Surgery	Y839
II	AS	HD	&I251

<u>Code</u> mesenteric thrombosis as the complication of the surgery and code Y839 for the surgery. Since ASHD is the only condition on the certificate for which surgery could have been performed, precede the code for this condition by an ampersand. "<u>Surgery</u>" with the condition which necessitated the surgery not <u>stated</u> and two or more conditions for which surgery could have been performed are reported, code:

the complication to Chapters I-XIX and the surgery to appropriate external cause code (Y83-) preceded by an ampersand, if required. Ampersand the first mentioned condition for which the surgery could have been performed.

I (a) Wound dehiscence	T813
(b) Surgery	&Y839
II Cancer of lung, gastric ulcer	&C349 K259

<u>Code</u> I(a), wound dehiscence, T813, as the complication of the surgery and code I(b), surgery, Y839. Code Part II as indexed and precede the code for cancer of lung by an ampersand since it is the first mentioned condition for which the surgery could have been performed.

<u>"Surgery"</u> without indication of the condition which necessitated the surgery, code:

the complication to Chapters I-XIX, and the surgery to appropriate external cause code (Y83-) only. If the complication is classifiable to Chapters I-XVIII, precede the code for the complication with an ampersand.

Ι	(a)	Shock & hemorrhage	T811	T810
	(b)	Surgery	&Y839	

<u>Code</u> I(a), shock and hemorrhage, T811 T810, both as complications of the surgery. Code I(b), surgery, Y839 and precede the code by an ampersand.

<u>Surgical procedure</u> such as **aneurysmectomy**, **cholelithotomy**, **hemorrhoidectomy** or **herniorrhaphy** which indicates the condition for which the surgery was performed, code:

the complication to Chapters I-XIX, the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required, and code the condition implied by the surgery following the external cause code for the surgery. Place an ampersand preceding the code for the condition.

Ι	(a)	CHF	I978	
	(b)	Cholelithotomy	Y838	&K802

<u>Code</u> I(a), CHF (congestive heart failure), as the complication of surgery. Code I(b), cholelithotomy, Y838 K802. Cholelithotomy indicates cholelithiasis (K802) was the condition for which surgery was performed. Precede K802 by an ampersand.

<u>Surgical procedure</u> that indicates an organ or site with <u>one</u> related condition for which the surgery could have been performed, code:

the complication to Chapters I-XIX, the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required. Code the condition for which surgery could have been performed and precede with an ampersand.

I (a) MI	T818
(b) Gastrectomy	&Y836
II Bleeding gastric ulcer	&K254

<u>Code</u> I(a), MI, as the complication of the surgery. Code I(b), gastrectomy, Y836, as indexed and precede with an ampersand. Code Part II, bleeding gastric ulcer, as indexed and precede with an ampersand to indicate it was the condition for which surgery was performed.

<u>Surgical procedure</u> that indicates an organ or site without a related condition for which the surgery could have been performed, code:

the complication to Chapters I-XIX, the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required, and code disease of the organ or site following the external cause code for the surgery. Place an ampersand preceding the code for the condition.

I	(a)	Cardiac arrest	I469	
	(b)	Pneumonia	J958	
	(c)	Pancreatectomy	Y836	&K869

<u>Code</u> I(a), cardiac arrest, as indexed. Code I(b), pneumonia, as the complication of the surgery. Code I(c), pancreatectomy, as indexed, and since the surgery indicates a disease of the pancreas, code this as the reason for surgery. Precede K869 by an ampersand.

Prophylactic or nontherapeutic surgery, code:

the complication to Chapters I-XIX, and the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required. Do not assume or ampersand a disease condition. When the complication is classifiable to Chapters I-XVIII, precede the code for the complication with an ampersand.

Ι	(a)	Sepsis	A419
	(b)	Infection	T814
	(c)	Liposuction	&Y838
Π		-	

<u>Code</u> I(a), sepsis, as indexed. Code I(b), infection, as the complication of the nontherapeutic surgery. Code I(c) as a specified type of surgical operation.

- c. Conditions qualified as postoperative
 - (1) When the following postoperative terms or a synonymous term qualifies a <u>condition</u>, determination must be made as to whether the condition is a surgical complication or the condition for which the surgery was performed.

(2) The following conditions are common complications of surgery. Code these conditions as postoperative complications when <u>preceded by</u> or <u>followed by</u> one of the postoperative terms except when it is stated elsewhere on the certificate as the reason the surgery was performed.

abscess	occlusion
adhesions	peritonitis
aspiration	phlebitis, phlebothrombosis
atelectasis	pneumonia
	1
bowel obstruction	pneumothorax
cardiac arrest	renal failure (acute)
embolism	sepsis
fistula	septicemia
gas gangrene	septic shock
hemolysis, hemolytic	shock
infection	thrombophlebitis
hemorrhage, hematoma	thrombosis
infarction	wound infection
infection	

This list is <u>not</u> all inclusive.

- (3) When "postoperative," "postop," "status postoperative," etc., qualifies (preceding or following) a complication:
 - (a) If the complication is classified to Chapters I-XVIII, code the external cause code followed by the code for the complication.
 - I (a) Pneumonia postgastrectomy Y836 J958 &K3190

<u>Code</u> pneumonia as the complication of surgery when reported as "postoperative" or a synonymous term. Since the reason for surgery is not stated, code disease stomach and precede by an ampersand to indicate the reason for surgery.

- I (a) Postgastrectomy dumping syndrome Y836 K911 (b)
 - (c) Carcinoma of stomach &C169

<u>Code</u> I(a), Y836, as indexed under Complication, gastrectomy, and K911, as indexed under Syndrome, dumping. Code I(c) C169, as indexed under Neoplasm, stomach, malignant. Place an ampersand (&) preceding C169 to identify the underlying reason for surgery.

Ι	(a)	Pulmonary edema	J958	
	(b)	P.O. bowel obstruction	Y839	K566
	(c)	Ca. of cecum	&C180	
II	Sur	gery for bowel obstruction	K566	

<u>Code</u> I(a), pulmonary edema, as the complication of surgery. Code I(b) to surgery Y839 and code bowel obstruction as indexed K566 since it is stated as the reason for surgery. Code I(c), cancer of cecum, as indexed and precede the code by an ampersand to indicate the underlying reason for surgery. Part II, do not enter a code for surgery since P.O. was reported on line (b) and a surgery code was entered there. Code bowel obstruction as indexed.

(b) If the complication is classified to Chapter XIX, code the nature of injury code followed by the external cause code.

Ι	(a)	Sepsis and anuria			A419	R34
	(b)	P.O. peritonitis			T814	&Y839
	(c)	P.O. ca. of colon	\overline{c}	obstruction	&C189	K566

<u>Code</u> peritonitis as the complication as indexed under Peritonitis, postprocedural, T814. Code Y839 for the procedure. Peritonitis is considered to be a complication of surgery when reported as "postop" and not reported as the reason for surgery. Place an ampersand preceding the surgery code and the cancer of colon to identify the underlying reason for surgery.

Ι	(a)	Cardiac arrest	I469	
	(b)	Peritonitis, postop	T814	&Y839
	(c)	Cholelithiasis	&K802	

<u>Code</u> I(a) as indexed. Code I(b), peritonitis, as the complication, T814 and Y839 for the procedure. Peritonitis is considered a complication of surgery when reported as "staus postop" and not reported as the reason for surgery. Precede the E-code with an ampersand. Code I(c), cholelithiasis, as indexed and precede the code by an ampersand to indicate the condition necessitating surgery.

Ι	(a) MI postgastrectomy	T818	&Y836
Π	Gastric ulcer surgery	&K25	9

<u>Code</u> I(a), M.I. postgastrectomy, T818 Y836. M.I. is considered to be a complication of surgery when reported as "postoperative" and not reported as the reason for surgery. Precede the E-code with an ampersand. Code Part II, gastric ulcer, K259 as indexed and precede the code by an ampersand to indicate the condition necessitating surgery. Do not enter a code in Part II for surgery since gastrectomy was reported on I(a) and the code was entered there.

(c) Acute appendicitis	&K359
<u>Code</u> I(a), postoperative embolism, as indexed indexed under Complication, appendectomy. an ampersand. Code I(c), acute appendicitis, the code by an ampersand to identify the und necessitated surgery.	Precede the E-code with as indexed and precede
 I (a) Heart failure (b) ASHD II Thrombophlebitis, postoperative <u>Code</u> I(a) and I(b) as indexed. Code Part II, r postoperative, T817 Y839. Precede the E-co ampersand. Thrombophlebitis is considered surgery when reported as "postoperative" and condition that necessitated surgery. Precede (ASHD), by an ampersand to indicate the und necessitating surgery. 	de (Y839) by an to be a complication of 1 not reported as the the code on I(b), I251

Ι	(a)	Pneumonia	J189	
	(b)	P.O. infection (wound)	T814	&Y839
	(c)	Intestinal obstruction	&K566	

<u>Code</u> I(a) as indexed. Code I(b), p.o. infection (wound), T814 Y839. Precede the E-code with an ampersand. Infection is considered to be a complication of surgery when reported as "postop" and not reported as the reason for surgery. Code I(c), intestinal obstruction, K566 and precede the code by an ampersand to indicate the condition necessitating surgery.

- (c) When "postoperative intestinal obstruction" (any K560-K567) is reported and <u>no condition which could have necessitated the procedure is</u> <u>reported:</u>
 - (i) Code the postoperative intestinal obstruction as the condition which necessitated the surgical procedure if another condition is reported due to the postoperative obstruction.

Ι	(a)	Peritonitis	T814	
	(b)	Postoperative bowel	&Y839	&K566
	(c)	obstruction		

<u>Code</u> I(a), peritonitis, as the complication of surgery. Code I(b), postoperative bowel obstruction Y839 K566. Precede the E-code with an ampersand. Precede the K566 with an ampersand to indicate the condition necessitating surgery.

- (ii) Code the postoperative intestinal obstruction to K913 as the complication if no other condition is reported due to postoperative obstruction.
 - I (a) Postoperative ileus Y839 &K913

<u>Code</u> I(a) Y839 K913. Precede K913 by an ampersand. Consider the postoperative ileus to be the complication since no other condition is reported due to this condition.

NOTE:

(4) <u>Status post</u> - When status post (s/p) qualifies a condition, disregard the statement of status post and code the condition as indexed. This applies whether or not surgery is mentioned elsewhere on the certificate.

Ι	(a)	Cardiogenic shock	R570	
	(b)	Myocardial infarction	I219	
	(c)	Ischemic heart disease; status post MI; CABG	I259	I219

<u>Code</u> each condition as indexed. No code is entered for the surgery since no complication is reported. Assume the ischemic heart disease was the reason the CABG was performed.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Ι	(a)	S/P cardiac arrest	I469
	(b)	Arteriosclerosis	I709
II	S/P	gastrectomy, cancer stomach	C169

<u>Code</u> each condition as indexed. No code is entered for the surgery since no complication is reported.

Ι	(a)	Status post MI	I219
	(b)	ASHD	I251

Code the MI as indexed.

- d. Complication as first entry on lowest used line in Part I
- (1) When one of the conditions listed below is reported as the first entry on the lowest used line in Part I with surgery (any) reported on same line or in Part II, code this condition as a complication of surgery.

Do not apply this instruction:

- (a) When the surgery is stated to have been performed 28 days or more prior to death.
- (b) When the condition on the lowest used line predates the surgery.
- (c) When the surgery is stated to have been performed for the condition reported as the first entry on the lowest line.

Acute renal failure
Aspiration
Atelectasis
Bacteremia
Cardiac arrest (any I469)
Disseminated intravascular coagulopathy (DIC)
Embolism (any site)
Gas gangrene
Hemolysis, hemolytic infection
Hemorrhage NOS
Infarction (any site)
Infection NOS
Occlusion (any site)
Phlebitis (any site)
Phlebothrombosis (any site)
Pneumonia (J120-J168, J180-J189, J690, J698)
Pneumothorax
Pulmonary insufficiency
Renal failure (acute) NOS
Septicemia (any A400-A419)
Shock (R570-R579)
Thrombophlebitis (any site)
Thrombosis (any site)

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

 I (a) Pneumonia (b) (c) II Diabetic gangrene, amputation 	J958 &E145 Y835
<u>Code</u> pneumonia as a complication of the ar first entry on the lowest used line in Part I a have been performed 28 days or more prior Part II.	nd surgery, <u>not</u> indicated to
 I (a) Pneumonia (b) Pulmonary embolism, gastrectomy (c) II Cancer of stomach <u>Code</u> pulmonary embolism as a complicativity is the first entry on the lowest used line in I stated to have been performed 28 days or n reported on the same line as the embolism. 	Part I and gastrectomy, <u>not</u>
Date of death 09/17/96 I (a) Pleural effusion (b) Pulmonary embolism & pneumonia (c) II <u>Operation block</u> <u>/ 9/15/96</u> / NOTE: When a date is entered in the opera surgery was performed on that dat	&Y839 ation block, code as if

<u>Code</u> I(a) as indexed. Code pulmonary embolism as the complication of surgery since this condition is the first condition on the lowest used line in Part I and surgery was performed less than 28 days prior to death.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

	I (a) Pulmonary infarction (b) (c)	I269
	II Cardiac catheterization	
	Cardiac catheterization is not classified therefore, do not code the pulmonary int	•
(2) When any of the conditions listed below are reported as the first entry on the lowest used line in Part I and abdominal or pelvic surgery is reported on the same line or in Part II, code complication as indexed and the surgery to appropriate external cause code (Y83-) where it is indicated on the record by the certifier.		
	Peritonitis Intestinal obstruction (K560-K567)	

Ι	(a)	Pneumonia	J189	
	(b)	Peritonitis	K659	
	(c)	Intestinal obstruction	K913	
II	Co	lostomy - ulcerative colitis	Y833	&K519

<u>Code</u> intestinal obstruction on I(c) as a complication of the surgery reported in Part II, since the surgery was <u>abdominal</u> and there is no indication that this procedure was performed 28 days or more prior to death.

(3) When any of the conditions listed below are reported as the first entry on the lowest used line in Part I and **surgery of the same site or region** is reported on the same line or in Part II, code complication as indexed and the surgery to appropriate external cause code (Y83-) where it is indicated on the record by the certifier.

	Hemorrhage of a site Fistula of site(s)	
I	(a) Pneumonia	J189
	(b) Gastrointestinal hemorrhage	T810
Π	Gastrectomy for stomach cancer	&Y836 &C169

<u>Code</u> gastrointestinal hemorrhage as a complication of the surgery reported in Part II since the surgery was of the same region and there is no indication that surgery was performed 28 days or more prior to death.

Part	R
------	---

(4) When conditions listed in paragraph d(1), (2), and (3) are reported as the first entry on the lowest used line in Part I and surgery stated to have been performed 28 days or more prior to death is reported on the same line or in Part II, code condition as indexed. Do not code as a complication of the surgery.

Ι	(a)	Congestive heart failure	1500
	(b)	Shock	R579
	(c)	Acute renal failure	N179
II	Su	rgery performed 6 wks. ago for colon cancer	C189

<u>Code</u> all conditions on this record as indexed. Do not code acute renal failure as a complication of surgery since the surgery was performed 28 days or more prior to death.

(5) When adhesions are reported as the first entry on the lowest used line in Part I and **surgery stated to have been performed less than one year prior to death** is reported on same line or in Part II, code adhesions to K918 and code the surgery to appropriate E-code (Y83-).

I (a) Septic shock	A419
(b) Peritonitis	K659
(c) Adhesions	K918
II Surgery - 6 mos. ago for ca. of colon	Y839 &C189

<u>Code</u> adhesions on I(c) as a complication of surgery and code the external cause code for the surgery as the first entry in Part II. Code the condition for which surgery was performed and precede by an ampersand.

(6) When adhesions are reported as the first entry on the lowest used line in Part I and surgery stated to have been performed one year or more prior to death is reported on same line or in Part II, code adhesions to K918, Other postprocedural disorders of the digestive system and code the surgery to Y883, sequela of surgery.

I (a) Renal failure	N19
(b) Intestinal obstruction	K566
(c) Adhesions	K918
II Surgery - 16 months ago for diverticulitis	Y883 &K579

<u>Code</u> adhesions on I(c) as a complication of the surgery reported in Part II. Since this surgery was performed more than 1 year ago, code Y883 for the sequela of surgery. Code diverticulitis as the condition for which surgery was performed. e. Ill-defined condition as first entry on lowest used line in Part I

When an ill-defined condition classifiable to the following codes:

- I959 (Hypotension, unspecified)
- I99 except occlusion and infarction (Other and unspecified disorders of circulatory system)
- J960 (Acute respiratory failure)
- J969 (Respiratory failure, unspecified)
- P285 (Respiratory failure of newborn)
- R000-R568, R590-R948, R960-R99 (Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified)

is reported as the first entry on the lowest used line in Part I with surgery reported on the same line or in Part II, proceed:

(1) Code the ill-defined condition, then code the remaining conditions as if the ill-defined condition had not been reported.

I (a) Senility and MI	R54	T818
II Gastrectomy	&Y836	&K3190

<u>Code</u> senility on I(a) R54 as indexed. Then code MI as if senility had not been reported. MI is coded as the complication of the surgery reported in Part II. Gastrectomy indicates a disease of the stomach. Precede both the code for the surgery and the code for Disease, stomach, with an ampersand.

I (a) Renal failure	N990	
(b) Cause unknown	R97	
II Mastectomy	Y836	&N649

<u>Code</u> cause unknown on I(b) as indexed, then code renal failure as the complication of the surgery reported in Part II as if cause unknown had not been reported. Code Part II, mastectomy, Y836 N649. Code Disease, breast as the condition necessitating the mastectomy and precede it by an ampersand.

Exceptions:

Code each entry as indexed when:

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II		
R000	Tachycardia, unspecified	I010-I099 I110-I119 I130-I461	I470-I519 J380-J399	
R002	Palpitations	I010-I099 I110-I119	I130-I461 I470-I519	
R010 R011 R012	Benign and innocent cardiac murmurs Cardiac murmur, unspecified Other cardiac sounds	I010-I099 I110-I119	I130-I461 I470-I519	
R02	Gangrene NEC	A480 E100-E104 E105 E106 E107 E109 E110-E114 E115 E116 E117 E119 E120-E124 E125 E126 E127 E129 E130-E134	E135 E136 E137 E139 E140-E144 E145 E146 E147 E149 I702 I709 I730-I739 K350-K389 K400 K402 K403 K409	K410 K412 K413 K419 K420 K429 K420 K429 K430 K439 K440 K449 K450 K458 K460 K469
R030	Elevated blood pressure reading, without diagnosis of hypertension	I10-I139		

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R040	Epistaxis	C300-C319 C783 C910-C959 D023 D140 D385	I10 J00-J019 J068-J069 J300-J311 J320-J348 J393-J399
R041	Hemorrhage from throat	C090-C148 C320-C329 C783 C798 C910-C959 D000 D020 D104-D109	D141 D370 D380 J00 J020-J040 J042-J069 J311-J312 J350-J399
R042 R048	Hemoptysis Hemorrhage from other sites in respiratory passages	A162-A1690 C320-C349 C780 C783 C910-C959 D020-D022	D141-D143 D380-D381 J040-J22 J370-J387 J393-J989
R05	Cough	F453 J101 J1010	J111 J1110 R042
R060	Dyspnea	A162-A1690 B909 C33-C399 C780-C783 D142-D159	D381-D383 D385-D386 J40-J989 P221

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R061	Stridor	J385	
R062	Wheezing	A162-A1690 B909 C33-C399 C780-C783 D142-D159	D381-D383 D385-D386 J40-J989 P221
R064	Hyperventilation	F453	
R066	Hiccough	F453	
R090	Asphyxia	T360-T659	
R104	Other and unspecified abdominal pain	R100 R193	
R11	Nausea and vomiting	J1010 J108 J1110	J118 K250-K289 K800-K820
R17	Unspecified jaundice	B150-B199 C220-C259	C787-C788 K700-K839
R18	Ascites	C160-C269 C56 C784 C787-C788	C796 C80-C969 K700-K709 K740-K746
R233	Spontaneous ecchymoses	D690-D699	

The first entry on the lowest line in Part I is classifiable to		And the condition classifiable to one of the following codes is reported on the same line or in Part II	
R250 R251 R252 R253 R258	Abnormal head movements Tremor, unspecified Cramp and spasm Fasciculation Other and unspecified abnormal involuntary movements	G110-G119 G20-G259 G400-G419 G510 G800-G839	
R260 R261 R262 R268	Ataxic gait Paralytic gait Difficulty in walking, not elsewhere classified Other and unspecified abnormalities of gait and mobility	A521	
R270	Ataxia, unspecified	A521 A523 G110-G119	
R278	Other and unspecified lack of coordination	A521 G110-G119	
R290	Tetany	E200-E209	
R291	Meningismus	J1010 J1110 J108 J118	
R298	Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems	G800-G839	

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R300 R301 R309	Dysuria Vesical tenesmus Painful micturition, unspecified	C600-C689 C790-C791 C796 C798 D060-D061	D280-D309 D390-D419 N000-N999 Q600-Q649
R31	Unspecified hematuria	B508 B54 C600-C689 C790-C791 C796 C798	D060-D061 D280-D309 D390-D419 N000-N999 Q600-Q649
R32 R33	Unspecified urinary incontinence Retention of urine	C600-C689 C790-C791 C796 C798 D060-D061	D280-D309 D390-D419 N000-N999 Q600-Q649
R34	Anuria and oliguria	C600-C689 C790-C791 C796 C798 D060-D061	D280-D309 D390-D419 N000-N999 Q600-Q649 T795
R35 R36 R390 R391 R392 R398	Polyuria Urethral discharge Extravasation of urine Other difficulties with micturition Extrarenal uremia Other and unspecified symptoms and signs involving the urinary system	C600-C689 C790-C791 C796 C798 D060-D061	D280-D309 D390-D419 N000-N999 Q600-Q649

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R400 R401	Somnolence Stupor	E100 E107 E110 E117 E120 E127 E130 E137 E140	E147 E15 K729 S020-S024 S026-S029 S060-S099 T902 T905-T909
R402	Coma, unspecified	E100 E101 E102-E106 E107 E109 E110 E111 E112-E116 E117 E119 E120 E121 E122-E126 E127 E129 E130 E131	E132-E136 E137 E139 E140 E141 E142-E146 E147 E149 E15 E160-E162 K729 S020-S024 S026-S029 S060-S099 T902 T905-T909
R529	Pain, unspecified	G547	
R568	Other and unspecified convulsions	A35 G400-G419 O100-O11 O13-O16	

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R590	Localized enlarged lymph nodes	B270-B279 C810-C969	
R591	Generalized enlarged lymph nodes	B24 B270-B279 B588	B589 C810-C969
R599	Enlarged lymph nodes, unspecified	B270-B279 C810-C969	
R600 R601	Localized edema Generalized edema	E43 E877	N000-N058 N059
R609	Edema, unspecified	E43 E877 N000-N058	
R628	Other lack of expected normal physiological development	B24 E45 E46	
R630	Anorexia	F500	
R631	Polydipsia	E232 N251	
R64	Cachexia	B24 E41 E46	
R730	Abnormal glucose tolerance test	E100-E162 E891	
R780	Finding of alcohol in blood	F101-F109	

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R788	Finding of other specified substances, not normally found in blood	A000-A079 A09-A499 J13-J159 J180-J189	
R798	Other specified abnormal findings of blood chemistry	$\begin{array}{ccccc} E100 & E127 \\ E101 & E129 \\ E102-E106 & E130 \\ E107 & E131 \\ E109 & E132-E136 \\ E110 & E137 \\ E111 & E139 \\ E112-E116 & E140 \\ E117 & E141 \\ E119 & E142-E146 \\ E120 & E147 \\ E121 & E149 \\ E122-E126 \end{array}$	
R799	Abnormal finding of blood chemistry, unspecified	E101E127E107E131E111E137E117E141E121E147	
R80	Isolated proteinuria	C900N000-N079D511N170-N19D649N250-N289	
R81	Glycosuria	E100-E149 E748	
R823	Hemoglobinuria	B508 B54 D595-D596	

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R824	Acetonuria	E101 E107 E111 E117 E121	E127 E131 E137 E141 E147
R826	Abnormal urine levels of substances chiefly nonmedicinal as to source	F101-F109	
R893	Abnormal findings in specimens from other organs, systems and tissues	F101-F109	

Ι	(a) Pneumonia	J189
	(b) Coma	R402
II	Surgery for diabetic gangrene	E145

<u>Code</u> I(a) and I(b) as indexed. Coma is reported as the first condition on the lowest used line, **but** diabetic gangrene is reported in Part II. Therefore, pneumonia cannot be coded as a complication of surgery. Do not enter a code for surgery since no complication is reported.

Ι	(a)	Aspiration pneumonia	J690
	(b)	Jaundice	R17
II	Cho	blecystectomy for gallstones	K802

<u>Code</u> I(a) and I(b) as indexed. Jaundice is reported as the first condition on the lowest used line with gallstones reported in Part II. Therefore, aspiration pneumonia cannot be coded as a complication of surgery. Code Part II, K802 (gallstones). Do not enter a code for the cholecystectomy since no complication was reported.

Ι	(a)	Sepsis	A419		
	(b)	Gangrene, pneumonia, and	R02	J189	I709
	(c)	arteriosclerosis			

II Surgery

<u>Code</u> I(a) and I(b) as indexed. Gangrene is reported as the first condition on the lowest used line, but arteriosclerosis is reported on the same line; therefore, pneumonia cannot be a complication of surgery. Do not enter a code for surgery since no complication is reported.

f. Relating condition for which surgery was performed to the site of the surgery

(1) When a condition of unspecified site is reported with surgery of a defined site, code the condition of unspecified site to the defined site.

Ι	(a) Aneurysm	I719
Π	Operation for aortic aneurysm	I719

<u>Code</u> I(a), aneurysm of unspecified site to aortic aneurysm, I719, since the surgery is of a defined site. Code aortic aneurysm in Part II. Do not enter a code for the surgery since there is no reported complication.

(2) When a condition of a site is reported with surgery of a more defined part of the site, code the condition to the more specified site. I (a) Carcinoma colon C186 II Left colectomy Code I(a), carcinoma colon to carcinoma left colon, C186, since the surgery is of a more specified part of the colon. Do not enter a code for the surgery since there is no reported complication. I (a) Valvular heart disease I059 I069 II Status post mitral and aortic valve repair Code I (a) valvular heart disease of unspecified valve to disease, mitral and aortic valves since the surgery is of specified valves. Do not enter a code for the surgery since there is no reported complication. (3) When a condition of a site is reported with surgery for the same condition of unspecified or a less defined part of the site, code the condition to the most defined site. I (a) Cancer of head of pancreas C250 II Pancreatectomy for cancer C250 Code I(a), cancer head of pancreas, C250. Code Part II as cancer of head of pancreas since elsewhere a more defined site was reported of the condition for which surgery was performed. Do not enter a code for the surgery since there is no reported complication. (4) Do not apply these instructions when more than one condition or a condition of multiple specified sites which could have necessitated the surgery is reported. I (a) Cardiac arrest I469 (b) Respiratory arrest R092 (c) Carcinoma of lung, liver, brain C349 C787 C793 II Findings of operation: Carcinoma C80

> <u>Code</u> I(a), I(b) and I(c) as indexed and according to neoplasm instructions. Code Part II, carcinoma, C80. Do not code the carcinoma to a more defined site since multiple specified sites are reported for which the surgery could have been performed. Do not enter a code for the surgery since there is no reported complication.

g. Complications of amputation and amputation stump

When a complication (stated or implied) occurs as a result of an <u>amputation</u>, code the complication to Chapters I-XIX. When the complication is classifiable to Chapters I-XVIII <u>and</u> the condition that necessitated the amputation is not reported, precede the code for the complication with an ampersand.

Ι	(a)	Renal failure	&N990
	(b)	Below knee amputation of leg	Y835

<u>Code</u> I(a), renal failure, N990 as the complication of surgery. Code I(b), below knee amputation of leg, Y835. Precede the N990 with an ampersand since it is classified to Chapter XIV and the condition that necessitated the amputation is not reported.

When there is a complication of an <u>amputation stump</u>, code the complication to T873-T876 or to the appropriate code in Chapters I-XVIII. (Do not use T873-T876 for "stump" of internal organs).

Ι	(a)	Infected amputation stump	T874	&Y835
	(b)	Osteosarcoma of leg	&C402	2

<u>Code</u> I(a), infected amputation stump T874 Y835. Precede the E-code, Y835, by an ampersand. Code I(b), osteosarcoma of leg, C402. Precede C402 by an ampersand to indicate the condition that necessitated the amputation.

3. Complications of medical procedures other than surgical (Y84)

Medical procedures are any type of nonsurgical procedures used in the treatment of diseases or injuries. Although almost any condition reported due to medical procedures is regarded as a complication, there are a few diseases that are not considered complications. Do not code the conditions listed under 2. a. (1) (a) and (b) in Section V, Part R as complications of medical procedures. The medical procedure (Y84) is not coded when there is no evidence of a complication. If the reason for the medical procedure is not reported, do not assume a disease condition.

Interpret "due to medical procedures" as a condition(s) on an upper line with a medical procedure as the first condition on the next lower line.

- a. When a condition is reported due to a named medical procedure other than a surgical operation or is modified by a named procedure and can be considered as a complication(s) or adverse effect, code as follows:
 - **STEP 1:** Determine if the complication is in the Index qualified by the specific procedure reported.

Ι	(a)	Kidney blockage	&N990
	(b)	Postcystoscopic procedure	Y848

Code I(a) as indexed using Step 1:

Block

- kidney

- - postcystoscopic or postprocedural N99.0.

<u>Code</u> I(b) Y848 as indexed under Complication, procedures other than surgical operation, specified NEC. Precede N990 with an ampersand.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

STEP 2:	If the Index does not qualify the complication w procedure, determine if the procedure is indexed Complications (from) (of).	-	
	I (a) Urinary tract infection(b) Post-indwelling urinary catheter	T835 &Y846	
	Code I(a) using Step 2:		
	Complications (from) (of) - catheter (device) urinary (indwelling) infection or inflammation T83.5		
	Select infection or inflammation since urinary tract infection is an infectious condition.		
	<u>Code</u> I(b) Y846 as indexed under Complicati catheterization (urinary). Precede the E-code		
	I (a) Pulmonary embolism(b) Catheter	T838 &Y846	
	<u>Code</u> I(a) using Step 2:		
	Complications (from) (of) - catheter (device) specified NEC T83.8		
	Select specified since pulmonary embolism is complication.	s a specified	
	<u>Code</u> I(b) Y846 as indexed under Complicati catheterization (urinary). Precede the E-code		

When the Index does not provide for the term as specified in **STEP 1** and **STEP 2**, code the complication as if procedure NOS was reported instead of the named medical procedure as defined in the following instructions:

NOTE: Before continuing to **STEP 3**, it is important to determine the nature of the named procedure.

Ι	(a)	Peritonitis	T802
	(b)	Peritoneal lavage	&Y841
	(c)	Chronic renal failure	&N189

The procedure peritoneal lavage is not indexed under Complications (from) (of) in Section II. To code the complication and procedure correctly, the type of procedure reported must be determined. Peritoneal lavage is defined in <u>Dorland's Illustrated</u> <u>Medical Dictionary</u> as "dialysis by installation into the peritoneal cavity......". Following this definition, peritoneal lavage should be coded as dialysis.

Code I(a) using Step 2:

Complications (from) (of)

- dialysis (renal) (see also Complications, infusion)
- infusion
- - infection NEC T80.2

Select infection since peritonitis is an infectious condition.

<u>Code</u> I(b) Y841 as indexed under Complication, dialysis (kidney). Precede the E-code and the condition requiring treatment with an ampersand.

- b. When a condition that is
 - (1) reported due to a named procedure cannot be assigned a code using **STEP 1** or **STEP 2** or
 - (2) reported due to a procedure other than surgical operation NOS or therapy NOS, and can be considered as a complication(s) or adverse effect, code as follows:
 - **STEP 3:** Determine if the complication is in the Index, qualified:
 - (a) as reported
 - (b) with any term meaning "due to" procedure or medical care (see Section II, Part C, 2, a, "<u>Due to" written in or implied</u>)
 - (c) as postprocedural

Ι	(a)	Renal failure	&N990
	(b)	Paracentesis	Y844

Code I(a) as indexed using Step 3 (c):

Failure - renal - - postprocedural N99.0

<u>Code</u> I(b) Y844 as indexed under Complication, paracentesis. Precede N990 with an ampersand.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

STEP 4:	If the Index does not provide a code for the com	plication in	
~	Steps 1-3, determine if:	- <u>r</u>	
	 (a) the <u>site</u> of the complication is in the Index under Complications (from) (of) medical procedure (b) the <u>system</u> in which the complication occurred (based upon the code assigned in the Index) is in the Index under Complications (from) (of) medical procedure 		
 (c) the system in which the complication occurred (based up the code assigned in the Index) is in the Index under Complications (from) (of) postprocedural 		· •	
	I (a) Cardiac arrest (b) Therapy	T818 &Y849	
	(c) Arteriosclerotic heart disease	&I251	
	Code I(a) using Step 4 (a):		
	Complications (from) (of)		
	medical procedure- cardiac T81.8		
	Select cardiac since this is the site of the c	complication.	
	Code I(b) Y849 as indexed under Compli	cation, procedures	

<u>Code</u> I(b) Y849 as indexed under Complication, procedures other than surgical operation. Precede the E-code and the condition requiring treatment with an ampersand.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

		nonary edema otracheal tube	&J958 Y848
	<u>Code</u> I(a) u	sing Step 4 (b):	
	- medical p respirato		
	-	ratory, specified since pulmon 5 J81, a specified disease in the	
	<u>Code</u> I(b) Y848 as indexed under Complication, procedu other than surgical operation, specified NEC. Precede J with an ampersand.		
	· /	ke ebral embolism al angiogram	I64 T817 &Y848
	Code I(b) u	sing Step 4 (b):	
Complications (from) (of) - medical procedure circulatory T81.7			
		latory since cerebral embolisn cified disease in the circulatory	
	other than s	7848 as indexed under Complie surgical operation, specified Na n an ampersand.	-

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

STEP 5: When a reported specified complication cannot be classified to a system that is indexed, code T818, Other complications of procedures, not elsewhere classified.

Ι	(a)	Shock	R579
	(b)	Coagulation disorder	T818
	(c)	Hyperthermia therapy	&Y848

Coagulation disorder is not indexed as due to a procedure or as postprocedural. This condition is classified to D689, a disease of the blood-forming organs. Neither the term nor the body system is indexed under Complications (from) (of), medical procedure.

<u>Code</u> I(b) using **Step 5**:

Complications (from) (of) - procedure

- - specified T81.8

Select specified since coagulation disorder is a specified complication.

<u>Code</u> I(c) Y848 as indexed under Complication, procedures other than surgical operation, specified NEC. Precede the E-code with an ampersand.

Part	R
Part	K

- 4. <u>Complications of procedures involving administration of drugs, radiation, and instruments</u>
 - a. Many procedures (e.g., angiogram, barium enema, pyelogram) involve the administration of drugs and the use of x-ray or radioactive substances and various instruments. When complications of these procedures are reported, determine, if possible, which specific part of the procedure caused the complication. Assign the appropriate codes for the complication and the procedure. When the complication is classified to Chapters I-XVIII and the reason for the procedure is not reported, precede the code for the complication with an ampersand. If the reason for the medical care is not reported, do not assume a disease condition.

I	(a)	Pulmonary embolism	T828
	(b)	Cardiac catheterization	&Y840
	(c)	Ventricular septal defect	&Q210

<u>Code</u> I(a) as the complication of the catheterization. Code I(b) as indexed, Y840 and precede with an ampersand. Code I(c) as indexed and precede with an ampersand to indicate the reason for the procedure.

Ι	(a)	Barium impaction of intestine	Y575	K564
	(b)	Barium enema		
	(c)	Colon polyps	&K63	5

<u>Code</u> the barium on I(a) to adverse effect in therapeutic use, Y575, since it was the drug that caused the impaction. Code the complication, <u>impaction</u>, as indexed, Impaction, intestine, K564. Do not enter a code on I(b) for barium since it was coded on I(a). Code I(c) as indexed and precede with an ampersand to indicate the reason for the procedure.

Ι	(a)	Anaphylactic shock	T886
	(b)	Contrast medium (aortogram)	&Y575
II	Dis	ssecting aortic arch aneurysm	&I710

<u>Code</u> I(a) as the complication of the contrast medium. Indexed as Shock, anaphylactic, correct substance properly administered. Code I(b) contrast medium as adverse effect in therapeutic use, since the drug caused the anaphylactic shock. Code Part II as indexed and precede with an ampersand to indicate the reason for the procedure.

Part	R
------	---

Ι	(a)	Peritonitis	K659
	(b)	Hemorrhage of colon	K918
	(c)	Barium enema	Y848
	(d)	Diverticulitis	&K579

<u>Code</u> I(a) as indexed. Code I(b) as the complication of the administration of the enema. Code I(c) barium enema, Y848, since the hemorrhage most likely resulted from the administration of the enema rather than the barium. Code I(d) as indexed and precede with an ampersand to indicate the reason for the procedure.

Ι	(a)	Cerebral hemorrhage	T817
	(b)	Cerebral arteriogram	&Y848

<u>Code</u> I(a) as the complication of the arteriogram. Code I(b) cerebral arteriogram, Y848, since the hemorrhage resulted from the procedure and precede with an ampersand. Do not assume a disease condition for the cerebral arteriogram.

b. When a complication results from the administration of anesthesia, code the complication as indexed and code the appropriate external cause code (Y480-Y485) (refer to Section V, Part R, 1, <u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>).

Ι	(a)	Cardiac failure	I509
	(b)	Anesthesia for prostate surgery	Y484
	(c)		&N429

<u>Code</u> I(a) as indexed and as the complication of the anesthesia. Code I(b) anesthesia to adverse effect in therapeutic use, Y484, since it was the anesthesia that caused the heart failure. Code I(c) N429, disease prostate, as the reason for surgery and precede with an ampersand.

I	(a)	Cardiac failure	T818
	(b)	Prostate surgery under anesthesia	&Y839
	(c)	Benign prostatic hypertrophy	&N40

<u>Code</u> I(a) as indexed under Failure, heart, complicating surgery. Code I(b) prostate surgery as indexed. Code I(c) as indexed and precede with an ampersand to indicate the reason for surgery.

5. <u>Complications of radiation during medical care (Y842)</u>

When a complication results from exposure to radiation, except radio-frequency radiation, infrared heaters or lamps and visible or ultraviolet light sources, consider as exposure of patient to radiation during medical care unless there is information on the certificate that indicates otherwise. Code complications of radiation during medical care as follows:

- a. Complications qualified as "radiation," "radiation-induced," "due to radiation," or "following radiation"
 - (1) Coding the complication
 - (a) If the Index provides a code for the complication qualified by one of these terms, use that code.
 - (b) If the Index does not provide a code for the complication qualified by one of these terms, code the complication as indexed without the qualifier.
 - (2) Placement of codes
 - (a) If the complication is qualified as "radiation" or "radiation-induced" and classified to Chapters I-XVIII, code the external cause code followed by the code for the complication.
 - (b) If the complication is qualified as "radiation" or "radiation-induced" and classified to Chapter XIX, code the nature of injury code followed by the external cause code.
- b. Code the external cause code to Y842, (Radiological procedure and radiotherapy).
- c. Use of ampersand
 - (1) If the reason for the radiation therapy is reported, precede this condition with an ampersand.
 - (2) If the reason for the radiation therapy is not reported and a malignant neoplasm is reported, precede the neoplasm with an ampersand.
 - (3) If the reason for the radiation therapy is not reported and the complication is classified to Chapters I-XVIII, precede the complication with an ampersand.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

I (a) Pulmonary edema(b) Radiation pneumonitis(c) Prediction theorem for a second second	J81 Y842 J700
(c) Radiation therapy for cancer(d)	&C509
<u>Code</u> I(b) to the external cause as in reported followed by the code for the complication of the radiation and is i Precede the code for cancer of breast reason for the radiation.	e complication. Pneumonitis is the indexed, Pneumonitis, radiation.
I (a) Carcinomatosis (b) Oat cell carcinoma (c)	C80 &C349
II X-ray fibrosis - lung	Y842 J701

<u>Code</u> Part II to the external cause as indexed followed by the code for the complication. Fibrosis of lung is the complication and is indexed, Fibrosis, lung, following radiation. Code I(b) as indexed and precede with an ampersand to indicate the reason for the radiation.

Ι	(a)	Pneumonia	J700
	(b)	Radiation	Y842
	(c)	Carcinoma of face	&C760

<u>Pneumonia</u> is the complication of the radiation reported on I(b). Code I(a) as indexed, Pneumonia, radiation. Code the external cause as indexed on I(b). Code I(c) as indexed and precede with an ampersand to indicate the reason for the radiation.

Ι	(a)	Debility	R53
	(b)	Radiation therapy	Y842
	(c)	Hodgkin's disease	&C819

<u>Debility</u> is the complication of the radiation reported on I(b). Code I(a) as indexed since the Classification does not provide a code for radiation debility. Code the external cause as indexed on I(b). Code I(c) as indexed and precede with an ampersand to indicate the reason for the radiation.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Ι	(a)	Radiation-induced acute	Y842 J700
	(b)	bronchitis	
Π	Ca	rcinoma of trachea	&C33

<u>Code</u> I(a) to the external cause as indexed, followed by the code for the complication. Acute bronchitis is the complication and is indexed Bronchitis, acute, due to radiation. Code Part II as indexed and precede with an ampersand to indicate the reason for the radiation.

I (a) Alopecia	L581
(b) Radiation	Y842
II Hodgkin's granuloma	&C817

<u>Alopecia</u> is the complication of the radiation reported on I(b). Code I(a) as indexed under Alopecia, X-ray. Code the external cause as indexed on I(b). Code Part II as indexed and precede with an ampersand to indicate the reason for the radiation.

Ι	(a)	Peritonitis	K659
	(b)	Intestinal fistula	&K632
	(c)	Radiation therapy	Y842

<u>Intestinal</u> fistula is the complication of the radiation reported on I(c). Code I(b) as indexed since the Classification does not provide a code for radiation intestinal fistula. Code the external cause as indexed on I(c). Precede the complication (intestinal fistula) with an ampersand since it is classified to Chapters I-XVIII and the reason for the radiation was not reported.

d. When radiation fibrosis is reported without a site or of a site not indexed, code the fibrosis to T66, Complications, radiation.

I (a) Cerebral anoxia	G931
(b) Carcinoma of tongue	&C029
II Radiation fibrosis, upper airway obstruction	T66 &Y842 J988

<u>Code</u> Part II Complications, radiation for the fibrosis and the external cause as indexed. Code the nature of injury followed by the external cause. Place an ampersand preceding the E-code and the condition on I(b) to indicate the reason for the radiation.

Part	R
------	---

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Ι	(a)	Radiation pelvic fibrosis	T66	&Y842
	(b)	Carcinoma of uterus	&C55	

<u>Code</u> I(a) Complications, radiation for the pelvic fibrosis and the external cause as indexed. Code the nature of injury followed by the external cause. Place an ampersand preceding the E-code and the condition on I(b) to indicate the reason for the radiation.

6. Misadventures to patients during surgical and medical care (Y60-Y69)

Except for poisoning, overdose of drug and wrong drug given in error, code most misadventures (accidents or errors) to patients during surgical and medical care to <u>Complications of surgical and medical care</u> (T800-T889) in the nature of injury chapter and to Y600-Y69 in the external cause chapter. Code burns from local applications or irradiation to burns in the nature of injury chapter and to Y600-Y69 in the external cause. A limited number of conditions attributable to misadventure to patient (Y600-Y69) in the external cause code, e.g., serum hepatitis, are classified to Chapters I-XVIII.

Hemorrhage (of a site) Rupture (of a site)	Stated as intraoperative or during medical and surgical care
Cut or cutting (of a site) Perforation (of a site) Puncture (of a site) Laceration (of a site)	Reported as postoperative, intraoperative, during or due to medical and surgical care
Burns (of a site)	From local applications or irradiation
Serum hepatitis	From blood transfusions
Fracture (thoracic area)	From cardiopulmonary resuscitation From Heimlich maneuver

Indications of Misadventures

This list is not all inclusive.

When a misadventure to patient during surgical and medical care (classifiable to Y600-Y69) is reported and the condition which necessitated the surgical or medical care is stated or implied, precede the code for this condition with an ampersand.

I	(a)	Hemorrhage during	T810
	(b)	craniotomy	&Y600
	(c)	Brain tumor	&D432

<u>Code</u> I(a) Complication, surgical procedure, hemorrhage. Since "during" is stated, interpret I(b) as a misadventure and code Misadventure, hemorrhage, surgical operation. Code I(c) as indexed and precede with an ampersand to indicate the reason for surgery.

Ι	(a)	Perforation of colon	T812
	(b)	Laparotomy	&Y600

<u>Code</u> I(a) Perforation, surgical. Interpret I(b) as a misadventure and code Misadventure, perforation, surgical operation.

Ι	(a) Cardiac tamponade	I319	
	(b) Perforation of auricle by cardiac catheter	T812	&Y605
Π	Therapeutic misadventure	T889	

<u>The</u> perforation occurred during a cardiac catheterization. Code I(b) as accidental perforation of organ during a procedure, and accidental perforation during a heart catheterization. Code Part II as indexed, Misadventure (prophylactic) (therapeutic).

Ι	(a) Peritonitis	K659	
	(b) Accidental perforation of	T812	&Y607
	(c) colon		
Π	Self-administered tap water enema		

 $\underline{I(b)}$ is a reported misadventure occurring during medical care. Code T812, accidental perforation during a procedure and Y607, accidental perforation during the administration of an enema.

Ι

(a) Serum hepatitis	B169
(b) Blood transfusion	Y640
(c) Leukemia	&C959

<u>Serum</u> hepatitis is a misadventure occurring during a blood transfusion. Code I(a) B169, serum hepatitis, and I(b) Y640, Contaminated medical or biological substance transfused or infused. Code I(c) as indexed and precede with an ampersand to indicate the reason for the transfusion.

Ι	(a)	Burns	T300
	(b)	Radiation therapy	&Y632
	(c)	Cancer of esophagus	&C159

<u>Code</u> I(a) T300, radiation burns. Code I(b) Y632, Overdose of radiation given during therapy. Code I(c) as indexed and precede with an ampersand to indicate the reason for the radiation.

Ι	(a)	Rib fracture	T818
	(b)	Cardiopulmonary resuscitation	&Y658
	(c)	Pulmonary embolism	&I269

<u>Rib</u> fracture due to cardiopulmonary resuscitation is considered a misadventure. Code I(a) Complications, medical procedure, specified NEC T818. Code I(b) Misadventure, specified type Y658. Code I(c) as indexed and precede with an ampersand to indicate the reason for cardiopulmonary resuscitation.

I	(a)	HIV	B24
	(b)	Blood transfusion	
	(c)	Hemophilia	D66

<u>Code</u> I(a) and I(c) as indexed. No code for I(b) since there are no complications reported. Do not consider HIV (any B20-B24) as a misadventure occurring during a blood transfusion.

S. <u>Sequela of injuries, poisonings, and other consequences of external causes</u>

A sequela is a late effect, an after effect, or a residual of a nature of injury or external cause. The Classification provides categories T900-T983 for sequela of nature of injury codes and Y850-Y899 for sequela of external causes. There are separate instructions for determining if the nature of injury or the external cause should be coded as sequela. If either the nature of injury or the external cause requires a sequela code, both the nature of injury and the external cause must be coded to a sequela category.

1. <u>Sequela of injuries, poisoning, and other consequences of external causes</u> (T900-T983)

Use these categories for the classification of injuries and poisonings (conditions in S00-T88) if:

a. A statement of sequela of the condition in S00-T88 is reported unless the interval between date of injury and date of death is less than 1 year.

Ι	(a) Sequela of hip fracture	T931
	(b)	
	(c)	
II		&Y86

<u>Code</u> I(a) to T931 since it is stated as a sequela of hip fracture. Code Part II as sequela of accident NEC.

b. The condition in S00-T88 is stated to be ancient, chronic, healed, history of, late effect of, old, remote, regardless of reported duration, or the interval between onset of this condition and death is indicated to be 1 year or more, whether or not the residual (sequela) effect is specified.

MOD					T909 &Y86	
A	Accident	Farm	Date of injury 9/3/98		Tractor overturned	

<u>Code</u> I(a) old head injury to Sequela, injury, head since it is stated as old. Interpret "tractor overturning on farm" as contact with agricultural machinery. Code Part II accident - tractor overturned to sequela of other accidents since it resulted in an injury stated as old. Part S

c. A chronic condition with or without a duration is reported due to a condition in S00-T88.

]	Date of Death		
]	(a) Chronic	e pyelitis	N119
	(b) Quadrig	olegia	T913
	(c) Fracture	T911	
]	Ι	&Y850	
MOD			
А	Accident	Date of injury 3/14/98	2 car collision

<u>Code</u> I(a) chronic pyelitis as indexed. Code I(b) Quadriplegia, traumatic as indexed. Code I(c) fracture cervical spine to sequela of fracture of spine since it caused a chronic condition. Code Part II accident - 2 car collision, to Sequela, motor vehicle accident since it resulted in injuries that caused a chronic condition.

d. A condition with a duration of 1 year or more that was due to the condition in S00-T88 is reported.

Ι	(a)	Paralysis	16 mos.	T941
	(b)	Spinal cord injury		T913
	(c)	Auto accident		&Y850

<u>Code</u> I(a) paralysis to sequela of traumatic paralysis since it is reported due to trauma and has a duration of 1 year or more. Code I(b) spinal cord injury to Sequela, injury, spinal, cord since it caused a condition of 1 year or more. Code I(c) auto accident, to Sequela, motor vehicle accident.

e. More than one nature of injury or a nature of injury and an external cause are reported on the same line with a duration of 1 year or more, apply the duration to each condition.

Ι	(a)	Head injury and skull fracture	Years	T909 T902
	(b)			
Π	Fall	l		&Y86

<u>Code</u> both conditions on I(a) as sequela. Do not disregard the duration since there is more than one injury on same line.

I (a) Gunshot wound head Years T901 &Y86

<u>Code</u> both head wound and gunshot as sequela. Apply duration to nature of injury and external cause.

SECTION V

Effects of External Cause of Injury and External Causes of Injury and Poisoning Sequela of Injuries, Poisonings, and Other Consequences of External Causes

- 2. Sequela of external causes (Y850-Y899)
 - Y850 Sequela of motor vehicle accident (includes V01-V89)
 - Y859 Sequela of other and unspecified transport accidents (includes V90-V99)
 - Y86 Sequela of other accidents (excludes W78-W80)
 - Y870 Sequela of intentional self-harm
 - Y871 Sequela of assault
 - Y872 Sequela of events of undetermined intent
 - Y880 Sequela of adverse effects caused by drugs, medicaments, and biological substances in therapeutic use
 - Y881 Sequela of misadventures to patients during surgical and medical procedures
 - Y882 Sequela of adverse incidents associated with medical devices in diagnostic and therapeutic use
 - Y883 Sequela of surgical and medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure
 - Y890 Sequela of legal intervention
 - Y891 Sequela of war operations
 - Y899 Sequela of unspecified external cause

Use the preceding categories with the appropriate fourth characters for the classification of external causes of injury (V010-Y849) if:

a. A statement of sequela of the external cause is reported unless the interval between date of external cause and date of death is less than 1 year.

Ι	(a)	Paralysis, sequela of	T941	&Y86
	(b)	fall down steps		

<u>Code</u> I(a) to sequela of traumatic paralysis and sequela of fall down the steps.

b. An injury that is stated to be ancient, healed, history of, late effect of, old, remote, or a delayed union, malunion or nonunion of a fracture that was due to the external cause is reported.

I(a)PneumoniaMOD(b)DebilityA(c)Nonunion of hip fracture				J189 R53 M841		
	II	Inanition			R64	Y86
		Accident		Fell at home		

<u>Code</u> I(c) as indexed. Code sequela of fall last in Part II since the fall resulted in nonunion of the fracture.

I (a) ASHD II Old fractured hip	I251 T931 &Y86
<u>Code</u> I(a) ASHD as indexed. Code Pa since the injury was specified as old.	rt II old fractured hip, T931 Y86
c. If the external cause is stated to be ancient, histor reported duration, or the interval between onset of indicated to be 1 year or more.	
I (a) Old fall, fractured hip 6 m (b) (c)	onths T931 &Y86
MOD II	T931
A Accident Fell and fractured	l hip 6 months ago

Code as sequela since the external cause is stated as "old."

d. A chronic condition with or without a duration is reported due to conditions in V010-Y849 (excludes W78-W80).

Ι	(a)	Chronic subdural hematoma	T905
	(b)	Fall	&Y86

<u>Code</u> I(a) chronic subdural hematoma to Sequela, hematoma, subdural since it is reported as chronic. Code I(b) fall as sequela of accident NEC since it resulted in a chronic condition.

Ι	(a)	Respiratory arrest	R092	
	(b)	COPD	J958	
	(c)	Post status lobectomy - ca. of lung	Y883	&C349

<u>Code</u> I(a) respiratory arrest as indexed. Code I(b) COPD as a complication of the surgery reported on I(c). Code I(c) lobectomy to Sequela, surgical and medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure since it resulted in a chronic condition.

Part S

e. A condition with a duration of 1 year or more that was due to the external cause is reported.

Ι	(a)	Subdural hematoma	1 year	T905
	(b)	Fall		&Y86

<u>Code I(a)</u> subdural hematoma, T905, since it is reported to be of 1 year or more duration. Code I(b) fall, Y86, since it resulted in a condition of 1 year or more duration.

Ι	(a)	Esophageal stricture	years	K222	
	(b)	Ingestion of lye		T97	&Y870
Π	Su	icide attempt			

<u>Code</u> I(a) esophageal stricture as indexed. Code I(b) ingestion of lye, T97 Y870, since it resulted in a condition of 1 year or more duration.

f. The interval between the time of occurrence of the external cause and death is indicated to be 1 year or more, whether or not the residual (sequela) effect is specified.

	Date of death 1	1/1/96		
	I (a) Bronch	opneumoni	ia J18	30
MOD	II Contusion brain		Т9	05 &Y850
A	Accident	Street	Date of injury 5/20/95	Bicycle (operator) vs. truck

<u>Code</u> I(a) bronchopneumonia as indexed. Code sequela of nature of injury and external cause since the date of injury is 1 year or more prior to death.

- I (a) Cardiac arrest I469
 - (b) Pacemaker failure weeks T983 &Y883 &I519
 - (c) Had pacemaker implanted 3 years ago

<u>Code</u> I(a) cardiac arrest as indexed. Code I(b) pacemaker failure to sequula T983 and Y883 since duration of implanted pacemaker is 3 years. Code I519, Disease, heart since pacemaker indicates a heart disease. Precede I519 with an ampersand as reason for the surgery. Do not enter a code on I(c).

g. The complication of the external cause classified to Chapters I-XVIII and the external cause is reported on the same line and the duration is 1 year or more.

Ι	(a)	Radiation enteritis	3 years	Y883 K520
	(b)	Lung cancer		&C349

 $\underline{\text{Code }}$ I(a) as a sequela of radiation therapy. Do not disregard the duration. Precede the code for the lung cancer with an ampersand to indicate the reason for medical care.

Standard Abbreviations and Symbols

When an abbreviation is reported on the certificate, refer to this list to determine what the abbreviation represents. If an abbreviation represents more than one term, determine the correct abbreviation by using other information on the certificate. If no determination can be made, use abbreviation for first term listed.

AAA	abdominal aortic aneurysm	AEG	air encephalogram
AAS	aortic arch syndrome	AF	auricular or atrial fibrillation; acid fast
AAT	alpha-antitrypsin	AFB	acid-fast bacillus
AAV	AIDS-associated virus	AGG	agammaglobulinemia
AB	abdomen; abortion; asthmatic bronchitis	AGL	acute granulocytic leukemia
ABD	abdomen	AGN	acute glomerulonephritis
ABE	acute bacterial endocarditis	AGS	adrenogenital syndrome
ABS	acute brain syndrome	AHA	acquired hemolytic anemia; autoimmune hemolytic anemia
ACA	adenocarcinoma	AHD	arteriosclerotic heart disease
ACD	arteriosclerotic coronary disease	AHHD	arteriosclerotic hypertensive heart disease
ACH	adrenal cortical hormone	AHG	
ACT	acute coronary thrombosis	AHG	anti-hemophilic globulin deficiency
ACTH	adrenocorticotrophic hormone	AHLE	acute hemorrhagic leukoencephalitis
ACVD	arteriosclerotic cardiovascular disease	AI	aortic insufficiency; additional
ADEM	acute disseminated encephalomyelitis	AIDS	acquired immunodeficiency
ADH	antidiuretic hormone		syndrome
ADS	antibody deficiency syndrome	AKA	above knee amputation

	bbi eviations and Symbols		
ALC	alcoholism	ARV	AIDS-related virus
ALL	acute lymphocytic leukemia	ARVD	arrhythmogenic right ventricular dysplasia
ALS	amyotrophic lateral sclerosis	AS	
AMI	acute myocardial infarction	AS	arteriosclerotic; arteriosclerosis; aortic stenosis
AML	acute myelocytic leukemia	ASA	
ANS	arteriolonephrosclerosis		acetylsalicylic acid (aspirin)
AOD	arterial occlusive disease	ASAD	arteriosclerotic artery disease
AODM	adult onset diabetes mellitus	ASCAD	arteriosclerotic coronary
AOM	acute otitis media	ASCD	artery disease
AP	angina pectoris; anterior and posterior repair; artificial	ASCD	arteriosclerotic coronary disease
	pneumothorax; anterior pituitary	ASCHD	arteriosclerotic coronary heart disease
A&P	anterior and posterior repair	ASCRD	arteriosclerotic cardiorenal
APC	auricular premature contraction; acetylsalicylic acid,	ASCILD	disease
	acetophenetidin, and caffeine	ASCVA	arteriosclerotic cerebrovascular accident
APE	acute pulmonary edema; anterior	ASCVD	arteriosclerotic
	pituitary extract	ASCVD	cardiovascular disease
APH	antepartum hemorrhage	ASCVR	arteriosclerotic
AR	aortic regurgitation		cardiovascular renal disease
ARC	AIDS-related complex	ASCVRD	arteriosclerotic cardiovascular renal disease
ARDS	adult respiratory distress syndrome	ASD	atrial septal defect
ARF	acute respiratory failure, acute renal failure	ASDHD	arteriosclerotic decompensated heart
ARM	artificial rupture of membranes		disease

ASHCVD	arteriosclerotic hypertensive cardiovascular disease	AVH	acute viral hepatitis
		AVP	aortic valve prosthesis
ASHD	arteriosclerotic heart disease; atrioseptal heart defect	AVR	aortic valve replacement
ASHHD	arteriosclerotic hypertensive heart disease	AWMI	anterior wall myocardial infarction
ASHVD	arteriosclerotic hypertensive vascular disease	AZT	azidothymidine
ASO	arteriosclerosis obliterans	BA	basilar artery; basilar arteriogram; bronchial asthma
ASPVD	arteriosclerotic peripheral vascular disease	B&B	bronchoscopy and biopsy
		BBB	bundle branch block
ASVD	arteriosclerotic vascular disease	B&C	biopsy and cauterization
ASVH(D)	arteriosclerotic vascular heart disease	BCE	basal cell epithelioma
AT	atherosclerosis; atherosclerotic; atrial tachycardia; antithrombin	BE	barium enema
ATC	-	BEH	benign essential hypertension
	all-terrain cycle	BGL	Bartholin's gland
ATN	acute tubular necrosis	BKA	below knee amputation
ATS	arteriosclerosis	BL	bladder; bucolingual; blood
ATSHD	arteriosclerotic heart disease	DL	loss; Burkett's lymphoma
ATV	all-terrain vehicle	BMR	basal metabolism rate
AUL	acute undifferentiated leukemia	BNA	bladder neck adhesions
AV	arteriovenous; atrioventricular; aortic valve	BNO	bladder neck obstruction
AVF	arterio-ventricular fibrillation; arteriovenous fistula	BOMSA	bilateral otitis media serous acute

Standard Abbreviations and Symbols				
BOMSC	bilateral otitis media serous	CAS		

BOMSC	bilateral otitis media serous chronic	CAS	cerebral arteriosclerosis
BOW	"bag of water" (membrane)	CASCVD	chronic arteriosclerotic cardiovascular disease
B/P, BP	blood pressure	CASHD	chronic arteriosclerotic heart disease
BPH	benign prostate hypertrophy	CAT	computerized axial tomography
BSA	body surface area	СВ	chronic bronchitis
BSO	bilateral salpingo-oophorectomy	CBC	complete blood count
BSP	Bromosulfaphthalein (test)	CBD	common bile duct; chronic
BTL	bilateral tubal ligation		brain disease
BUN	blood, urea, and nitrogen test	CBS	chronic brain syndrome
BVL	bilateral vas ligation	CCF	chronic congestive failure
B&W	Baldy-Webster suspension (uterine)	CCI	chronic cardiac or coronary insufficiency
BX	biopsy	CF	congestive failure; cystic fibrosis; Christmas factor (PTC)
BX CX	biopsy cervix	CFT	chronic follicular tonsillitis
Ca	cancer	CGL	chronic granulocytic leukemia
CA	cancer; cardiac arrest; carotid arteriogram	CGN	chronic glomerulonephritis
CABG	coronary artery bypass graft	CHA	congenital hypoplastic anemia
CABS	coronary artery bypass surgery	CHB	complete heart block
CAD	coronary artery disease	CHD	congestive heart disease; coronary heart disease;
CAG	chronic atrophic gastritis		congenital heart disease; Chediak-Higaski Disease
CAO	coronary artery occlusion; chronic airway obstruction		Choular Higuski Disouse

	<u> </u>		
CHF	congestive heart failure	COOMBS	test for Rh sensitivity
C ₂ H ₅ OH	ethyl alcohol	COLD	chronic obstructive lung disease
CI	cardiac insufficiency; cerebral infarction	COPD	chronic obstructive pulmonary disease
CID	cytomegalic inclusion disease	CODE	
CIS	carcinoma in situ	COPE	chronic obstructive pulmonary emphysema
CJD	Creutzfeldt-Jakob Disease	СР	cerebral palsy; cor pulmonale
CLD	chronic lung disease; chronic liver disease	C&P	cystoscopy and pyelography
		CPB	cardiopulmonary bypass
CLL	chronic lymphatic leukemia; chronic lymphocytic leukemia	CPC	chronic passive congestion
CMID	cytomegalic inclusion disease	CPD	cephalopelvic disproportion; contagious pustular dermatitis
CML	chronic myelocytic leukemia	CDE	
СММ	cutaneous malignant melanoma	CPE	chronic pulmonary emphysema
	meranoma	CRD	chronic renal disease
CMV	cytomegalic virus		
CNHD	congenital nonspherocytic hemolytic disease	CREST	calcinosis cutis, Raynaud's phenomenon, sclerodactyly, and telangiectasis
CNS	central nervous system	CRF	cardiorespiratory failure; chronic renal failure
СО	carbon monoxide		
COAD	chronic obstructive airway disease	CRST	calcinosis cutis, Raynaud's phenomenon, sclerodactyly, and telangiectasis
CO_2	carbon dioxide		-
COBE	chronic obstructive bullous emphysema	CS	coronary sclerosis; cesarean section; cerebro-spinal
	empnysemu	CSF	cerebral spinal fluid
COBS	chronic organic brain syndrome	CCII	-
COFS	cerebro-oculo-facio-skeletal	CSH	chronic subdural hematoma

cerebrospinal meningitis	DCR	dacrocystorhinostomy
computer tomography; cerebral thrombosis; coronary thrombosis	D&D	drilling and drainage; debridement and dressing
	D&E	dilation and evacuation
congenital thymic dysplasia	DFU	dead fetus in utero
cause unknown	DIC	disseminated intravascular
chronic ulcerative colitis	DIC	coagulation
cystoscopy, urogram, pyelogram (retro)	DILD	diffuse infiltrative lung diseas
cystocele, urethrocele, rectocele	DIP	distal interphalangeal joint; desquamative interstitial pneumonia
cardiovascular; cerebrovascular	סוס	degenerative joint disease
cerebral vascular accident		
cerebral vascular accident	DM	diabetes mellitus
cardiovascular disease	DMT	dimethyltriptamine
	DOA	dead on arrival
	DOPS	diffuse obstructive pulmonary
•		syndrome
cardiovascular renal disease	DPT	diphtheria, pertussis, tetanus vaccine
coal worker's	DR	diabetic retinopathy
pneumoconiosis	DS	Down's syndrome
cervix		
degenerative arthritis	DT	due to; delirium tremens
-	D/T	due to; delirium tremens
phemornin nyuroemoride	DU	diagnosis unknown; duodenal
	computer tomography; cerebral thrombosis: congenital thymic dysplasia cause unknown chronic ulcerative colitis cystoscopy, urogram, pyelogram (retro) cystocele, urethrocele, rectocele cardiovascular; cerebrovascular cerebral vascular accident cerebral vascular accident cardiovascular disease cardiovascular heart disease cardiovascular insufficiency; cerebral vascular insufficiency; cerebral vascular renal disease	computer tomography; cerebral thrombosis; coronary thrombosisD&Dcongenital thymic dysplasia DFU cause unknownDFU DICcause unknownDICchronic ulcerative colitisDILDcystoscopy, urogram, pyelogram (retro)DILDcystocele, urethrocele, rectoceleDIDcardiovascular; cerebrovascular DIDDIDcerebral vascular accidentDMcardiovascular diseaseDOAcardiovascular insufficiency; cerebral vascular insufficiency; cerebral vascular insufficiency; cerebral vascular insufficiency DPTDPTcardiovascular renal diseaseDRpoemoconiosisDScardiovascular insufficiency DPTDTdegenerative arthritis D/TDTphenformin hydrochlorideDT

DUB	dysfunctional uterine bleeding	EMC	encephalomyocarditis
DUI	driving under influence	EMD	electromechanical dissociation
DVT	deep vein thrombosis	EMF	endomyocardial fibrosis
DWI	driving while intoxicated	EMG	electromyogram
DX	dislocation; diagnosis; disease	EN	erythema nodosum
EBV	Epstein-Barr virus	ENT	ear, nose, and throat
ECCE	extracapsular cataract extraction	EP	ectopic pregnancy
ECG	electrocardiogram	ER	emergency room
E coli	Escherichia coli	ERS	evacuation of retained secundines
ECT	electric convulsive therapy	ESRD	end-stage renal disease
EDC	expected date of confinement	EST	electric shock therapy
EEE	Eastern equine encephalitis	ЕТОН	alcohol
EEG	electroencephalogram	EUA	exam under anesthesia
EFE	endocardial fibroelastosis	EWB	estrogen withdrawal bleeding
EGL	eosinophilic granuloma of lung	FB	foreign body
EH	enlarged heart; essential hypertension	FBS	fasting blood sugar
EIOA	excessive intake of alcohol	Fe	symbol for iron
EKC	epidemic keratoconjunctivitis	FGD	fatal granulomatous disease
EKG	electrocardiogram	FHS	fetal heart sounds
EKP	epikeratoprosthesis	FHT	fetal heart tone
ELF	elective low forceps	FLSA	follicular lymphosarcoma

unun u 1	Abbi eviations and Symbols		
FME	full-mouth extraction	GSW	gunshot wound
FS	frozen section; fracture site	GTT	glucose tolerance test
FT	full term	gtt	drop
FTA	fluorescent treponemal	GU	genitourinary; gastric ulcer
	antibody test	GVHR	graft-versus-host reaction
5FU	fluorouracil	GYN	gynecology
FUB	functional uterine bleeding	НА	headache
FULG	fulguration	HAA	hepatitis-associated antiger
FUO	fever unknown origin	HASCVD	-
FX	fracture	HASCVD	hypertensive arteriosclerot cardiovascular disease
FYI	for your information	HASCVR	hypertensive arteriosclerot cardiovascular renal diseas
GAS	generalized arteriosclerosis	HASHD	
GB	gallbladder;	пазпр	hypertensive arteriosclerot heart disease
~ ~	Guillain-Barre (syndrome)	HC	Huntington's chorea
GC	gonococcus; gonorrhea; general circulation (systemic)	НСТ	hematocrit
GE	gastroesophageal	HCVD	hypertensive cardiovascula disease
GEN	generalized	HCVRD	hypertensive cardiovascula renal disease
GERD	gastroesophageal reflux disease	HC VKD	
GI	gastrointestinal	HD	Hodgkin's disease; heart
GIST	gastrointestinal stromal tumor		disease
GIT	gastrointestinal tract	HDN	hemolytic disease of newborn
GMSD	grand mal seizure disorder	HDS	herniated disc syndrome
GOK	God only knows	HEM	hemorrhage

unuunu 110	bit eviations and Symbols		
HF	heart failure; hay fever	HVD	hypertensive vascular disease
HGB; Hgb	hemoglobin	Hx	history of
HHD	hypertensive heart disease	IADH	inappropriate antidiuretic hormone
HIV	human immunodeficiency virus	IASD	interatrial septal defect
HMD	hyaline membrane disease	ICCE	intracapsular cataract extraction
HN ₂	nitrogen mustard		
HNP	herniated nucleus pulposus	ICD	intrauterine contraceptive device
H/O	history of	I&D	incision and drainage
HPN	hypertension	ID	infectious disease; incision and drainage
HPVD	hypertensive pulmonary vascular disease	IDA	iron deficiency anemia
HRE	high-resolution electro- cardiology	IDD	insulin-dependent diabetes
110		IDDI	insulin-dependent diabetes
HS	herpes simplex; Hurler's syndrome	IDDM	insulin-dependent diabetes mellitus
HSV	herpes simplex virus	IGA	immunoglobin A
HTLV	human T-cell lymphotropic		-
	virus	IHD	ischemic heart disease
HTLV- III/LAV	human T-cell lymphotropic virus-III/lymphadenopathy-	IHSS	idiopathic hypertrophic subaort stenosis
	associated virus	ILD	ischemic leg disease
HTLV-3	human T-cell lymphotropic virus-III	IM	intramuscular; intramedullary; infectious mononucleosis
HTLV-III	human T-cell lymphotropic virus-III	IMPP	intermittent positive pressure
HTN	hypertension		

INAD	infantile neuroaxonal dystrophy	IVP	intravenous pyelogram
INC	incomplete	IVSD	intraventricular septal defect
INE	infantile necrotizing	IVU	intravenous urethrography
INF	encephalomyelopathy infection; infected; infantile; infarction	IWMI	inferior wall myocardial infarction
INH	Isoniazid; inhalation	JBE	Japanese B encephalitis
		KFS	Klippel-Feil syndrome
INS	idiopathic nephrotic syndrome	KS	Klinefelter's syndrome
IRHD	inactive rheumatic heart disease	KUB	kidney, ureter, bladder
ISD ITP	interatrial septal defect idiopathic thrombocytopenic	K-W	Kimmelstiel-Wilson disease or syndrome
IU	purpura	LAP	laparotomy
IUCD	intrauterine contraceptive device	LAV	lymphadenopathy-associated
IUD	intrauterine device (contraceptive); intrauterine death	LAV/ HTLV-III	lymphadenopathy-associated virus/Human T-cell lymphotropic virus-III
IUP	intrauterine pregnancy		
IV	intervenous; intravenous	LBBB	left bundle branch block
IVC	intravenous cholangiography;	LBNA	lysis bladder neck adhesions
	inferior vena cava	LBW	low birth weight
IVCC	intravascular consumption coagulopathy	LBWI	low birth weight infant
		LCA	left coronary artery
IVD	intervertebral disc	LDH	lactic dehydrogenase
IVH	intraventricular hemorrhage	LE	lupus erythematosus; lower extremity; left eye

	U		
LKS	liver, kidney, spleen	LVF	left ventricular failure
LL	lower lobe	LVH	left ventricular hypertrophy
LLL	left lower lobe	MAC	mycobacterium avium complex
LLQ	lower left quadrant	MAI	mycobacterium avium intracellulare
LMA	left mentoanterior (position of fetus)	MAL	malignant
LML	left middle lobe; left mesiolateral	MBAI	mycobacterium avium intracellulare
LMCAT	left middle cerebral artery thrombosis	MBD	minimal brain damage
LML	left mesiolateral; left mediolateral (episiotomy)	MD	muscular dystrophy; manic depressive; myocardial damage
LMP	last menstrual period; left	MDA	methylene dioxyamphetamine
	mento- posterior (position of fetus)	MEA	multiple endocrine adenomatosis
LN	lupus nephritis	MF	myocardial failure; myocardial fibrosis; mycosis fungoides
LOA	left occipitoanterior	MGN	membranous glomerulonephritis
LOMCS	left otitis media chronic serous	MHN	massive hepatic necrosis
LP	lumbar puncture	MI	myocardial infarction; mitral
LRI	lower respiratory infection		insufficiency
LS	lumbosacral; lymphosarcoma	MPC	meperidine, promethazine, chlorpromazine
LSD	lysergic acid diethylamide	MRS	methicillin resistant
LSK	liver, spleen, kidney		staphylococcal
LUL	left upper lobe	MRSA	methicillin resistant staphylococcal aureus
LUQ	left upper quadrant	MDCAIT	
LV	left ventricle	MRSAU	methicillin resistant staphylococcal aureus

MS	multiple sclerosis; mitral stenosis	OA	osteoarthritis
MCOE		OAD	obstructive airway disease
MSOF	multi-system organ failure	OB	obstetrical
MT	malignant teratoma	OBS	organic brain syndrome
MUA	myelogram	OBST	obstructive; obstetrical
MVP	mitral valve prolapse	OD	overdose; oculus dexter (right eye);
MVR	mitral valve regurgitation; mitral valve replacement	00	occupational disease
NACD	no anatomical cause of death	OHD	organic heart disease
		OLT	orthotopic liver transplant
NAFLD	nonalcoholic fatty liver disease	OM	otitis media
NCA	neurocirculatory asthenia	OMI	old myocardial infarction
NDI	nephrogenic diabetes insipidus	OMS	organic mental syndrome
NEG	negative	ORIF	open reduction, internal fixation
NFI	no further information	OS	oculus sinister (left eye);
NFTD	normal full-term delivery	05	occipitosacral (fetal position)
NG	nasogastric	ОТ	occupational therapy; old TB
NH ₃	symbol for ammonia	OU	oculus uterque (each eye); both eyes
NIDD	non-insulin-dependent diabetes	PA	pernicious anemia; paralysis
NIDDI	non-insulin-dependent diabetes		agitans; pulmonary artery; peripheral arteriosclerosis
NIDDM	non-insulin-dependent diabetes mellitus	PAC	premature auricular contraction; phenacetin, aspirin, caffeine
NSTEMI	non-ST-elevation myocardial infarction	PAF	paroxysmal auricular fibrillation
N&V	nausea and vomiting	PAOD	peripheral arterial occlusive disease; peripheral arteriosclerosis occlusive
NVD	nausea, vomiting, diarrhea		disease

PAP	primary atypical pneumonia	PIE	pulmonary interstitial
PAS	pulmonary artery stenosis	PIP	emphysema proximal interphalangeal joint
PAT	pregnancy at term; paroxysmal auricular tachycardia	PKU	phenylketonuria
Pb	chemical symbol for lead	PMD	progressive muscular dystrophy
PCD	polycystic disease	PMI	posterior myocardial infarction;
PCF	passive congestive failure		point of maximum impulse
PCP	pentachlorophenol;	PML	progressive multifocal leukoencephalopathy
PCT	pneumocystis carinii pneumonia porphyria cutanea tarda	PN	pneumonia; periarteritis nodosa; pyelonephritis
PCV	polycythemia vera	РО	postoperative
PDA	patent ductus arteriosus	POC	product of conception
PE	pulmonary embolism; pleural effusion; pulmonary edema	POE	point (or portal) of entry
PEG		PP	postpartum
FLO	percutaneous endoscopic gastrostomy; pneumoencephalography	POSS	possible; possibly
PEGT	percutaneous endoscopic gastrostomy tube	PPD	purified protein derivative test for tuberculosis
PET	pre-eclamptic toxemia	PPH	postpartum hemorrhage
PG	pregnant; prostaglandin	PPLO	pleuropneumonia-like organism
PGH	pituitary growth hormone	PPS	postpump syndrome
РН	past history; prostatic hypertrophy; pulmonary hypertension	PPT	precipitated; prolonged prothrombin time
PI	pulmonary infarction	PREM	prematurity
PID	pelvic inflammatory disease; prolapsed intervertebral disc	PROB	probably

PROM	premature rupture of membranes	PX	pneumothorax
PSVT	paroxysmal supraventricular tachycardia	R	right
РТ	paroxysmal tachycardia;	RA	rheumatoid arthritis; right atrium; right auricle
PTA	pneumothorax; prothrombin time persistent truncus arteriosus	RAAA	ruptured abdominal aortic aneurysm
PTC	plasma thromboplastin component	RAD	radiation absorbed dose
PTCA	percutaneous transluminal	RAI	radioactive iodine
	coronary angioplasty	RBBB	right bundle branch block
PTLA	percutaneous transluminal laser angioplasty	RBC	red blood cells
PU	peptic ulcer	RCA	right coronary artery
PUD	peptic ulcer disease; pulmonary disease	RCS	reticulum cell sarcoma
PUO	pyrexia of unknown origin	RD	Raynaud's disease; respirato disease
P&V	pyloroplasty and vagotomy	RDS	respiratory distress syndrom
PVC	premature ventricular contraction	RE	regional enteritis
PVD	peripheral vascular disease;	REG	radioencephalogram
	pulmonary vascular disease	RESP	respiratory
PVI	peripheral vascular insufficiency	RHD	rheumatic heart disease
PVL	periventriclar leukomalacia	RLF	retrolental fibroplasia
PVT	paroxysmal ventricular tachycardia	RLL	right lower lobe
PVS	premature ventricular systole (contraction)	RLQ	right lower quadrant
PWI	posterior wall infarction	RMCA	right middle cerebral artery
PWMI	posterior wall myocardial infarction	RMCAT	right middle cerebral artery thrombosis

lanuaru	Abbieviations and Symbols	3	
RML	right middle lobe	SBP	spontaneous bacterial peritonitis
RMLE	right mediolateral episiotomy	SC	sickle cell
RNA	ribonucleic acid	SCC	squamous cell carcinoma
RND	radical neck dissection	SCI	subcoma insulin; spinal cord injury
R/O	rule out	SD	spontaneous delivery; septal defect; sudden death
RSA	reticulum cell sarcoma		
RSR	regular sinus rhythm	SDAT	senile dementia Alzheimer's type
Rt	right	SDII	sudden infant death in infancy
	-	SDS	sudden death syndrome
RT	recreational therapy; right	SEPT	septicemia
RTA	renal tubular acidosis	SF	scarlet fever
RUL	right upper lobe		
RUQ	right upper quadrant	SGA	small for gestational age
RV	right ventricle	SH	serum hepatitis
	-	SI	saline injection
RVH	right ventricular hypertrophy	SIADH	syndrome of inappropriate
RVT	renal vein thrombosis		antidiuretic hormone
RX	drugs <u>or</u> other therapy <u>or</u>	SICD	sudden infant crib death
	treatment	SID	sudden infant death
SA	sarcoma; secondary anemia	SIDS	sudden infant death syndrome
SACD	subacute combined degeneration	SIRS	systemic inflammatory response
SARS	severe acute respiratory		syndrome
57 1105	syndrome	SLC	short leg cast
SBE	subacute bacterial endocarditis	SLE	systemic lupus erythematosus; Saint Louis encephalitis
SBO	small bowel obstruction	SMR	submucous resection
		390	2b January 2007

SNB	scalene node biopsy	SUDI	sudden unexplained death of an infant
SO or S&O	salpingo-oophorectomy	SUID	sudden unexpected infant death
SOB	shortness of breath	SVC	superior vena cava
SOM	secretory otitis media	SVD	spontaneous vaginal delivery
SOR	suppurative otitis, recurrent	SVT	supraventricular tachycardia
S/P	status post	Sx	symptoms
SPD	sociopathic personality disturbance	SY	syndrome
SPP	suprapubic prostatectomy	T&A	tonsillectomy and adenoidectomy
SQ	subcutaneous	TAH	total abdominal hysterectomy
S/R	schizophrenic reaction; sinus rhythm	TAL	tendon achilles lengthening
S/p P/T	schizophrenic reaction, paranoid type	ΤΑΟ	Triacetyloleandomycin (antibiotic); thromboangiitis obliterans
SSE	soapsuds enema	TAPVR	
SSKI	saturated solution potassium iodide	IAPVR	total anomalous pulmonary venous return
SSPE	subacute sclerosing panencephalitis	TAR	thrombocytopenia absent
STAPH	staphylococcal; staphylococcus		radius (syndrome)
STB	stillborn	TAT	tetanus anti-toxin
STREP	streptococcal; streptococcus	TB	tuberculosis; tracheobronchitis
		TBC, Tbc	tuberculosis
STS	serological test for syphilis	TCI	transient cerebral ischemia
STSG	split thickness skin graft	TEF	tracheoesophageal fistula
SUBQ	subcutaneous	TF	tetralogy of Fallot
SUD	sudden unexpected death		
		TGV	transposition great vessels

THA	total hip arthroplasty	UP	uteropelvic
TI	tricuspid insufficiency	UPJ	ureteropelvic junction
TIA	transient ischemic attack	URI	upper respiratory infection
TIE	transient ischemic episode	UTI	urinary tract infection
TL	tubal ligation	VAMP	vincristine, amethopterine,
TM	tympanic membrane	LD	6-mercaptopurine, and prednisone
TOA	tubo-ovarian abscess	VB	vinblastine
		VC	vincristine
TP	thrombocytopenic purpura	VD	venereal disease
TR	tricuspid regurgitation, transfusion reaction	VDRL	venereal disease research lab
TSD	Tay-Sachs disease	VEE	Venezuelan equine encephalomyelitis
TTP	thrombotic thrombocytopenic purpura	VF	ventricular fibrillation
TUI	transurethral incision	VH	vaginal hysterectomy; viral hepatitis
TUR	transurethral resection (NOS)		nepatitis
	(prostate)	VL	vas ligation
TURP	transurethral resection of	VM	viomycin
	prostate	V&P	vagotomy and pyloroplasty
TVP	total anomalous venous return	VPC,	ventricular premature contractions
UC	ulcerative colitis	VPCS	ventricular premature contractions
UGI	upper gastrointestinal	VR	valve replacement
UL	upper lobe	VSD	ventricular septal defect
UNK	unknown	VT	ventricular tachycardia

WBC	white blood cell
WC	whooping cough
WE	Western encephalomyelitis
W/O	without
WPW	Wolfe-Parkinson-White syndrome
YF	yellow fever
ZE	Zollinger-Ellison (syndrome)
,	minute
"	second(s)
<	less than
>	greater than
↓	decreased
↑	increased; elevated
\overline{c}	with
$\frac{1}{s}$	without
<u>00</u> 11	secondary to
<u>00</u> 11 to	secondary to

Appendix B

F

Synonymous Sites

When a condition of a stated anatomical site is indexed in Volume 3, code condition of stated site as indexed. If stated site is <u>not</u> indexed, code condition of synonymous site.

Alimentary canal	Gastrointestinal tract
Body	Torso, trunk
Brain	Anterior fossa, basal ganglion, central nervous system, cerebral, cerebrum, frontal, occipital, parietal, pons, posterior fossa, prefrontal, temporal, III and IV ventricle
	Note: Do not use brain when ICD provides for CNS under the reported condition.
Cardiac	Heart
Chest	Thorax
Greater sac	Peritoneum
Hepatic	Liver
Hepatocellular	Liver
Intestine	Bowel, colon
Kidney	Renal
Lesser sac	Peritoneum
Pharynx	Throat
Pulmonary	Lung
Vocal cords	Larynx
Right\left hemispheric	Code brain
Hemispheric NOS	Do not assume brain
Right\left ventricle	Heart
Third\fourth ventricle	Brain
LLL, LUL, RLL, RML, RUL	Lobes of the lungs when reported with lobectomy, pneumonia, etc

Appendix C

Geographic Codes

<u>State</u>	FIPS Alpha	<u>State</u>	FIPS Alpha		
Alabama	AL	Nebraska	NE		
Alaska	AK	Nevada	NV		
Arizona	AZ	New Hampshire	NH		
Arkansas	AR	New Jersey	NJ		
California	CA	New Mexico	NM		
Colorado	CO	New York	NY		
Connecticut	CT	North Carolina	NC		
Delaware	DE	North Dakota	ND		
District of Columbia	DC	Ohio	OH		
Florida	FL	Oklahoma	OK		
Georgia	GA	Oregon	OR		
Hawaii	HI	Pennsylvania	PA		
Idaho	ID	Puerto Rico	PR		
Illinois	IL	Rhode Island	RI		
Indiana	IN	South Carolina	SC		
Iowa	IA	South Dakota	SD		
Kansas	KS	Tennessee	TN		
Kentucky	KY	Texas	TX		
Louisiana	LA	Utah	UT		
Maine	ME	Vermont	VT		
Maryland	MD	Virginia	VA		
Massachusetts	MA	Virgin Islands	VI		
Michigan	MI	Washington	WA		
Minnesota	MN	West Virginia	WV		
Mississippi	MS	Wisconsin	WI		
Missouri	MO	Wyoming	WY		
Montana	MT				
	Territories and C	utlying Areas			
American Samoa	AS	US Minor Outlying Islands	UM*		
Federated States of Micronesia	FM	Baker Island			
Guam	GU	Howland Island			
Marshall Islands	MH	Jarvis Island			
Northern Mariana Islands	MP	Johnston Atoll			
Palau	PW	Kingman Reef			
Puerto Rico	PR	Midway Islands			
Virgin Islands (US)	VI	Navassa Island			
		Palmyra Atoll			
		Wake Island			

*Not recognized as a valid USPS State abbreviation

Code for Place of Occurrence

0. <u>Home</u>

Excludes:	Abandoned or derelict house (8)	
	Home under construction, but not yet occupied (6)	
	Institutional place of residence (1)	

About home Apartment Boarding house Cabin (any type) Caravan (trailer) park - residential Condominium Farm house Hogan Home premises Home sidewalk Home swimming pool House (residential) (trailer) Noninstitutional place of residence Penthouse Private driveway to home Private garage Private garden to home Private walk to home Private wall to home Residence Rooming house Storage building at apartment Swimming pool in private home, private garden, apartment or residence Townhome Trailer camp or court Yard (any part) Yard to home

Code for Place of Occurrence

1. <u>Residential institution</u>

Almshouse Army camp Assisted Living Board and care facility Children's home Convalescent home Dormitory Fraternity house Halfway house Home for the sick Hospice Institution (any type) Jail Military (camp) (reservation) Nurse's home Nursing home Old people's home Orphanage Penitentiary Pensioner's home Prison Prison camp Reform school Retirement home Sorority house State hospital

Code for Place of Occurrence

School, other institution and public administrative area 2. **Excludes:** Building under construction (6) Residential institution (1) Sports and athletic areas (3) Police station or cell Armory Assembly hall Post office Campus Private club Child center Public building Church Public hall Cinema Salvation army Clubhouse School (grounds) (yard) College School (private) (public) (state) Country club (grounds) Theatre Court house Turkish bath Dance hall University Day nursery (day care) YMCA Drive in theater Youth center Fire house YWCA Gallery Health club Health resort Health spa Hospital Institute of higher learning Kindergarten Library Mission Movie house Museum Music hall Night club Opera house Playground, school Police precinct

Code for Place of Occurrence

3. Sports and athletics area

Excludes: Swimming pool or tennis court in private home or garden (0)

Baseball field Basketball court Cricket ground Dude ranch Fives court Football field Golf course Gymnasium Hockey field Ice palace Racecourse Riding school Rifle range - NOS Skating rink Sports ground Sports palace Squash court Stadium Swimming pool (private) (public) Tennis court

4. Street and highway

Alley Border crossing Bridge NOS Freeway Interstate Motorway Named street/highway/interstate Pavement Road Roadside Sidewalk NOS

Code for Place of Occurrence

5. Trade and service area

Excludes: Garage in private home (0)

Airport Animal hospital Bank Bar Body shop Cafe Casino Electric company Filling station Funeral home Garage - place of work Garage away from highway except home Garage building (for car storage) Garage NOS Gas station Hotel (pool) Loading platform - store Market (grocery or other commodity) Motel Office (building) Radio/television broadcasting station Restaurant Salvage lot, named Service station Shop, commercial Shopping center (shopping mall) Station (bus) (railway) Store Subway (stairs) Tourist court Tourist home Warehouse

Code for Place of Occurrence

6. Industrial and construction areas

Building under construction Coal pit Coal yard Construction job Dairy processing plant Dockyard Dry dock Electric tower Factory (building) (premises) Foundry Gas works Grain elevator Gravel pit Highway under construction Industrial yard Loading platform - factory Logging operation area Lumber yard Mill pond Oil field Oil rig and other offshore installations Oil well Plant, industrial Power-station (coal) (nuclear) (oil) Produce building Railroad track or trestle Railway yard Sand pit Sawmill Sewage disposal plant Shipyard Shop Substation (power) Subway track Tannery Tunnel under construction Wharf Workshop

Code for Place of Occurrence

7. <u>Farm</u>

Excludes: Farm house and home premises of farm (0)

Barn NOS Barnyard Corncrib Cornfield Dairy (farm) NOS Farm buildings Farm pond or creek Farmland under cultivation Field, numbered or specialized Gravel pit on farm Orange grove Pasture Ranch NOS Range NOS Silo State Farm

Code for Place of Occurrence

8. Other specified places

Abandoned gravel pit Abandoned public building or home Air force firing range Bar pit or ditch Beach NOS (named) (private) Beach resort Boy's camp **Building NOS** Camp Camping grounds Campsite Canal Caravan site NOS Cemetery City dump Creek (bank) (embankment) Damsite Derelict house Desert Ditch Dock NOS Excavation site Fairgrounds Field NOS Forest Fort Harbor Hill Holiday camp Irrigation canal or ditch Junkyard Lake NOS Lake resort Manhole Marsh Military training ground Mountain Mountain resort Named city Named lake

Named room Named town Nursery NOS Open field Park (amusement) (any) (public) Parking lot Parking place Pier Pipeline (oil) Place of business NOS Playground NOS Pond or pool (natural) Power line pole Prairie Private property Public place NOS Public property Railway line Reservoir (water) **Resort NOS** River Sea Seashore NOS Seashore resort Sewer Specified address Stream Swamp Trail (bike) Vacation resort Woods Zoo

Code for Place of Occurrence

9. <u>Unspecified place</u>

Bed Commode Country Downstairs Fireplace Hot tub Jobsite Near any place On job Outdoors NOS Parked car Sofa Table Tree Vehicle (any)

Appendix E

Activity Codes

The ICD-10 provides a subclassification for use with external causes and injuries to indicate the activity of the injured person at the time the event occurred. This appendix is designed to document the ICD-10 activity code information but it is not entered in manual coding.

Information may be scattered over different parts of the medical certification, Part I, Part II, 41, 43, etc. However, do not use the information in "Injury at work?" block to code this variable.

If no information concerning the activity of the injured person is reported on the certificate, the item is left blank. "While drinking alcohol" or "while driving" is not considered as a codable activity. When two or more codes appear to be appropriate for the information reported, activity code 8 is assigned.

0 While engaged in sports activity

Physical exercise with a described functional element such as:

- . golf
- . jogging
- . riding
- . school athletics
- . skiing
- . swimming
- . trekking
- . waterskiing

1 While engaged in leisure activity

Hobby activities

Leisure time activities with an entertainment element such as going to the cinema, to a dance or to a party

Participation in sessions and activities of voluntary organizations

Excludes: sport activities (0)

2 While working for income

Paid work (manual) (professional) Transportation (time) to and from such activities Work for salary, bonus and other types of income

Appendix E

Activity Codes

3	While engaged in other types of work
	Domestic duties such as:
	. caring for children and relatives
	. cleaning
	. cooking
	. gardening
	. household maintenance
	Duties for which one would not normally gain an income
	Learning activities, e.g. attending school session or lesson
	Undergoing education

- 4 While resting, sleeping, eating and other vital activities Personal hygiene
- 8 While engaged in other specified activities

Appendix F

Invalid and Substitute Codes

The following categories are invalid for multiple cause coding in the United States registration areas. Substitute code(s) for use in multiple cause coding appears to the right.

<u>Invalid</u> <u>Codes</u>	Substitute Codes	
A150-A153	A162	
A154	A163	
A155	A164	
A156	A165	
A157	A167	
A158	A168	
A159	A169	
A160-A161	A162	
B95-B97 Code the disease(s) classified to other chapters modified by the organism. Do not enter a code for the organism.		
F70	F70 (3-characters only)	
F71	F71 (3-characters only)	
F72	F72 (3-characters only)	
F73	F73 (3-characters only)	
F78	F78 (3-characters only)	
F79	F79 (3-characters only)	

Use the substitute codes when conditions classifiable to the following codes are reported:

Invalid	Substitute codes
Codes	
I151-I158	R99
I23	I21 or I22
I240	I21 or I22
1252	1258
I65- I66	163
O80	095
O81-084	0759
P95	P969
R69	R95-R99
T000, T001,	Superficial injuries of
T006	specified sites
T010, T011,	Open wound of specified
T016, T018	sites
T020, T026, T027	Fractures of specified sites
T030, T034	Dislocations, sprains, and strains of specified sites
T040, T044,	Crushing injuries of
T047	specified sites
T051, T054,	Traumatic amputations of
T056	specified site
T060, T061,	Injuries of specified sites
T068	
T29	Burns of specified sites
L	

Codes for Special Purposes (U00 - U99)

Provisional assignment of new codes (U00-U99)

1. Terrorism Classification (*U01-*U03)

NCHS has developed a set of new codes within the framework of the ICD that will allow the identification of deaths from terrorism reported on death certificates through the National Vital Statistics System. Terrorism-related ICD-10 codes for mortality have been assigned to the "U" category which has been designated by WHO for use by individual countries. The asterisk preceding the alphanumeric code indicates the code was introduced by the United States and is not officially part of the ICD.

To classify a death as terrorist-related, it is necessary for the incident to be designated as such by the Federal Bureau of Investigation (FBI). Neither a medical examiner nor a coroner who would be completing/certifying the death certificate, nor the nosologist coding the death certificate would determine that an incident is an act of terrorism. If an incident or event is confirmed by the FBI as terrorism, it may be so described on the certificate. If the incident is confirmed as terrorism after the death certificate is completed, the certificate can be recoded at a later date.

Not to be used unless notified by NCHS.

Tabular List

Assault (homicide) *U01-*U02

- *U01 T
 - **Terrorism** *Includes:* assault-related injuries resulting from the unlawful use of force or violence against persons or property to intimidate or coerce a Government, the civilian population, or any segment thereof, in furtherance of political or social objectives

*U01.0 Terrorism involving explosion of marine weapons

Depth-charge Marine mine Mine NOS, at sea or in harbor Sea-based artillery shell Torpedo Underwater blast

*U01.1	Terrorism involving destruction of aircraft <i>Includes:</i> aircraft used as a weapon				
	 Aircraft: burned exploded shot down Crushed by falling aircraft 				
*U01.2	 Terrorism involving other explosions and fragments Antipersonnel bomb (fragments) Blast NOS Explosion (of): NOS artillery shell breech-block cannon block mortar bomb munitions being used in terrorism own weapons Fragments from: artillery shell bomb grenade guided missile land-mine rocket shell shrapnel 				

*U01.3	Terrorism involving fires, cor	nflagration and hot substances
	Asphyxia Burns Other injury	originating from fire caused directly by fire-producing device or indirectly by any conventional weapon
	Petrol bomb	
	Collapse of Fall from Falling from Hit by object Jump from	burning building or structure
	Conflagration	
	Fire Melting Smoldering	of fittings or furniture
*U01.4	Terrorism involving firearms Bullet: • carbine • machine gun • pistol • rifle • rubber (rifle) Pellets (shotgun)	
*U01.5	Terrorism involving nuclear Blast effects Exposure to ionizing radiation to Fireball effects Heat Other direct and secondary effe	from nuclear weapon

*U01.6	Terrorism involving biological weapons Anthrax Cholera Smallpox
*U01.7	 Terrorism involving chemical weapons Gases, fumes and chemicals: Hydrogen cyanide Phosgene Sarin
*U01.8	Terrorism, other specified Lasers Battle wounds Drowned in terrorist operations NOS Piercing or stabbing object injuries
*U01.9	Terrorism, unspecified
*U02	Sequelae of terrorism

Intentional self-harm (suicide) *U03				
*U03	Terrorism			
*U03.0	Terrorism involving explosions and fragments <i>Includes:</i> destruction of aircraft used as a weapon			
	 Aircraft: burned exploded shot down Antipersonnel bomb (fragments) Blast NOS Explosion (of): NOS artillery shell breech-block cannon block mortar bomb munitions being used in terrorism own weapons Fragments from: artillery shell bomb grenade guided missile land-mine rocket shrapnel Mine NOS 			
*U03.9	Terrorism by other and unspecified means			

Codes for Special Purposes (U00 - U99)

SECTION II - External causes of injury

Air

- blast in terrorism U01.2 Asphyxia, asphyxiation

Aspiryxia, aspiryxiation

- by
- - chemical in terrorism U01.7
- - fumes in terrorism (chemical weapons) U01.7
- - gas (see also Table of drugs and chemicals)
- --- in terrorism (chemical weapons) U01.7
- from
- - fire (see also Exposure, fire)
- - in terrorism U01.3

Bayonet wound

- in
- - terrorism U01.8
- Blast (air) in terrorism U01.2
- from nuclear explosion U01.5
- underwater U01.0

Burn, burned, burning (by) (from) (on)

- chemical (external) (internal)
- - in terrorism (chemical weapons) U01.7
- in terrorism (from fire-producing device) NEC U01.3
- - nuclear explosion U01.5
- - petrol bomb U01.3

Casualty (not due to war) NEC

- terrorism U01.9

Collapse

- building
- - burning (uncontrolled fire)
- - in terrorism U01.3
- structure
- - burning (uncontrolled fire)
- - in terrorism U01.3

Crash

- aircraft (powered)
- - in terrorism U01.1

Codes for Special Purposes (U00 - U99)

Crushed

- by, in - - falling

- - - aircraft

---- in terrorism U01.1

Cut, cutting (any part of body) (by) (*see also* Contact, with, by object or machine) - terrorism U01.8

Drowning

- in

- - terrorism U01.8

Effect(s) (adverse) of

- nuclear explosion or weapon in terrorism (blast) (direct) (fireball) (heat) (radiation) (secondary) U01.5

Explosion (in) (of) (on) (with secondary fire)

- terrorism U01.2

Exposure to

- fire (with exposure to smoke or fumes or causing burns, or secondary explosion)

- - in, of, on, starting in
- - terrorism (by fire-producing device) U01.3
- ---- fittings or furniture (burning building) (uncontrolled fire) U01.3
- ---- from nuclear explosion U01.5

Fall, falling

- from, off

- - building
- - burning (uncontrolled fire)
- ---- in terrorism U01.3
- - structure NEC
- - burning (uncontrolled fire)

- - - - in terrorism U01.3

Fireball effects from nuclear explosion in terrorism U01.5

Heat (effects of) (excessive)

- from

- - nuclear explosion in terrorism U01.5

Injury, injured NEC

- by, caused by, from
- - terrorism see Terrorism
- due to
- - terrorism *see* Terrorism

Codes for Special Purposes (U00 - U99)

Jumped, jumping

```
- from
```

- - building (see also Jumped, from, high place)
- - burning (uncontrolled fire)
- ---- in terrorism U01.3
- - structure (see also Jumped, from, high place)
- - burning (uncontrolled fire)
- - - in terrorism U01.3

Poisoning (by) (see also Table of drugs and chemicals)

- in terrorism (chemical weapons) U01.7

Radiation (exposure to)

- in

- - terrorism (from or following nuclear explosion) (direct) (secondary) U01.5
- --- laser(s) U01.8
- laser(s)

```
- - in terrorism U01.8
```

```
Sequelae (of)
```

- in terrorism U02

Shooting, shot (see also Discharge, by type of firearm)

- in terrorism U01.4

Struck by

- bullet (see also Discharge, by type of firearm)
- - in terrorism U01.4
- missile
- - in terrorism see Terrorism, missile
- object
- - falling
- - from, in, on
- - - building
- ---- burning (uncontrolled fire)
- ---- in terrorism U01.3

Suicide, suicidal (attempted) (by)

- explosive(s) (material)
- - in terrorism U03.0
- in terrorism U03.9

Terrorism (by) (in) (injury) (involving) U01.9

- air blast U01.2
- aircraft burned, destroyed, exploded, shot down U01.1
- - used as a weapon U01.1
- anthrax U01.6

Codes for Special Purposes (U00 - U99)

Terrorism----continued

- asphyxia from
- - chemical (weapons) U01.7
- - fire, conflagration (caused by fire-producing device) U01.3
- - from nuclear explosion U01.5
- - gas or fumes U01.7
- bayonet U01.8
- biological agents (weapons) U01.6
- blast (air) (effects) U01.2
- - from nuclear explosion U01.5
- - underwater U01.0
- bomb (antipersonnel) (mortar) (explosion) (fragments) U01.2
- - petrol U01.3
- bullet(s) (from carbine, machine gun, pistol, rifle, rubber (rifle), shotgun) U01.4
- burn from
- - chemical U01.7
- - fire, conflagration (caused by fire-producing device) U01.3
- - from nuclear explosion U01.5
- - gas U01.7
- burning aircraft U01.1
- chemical (weapons) U01.7
- cholera U01.6
- conflagration U01.3
- crushed by falling aircraft U01.1
- depth-charge U01.0
- destruction of aircraft U01.1
- disability as sequelae one year or more after injury U02
- drowning U01.8
- effect (direct) (secondary) of nuclear weapon U01.5
- - sequelae U02
- explosion (artillery shell) (breech-block) (cannon block) U01.2
- - aircraft U01.1
- - bomb (antipersonnel) (mortar) U01.2
- - nuclear (atom) (hydrogen) U01.5
- - depth-charge U01.0
- - grenade U01.2
- - injury by fragments (from) U01.2
- - land-mine U01.2
- - marine weapon(s) U01.0

Codes for Special Purposes (U00 - U99)

Terrorism----continued

- - mine (land) U01.2
- - at sea or in harbor U01.0
- - marine U01.0
- - missile (explosive) (guided) NEC U01.2
- - munitions (dump) (factory) U01.2
- - nuclear (weapon) U01.5
- - other direct and secondary effects of U01.5
- - own weapons U01.2
- - sea-based artillery shell U01.0
- - torpedo U01.0
- exposure to ionizing radiation from nuclear explosion U01.5
- falling aircraft U01.1
- fire or fire-producing device U01.3
- firearms U01.4
- fireball effects from nuclear explosion U01.5
- fragments from artillery shell, bomb NEC, grenade, guided missile, land-mine, rocket, shell, shrapnel U01.2
- gas or fumes U01.7
- grenade (explosion) (fragments) U01.2
- guided missile (explosion) (fragments) U01.2
- - nuclear U01.5
- heat from nuclear explosion U01.5
- hot substances U01.3
- hydrogen cyanide U01.7
- land-mine (explosion) (fragments) U01.2
- laser(s) U01.8
- late effect (of) U02
- lewisite U01.7
- lung irritant (chemical) (fumes) (gas) U01.7
- marine mine U01.0
- mine U01.2
- - at sea U01.0
- - in harbor U01.0
- - land (explosion) (fragments) U01.2
- - marine U01.0
- missile (explosion) (fragments) (guided) U01.2
- - marine U01.0
- - nuclear U01.5

Codes for Special Purposes (U00 - U99)

Terrorism----continued

- mortar bomb (explosion) (fragments) U01.2

- mustard gas U01.7
- nerve gas U01.7
- nuclear weapons U01.5
- pellets (shotgun) U01.4
- petrol bomb U01.3
- piercing object U01.8
- phosgene U01.7
- poisoning (chemical) (fumes) (gas) U01.7
- radiation, ionizing from nuclear explosion U01.5
- rocket (explosion) (fragments) U01.2
- saber, sabre U01.8
- sarin U01.7
- screening smoke U01.7
- sequelae effect (of) U02
- shell (aircraft) (artillery) (cannon) (land-based) (explosion) (fragments) U01.2
- - sea-based U01.0
- shooting U01.4
- - bullet(s) U01.4
- - pellet(s) (rifle) (shotgun) U01.4
- shrapnel U01.2
- smallpox U01.6
- stabbing object(s) U01.8
- submersion U01.8
- torpedo U01.0
- underwater blast U01.0
- vesicant (chemical) (fumes) (gas) U01.7
- weapon burst U01.2

Codes for Special Purposes (U00 - U99)

<u>PLACE</u> 5 MOD	Date of death 9/11 I (a) Burns (b) Terrorist at II	/2001 ttack on the Pentagor	T300 &U011	
Н	Homicide	The Pentagon	Date of injury 9/11/2001	

 \underline{Code} as terrorism involving destruction of aircraft. The FBI declared the Pentagon incident an act of terrorism.

<u>PLACE</u>	Date of death I (a) Chest	S299			
5 <u>MOD</u>	(b) II World Trade Center Disaster		&U011		
Н	Homicide	World Trade Center	Date of injury 9/11/2001		

<u>Code</u> as terrorism involving destruction of aircraft. The FBI declared the World Trade Center incident an act of terrorism.

2. Severe Acute Respiratory Syndrome [SARS] (U04)

Tabular List

U04 Severe acute respiratory syndrome [SARS]

U04.9 Severe acute respiratory syndrome [SARS], unspecified

SECTION I - Alphabetical index to diseases and nature of injury

Syndrome

- respiratory
- - severe acute U04.9
- severe acute respiratory syndrome (SARS) U04.9

Additional Drug Examples

1.	Place 9	I (a)	Ingested overdose of opiates and ingested alcohol	T406	&X42	F109		
	,	<u>Code</u> I(a) nature of injury and external cause code for opiate overdose. Code ingested alcohol as indexed. No evidence of alcohol and drug synergism is reported.						
2.	Place 9	I (a)	Ingested overdose of (opiates) and ingested alcohol	T406	&X42	F109		
)		(a) nature of injury and external cause code for opiate of alcohol as indexed. No evidence of alcohol and drug			ported.		
3.	Place 9	I (a)	Intoxication by the use of cocaine and opiates	T405	&X42	T406		
	7	intoxic	(a) nature of injury and external cause code for cocaine cation. Since the drugs are assigned to the same extern X42. Do not enter a Chapter V code (F codes).	-				
4.	Place 9	I (a)	Intoxication by the use of (cocaine and opiates)	T405	&X42	T406		
	7	intoxic	(a) nature of injury and external cause code for cocaine cation. Since the drugs are assigned to the same externa242. Do not enter a Chapter V code (F codes).	-				
5.	Place 9	I (a)	Toxic effects of cocaine abuse	T405	&X42	F141		
	2	Interpret I(a) as cocaine poisoning and cocaine abuse. Code nature of injury and external cause code for cocaine poisoning and cocaine abuse as indexed.						
6.	Place 9	I (a)	Toxic effects of illicit drug abuse	T509	&X44	F191		
	9		et I(a) as drug poisoning and drug abuse. Code nature code for drug poisoning and drug abuse as indexed.	of injury	and ex	ternal		
7.	Place 9	I (a)	Mixed drug intoxication alcohol and cocaine T519	X45	T405	&X42		
	7	alcoho	et I(a) as poisoning and code nature of injury and external and cocaine. Precede the external cause code for the opersand.					

Additional Drug Examples

8. <u>Place</u> 9	I (a) Mixed drug intoxication (alcohol and cocaine) T519 X45 T405 &X42 (b)
2	II Used combination cocaine and alcohol F149 T519
	<u>Interpret I(a)</u> as poisoning and code nature of injury and external cause code for alcohol and cocaine. Precede the external cause code for cocaine poisoning with an ampersand. In Part II, code cocaine use as listed under dependence, and alcohol to the nature of injury since alcohol poisoning is reported on the record.
9. <u>Place</u> 9	 I (a) Multiple drug intoxication including T509 &X44 T402 T424 T430 (b) oxycodone, diazepam, and doxepin
	<u>Code</u> the nature of injury code for drug NOS as first entry on I(a). Since the drugs are assigned to different external cause codes, code X44 followed by the nature of injury code for each drug reported.
10. <u>Place</u> 9	I (a) Acute multiple drug intoxication (oxycodone T402 &X44 T424 (b) and alprazolam)
-	II Took overdose T509
	<u>Code</u> I(a) nature of injury and external cause code for oxycodone and alprazolam intoxication. Since the drugs are assigned to different external cause codes, code X44. Code the nature of injury code for drug NOS in Part II.
11. <u>Place</u> 9	I (a) Acute multiple drug intoxication (ethanol, T510 X45 T402 &X44 T424 (b) oxycodone and alprazolam)
	Interpret I(a) as alcohol poisoning and drug poisoning. Code the nature of injury and external cause for the alcohol and drugs. Since the drugs are assigned to different external cause codes, code X44 and precede with an ampersand.

Additional Drug Examples

12. <u>Place</u>	Ι	(a) Acute co	ombined drug intoxication	T509	&X44		
9		(b) (oxycod	one, with diazepam and ethyl	T402	X45	T424	T510
		(c) alcoho	1)				
MOD	II			T509	T510		
А		Accident	Took drugs and drank alcoholic bever	rages			

<u>Code</u> the nature of injury for drug NOS as first entry on I(a). Since the drugs are assigned to different external cause codes, code X44. Code the nature of injury for each drug reported on I(b) and the nature of injury and external cause for alcohol. Code the nature of injury for drug NOS and alcohol in Part II.

13. Place	I (a) Acute intoxication due to ethanol	T510
9	(b) abuse, opiate abuse	F101 F111
MOD	II Drug reaction	T509 X44 &X45
А		

Accident

<u>Code</u> I(a) to the nature of injury code for ethanol since this is the first substance reported in the "due to" position. Code I(b) as indexed. Code Part II to drug poisoning since drug NOS is reported and the certifier stated the death was due to an accident. Code the external code for ethanol poisoning as the last code in Part II and precede with an ampersand.

14. Place	Ι	· · · · · · · · · · · · · · · · · · ·	I499	T435	&X41
9		(b) injection			
MOD		(c)			
А	Π	Hydroxyzine injection	T435		
		Accident			

<u>Code</u> first condition on I(a) as indexed. Code hydroxyzine injection as poisoning since it is a psychotropic drug and the certifier reported the death was due to an accident. Code nature of injury for hydroxyzine Part II.

15.

I (a) Cardiac arrhythmia associated with hydroxyzine I499

(b) injection

(c)

II Hydroxyzine injection

<u>Code</u> first condition on I(a) as indexed. No code required for the hydroxyzine injection since no complication is reported. It is considered drug therapy since the certifier did not report accident or undetermined in the manner of death block.

Additional Drug Examples

16. <u>Place</u> 9 MOD	I (a) Acute cardiac arrhythmia precipitated by I499 (b) cocaine and opiates (c)	T405	&X42 T406
A		F111	
	<u>Code</u> first condition on I(a) as indexed. Code cocaine and the drugs are narcotics and the certifier reported the death we Code the nature of injury and external cause code for cocaine Since the drugs are assigned to the same external cause code cocaine abuse and opiates abuse as indexed in Part II.	vas due t ne and o	o an accident. piate poisoning.
17. <u>Place</u> 9	I (a) Acute intravenous narcotism (heroin) (b)	F112	
	II Methadone overdose, heroin injection	T403	&X42 T401
	<u>Code</u> I(a) F112, acute intravenous heroin narcotism. Consi overdose and heroin injection as poisoning. Heroin is not u purposes.		
18. <u>Place</u> 9	I (a) Acute intravenous narcotism heroin overdose	F192	T401 &X42
,	<u>Intrepret</u> I(a) as two separate entities. Code acute intravence entity and code a nature of injury and an external cause code second entity.		
19. <u>Place</u>	I (a) Acute intravenous narcotism(b) Morphine	F112	
9	II Intravenous use of drugs	F199	
	Consider I(b) as continuation of I(a). Code I(a) acute intra- narcotism and Part II as indexed.	venous n	norphine
20.	I (a) Drug dependence (heroin, cocaine)	F112	F142
	Code I(a) heroin and cocaine dependence as indexed.		

Appendix H

24.

Additional Drug Examples

()	nal failure ug induced hepatotoxicity	N19 T509 &X44
	(a) as indexed. Code I(b) as poisoning since tox the terms that is interpreted as poisoning.	cicity (of a site) by a drug is
22. <u>Place</u> I (a) E 9 (b)	ffects of cocaine and methamphetamine use	F149 F159
$\frac{\text{MOD}}{\text{A}} \begin{array}{c} \text{II Drug i} \\ \hline \text{Acciden} \end{array}$		T509 &X44
use of dru) as indexed applying intent of certifier instruct ugs. Code drug intake as poisoning since drug rertifier reported the death was due to an accide	NOS is reported
9 II	Adverse effects of drugs	T509 &X44 T509
$\frac{\text{MOD}}{\text{A}}$ Acciden	nt Subject took drugs	

<u>Code</u> I(a) to drug poisoning since drug NOS is reported and the certifier stated the death was due to an accident. Code the nature of injury for drug in Part II.

Ι	(a) Gastric ulcer	K259
	(b) Drug intake	Y579
	(c) Arthritis	&M139

<u>Code</u> the gastric ulcer as a complication of the drug reported on I(b). Code the E-code for drug therapy on I(b). It is considered drug therapy since the certifier did not indicate the death was due to an accident or it occurred under undetermined circumstances or the drug was taken in conjunction with alcohol. Code I(c) as indexed and precede with an ampersand.

Appendix H

Additional Drug Examples

25. <u>Place</u> 9	Ι	(a) Combined toxicity(b) Heroin and amphetamine	 &X44 T436
MOD	Π		
А		Accident	

<u>Code</u> I(a) to nature of injury for Toxicity NOS, T659 as indexed. Code external cause to X44 since the drugs are classified to different external cause codes.

26. Place	I (a) Poisoning	T659	&X44
9	(b) Heroin and amphetamine	T401	T436
MOD	II		
А	Accident		

<u>Code</u> I(a) to nature of injury for Poisoning NOS, T659 as indexed. Code external cause to X44 since the drugs are classified to different external cause codes.

27.	Place	Ι	(a)	Mixed drug J	poisoning (co	caine,	T405	&Y12	T406	T510	Y15
	9		(b)	opiate, eth	nanol)						
	MOD		(c)								
	С	II	Con	sumed ethand	ol with illicit	drugs	T510	T509			
		Γ	TT 1		l						
			Und	etermined							


Interpret I(a) as poisoning and code nature of injury and external cause for cocaine, opiate and ethanol. Precede the external cause for the drugs with an ampersand. In Part II, code ethanol to a nature of injury since ethanol poisoning is reported on the record; also code the nature of injury for drug.

28. Place	Ι	(a) Subdural hematoma	I620
9		(b) Anticoagulation	Y442
		(c) Arrhythmia	&I499
	Π	Amiodarone lung toxicity	T462 &X44

<u>Code</u> I(a) as nontraumatic. Code the E-code for drug therapy on I(b). Code I(c) as indexed and precede with an ampersand to identify the reason for treatment. Code Part II as poisoning since toxicity (of a site) by a drug is one of the terms that is interpreted as poisoning.

Appendix H

Additional Drug Examples



<u>Code</u> I(a) as indexed. Code the bleeding as a complication of the drug reported on I(c). Drug, medicament or biological substance is assumed to be used for medical care unless there are indications to the contrary.

30. Place	• •	opiate and stimulant poisoning	T406	&X44	T509
9	(b) Usage of h	ydrocodone and cocaine	F119	F149	
MOD	II		T406	T509	
А	Accident	Used lethal combination of opiate	es and stin	nulant dru	ugs

<u>Code</u> I(a) nature of injury and external cause for opiate and stimulant poisoning. Since the drugs are assigned to different external cause codes, code X44. Code I(b) as indexed applying intent of certifier instructions for use of drugs. Refer to Table of drugs and chemicals to find hydrocodone, T402. In Volume 1, the title of category T402 is "Other opioids". Code hydrocodone use to Addiction, opioids, with fourth character .9, F119. In Part II, code the nature of injury for opiates and stimulant drugs, since "Lethal (amount) (dose) (quantity) of a drug" is interpreted to mean poisoning.

	I	(a)			lgesic and antihistaminic	T398	&X44	T450	T432
9			antio	depress	ant poisoning				
MOD		(b)	Usage of	of fenta	nyl promethazine doxylamine	F199			
А	II					F199			
	A	Accid	lent		Used combination of prescript	tion drug	gs		

<u>Code</u> I(a) nature of injury and external cause for analgesic, antihistaminic and antidepressant poisoning. Since the drugs are assigned to different external cause codes, code X44. Code I(b) and Part II as indexed applying intent of certifier instructions for use of drugs.

32. Place	Ι	(a) Combined ethanol and methadone intoxication	T510	X45	T403	&X42
9	Π	Toxic use of drug and ethanol	T509	T510		

<u>Interpret</u> I(a) as poisoning and code nature of injury and external cause code for ethanol and methadone. Precede the external cause code for the methadone poisoning with an ampersand. Interpret Part II as poisoning and code nature of injury for drug and ethanol.

Α

Abbreviations	
Abortion	
Accident	
Aircraft	
Motor Vehicle and Plane	
Motor Vehicle, Homicide	
Motor Vehicle, Suicide	
Motor Vehicle, Undetermined	
Space	
Acquired	
Congenital Defects (Anomaly)	
Less than 1 year	
Less than 28 Days	
Activity Codes	
Acute	
Definition	
Exacerbation	
Exacerbation of Chronic	
Hepatic Failure, Created Code (K7200)	
Intoxication	
Intravenous Narcotism	
Myocardial Infarction with 3 Month Duration	
Myocarditis	
Terms/Chart	
Acute & Chronic	
Chart	
Leukemia	
Acute Exacerbation	
Additional Drug Examples	
Additional Information (AI)	
Amended Certificates	
Birth Weight in Margin	
Complications of Surgery	
Does Not Modify or State Underlying Cause	
Gives Primary Site of Neoplasm	
Neoplasm with No Mention of Site	
Twin	
Types of Transports	
Adhesions (Lowest Used Line)	
Adjective Modifiers	
Age	
Child, Childhood	
Abuse (Battering/Maltreatment)	
Brain Damage reported due to	
Death	
Transports less than 14 years	
Effect of Age of Decedent on Classification	
Infant, Infantile	
Gestation, early	
Hypoglycemia	
Hypomagnesemia	
Less than 1 year	

	• • • •
SIDS	
Termination	
Weight	
Limitation	
Newborn, Neonatal	50
Less than 1 Year	
Less than 28 Days	
Limitations (28 Days and Over)	
Over 5 Years (X60 – X84)	
Over/Under 1 year	
Paralysis	
Rheumatic Heart Disease	
AIDS/HIV Due to Blood Transfusion	
Alcohol (F100, F101, F109, R780, R826, R893)	207
Poisoning, Alcohol and Drugs Chart	
Reported with Barbiturates	
When Reported on Certificate	
With Analgesics, Sedatives, Narcotic and Psychotropic Drugs	
Alcohol and Drug Examples – Appendix H	
Always Malignant	
Alzheimer's, Dementia	
Amended Certificates	
Ammonia Intoxication	
Ampersand (surgery) (medical)	
Amputation	
Do Not Assume Disease	
Leg (example)	
Stump	
Anesthesia	
For Surgery	
Angiogram (example)	
Anthrax – Terrorism	
Aortic Stenosis <1 Yr	
Appendectomy	
Surgical Example	
Appendicitis	
Appendix H, Drug Examples	
Arrested Pulmonary Tuberculosis	
Arteriosclerosis and Arteriosclerotic	
Additional Modifier	
Cerebral, Sequela	
Do Not Relate	
Reported Due to Surgery	
Arthritis	
(Acquired) (Any Type)	
With Contractures	
With Deformity	
Arthrosis (M199)	
Aspiration	
Ampersand and Exceptions	
Pneumonia Due to Smoke	
Reported with other External Causes	
Threats to Breathing Tables	
Assuming Nature of Injury	
Exceptions	
Asterisk (*)	

Do Not Use	2
Unless Notified by NCHS	
Asthma	
Childhood	
Atrial Defect (Q210)	
ATV accident	
Auricular Defect (Q211)	
B	
- Battering	263
Biliary Cirrhosis NOS (K745)	
Birth Injury, Spinal Cord	
Birth Weight	
Bleeding Varices, Varix NOS (I859)	
Brain Damage, Child	
Bronchopneumonia (J180)	
Due to Influenza	
Burns	
Transport	
C	
Cancer (see also Neoplasm)	
of Prostate (female)	62
Versus Disease	
Carbon Monoxide (Poisoning)	
Catheter, Catheterization	
Cause Unknown	
Part II	
Surgery	
Caused by Above	
Cesarean Delivery	
For Inertia Uterus (O622)	
Charts, Lists, Bullets, etc.	
Abbreviations	
Activity Codes	
Anatomical Sites / Systems of Cancer	
Codes to use with Surgery when Condition Not Reported	
Common Sites of Metastasis	
Complications of Drug Therapy	
Do Not Make Assumption	
Conditions First Entry Lowest Used Line Classified to Ill-Defined	47, 348, 349, 350, 351
Conditions Qualified Traumatic	
Bullet Entering / Exiting	
Bullet, Gunshot, Shooting	
Exceptions	
Firearms	
Injury NOS	
Pedestrian Versus Any Vehicle	
Reported With	
Do Not Assume For These Conditions	
Only Condition on Record	
Do Not Relate / Modify These Conditions	
Due To	
E-Code	
External Special Purposes	
Gestation	
HIV	

	430	2b January 2007
Activity		
Codes		
Injury Liver		
Encephalopathy		
Reported With		
Cirrhosis		-,
Subdural Hematoma, Traumatic		
Rheumatic Heart Disease		
Reported with Acute Exacerbation		
Pneumonia, Created Code (J9840)		
Lung Disease, Created Code (J9840)		
Hepatic Failure, Created code (K7210)		
Definition		
Conditions With Durations of One Year or Me		
Conditions Reported With Injury		
Viral Hepatitis		
Viral Encephalitis		
Trachoma		
S00 – T88		
Rickets		
Obstetrical Cause		
Inflammatory Disease of Central Nervous S		
Hyperalimentation		
Cerebrovascular Disease		
Conditions Reported Due to		
Conditions in I600 – I64 and I670 – I679		,
Condition One Year Or More Due To Polio		
Condition One Year or More Due To Leprosy		
Chart		
And Acute Preceding 2 or More Conditions		
Chronic		.,
Childbirth		
Transports Less than 14 Years		
Homicide		
Death		
Brain Damage Reported Due To		
Exception		
Abuse (Battering / Maltreatment)		
Child, Childhood		
Unknown Cause		
Threats to Breathing and Related conditions		
Terrorism		
Synonymous Sites		
Substitute Codes		
Reformat Up		
Placement of Codes		
Induced		
Ampersand		
Radiation		
Primary Site Unknown		
Combining Alcohol and Drugs		
Poisoning by Drugs		
Place of Injury		
Not Indicating Due To		
Misadventure Indications		
Manner of Death		217

Excessive	
Geographic	
Substitute	
Codes for Place of Injury	
Codes for Special Purposes	
SARS	
Terrorism	
Coding Causes of Death Nomenclature	
Coding Transport Categories (V01 – V89)	
Colostomy	
Combined Effects of Two or more Drugs	
Combining Alcohol and Drugs	
Common Sites of Metastasis	
Complications	
Administration of Drugs, Radiation, Instruments	362
Drug Induced (Stated).	
Complications (Surgery)	
Named Surgery	314
Condition in (S00 – T88)	
Stated Chronic With or Without Duration Due To (S00 – T88)	371
Stated Chronic With or Without Duration Due To (S00 – 188)	
Stated Chronic, Old, Hx of, etc., Regardless of Duration	
Conditions	
	204
Drug Induced or Due To Drug	
Necessitating Surgery	326
Exception – Appendectomy	
Predating Surgery	
Qualified as Traumatic	2.12
Types of Transports	
To Assume when Condition Not Reported (Partial List)	
Conditions Reported in Part II	
Conflict in Durations	
Congenital	
Anomaly NOS	
Less Than 28 Days	
Less than One Year	
Conditions	
Due To Drug Therapy	
Defects	
Plural	
Do Not Relate	
Hydrocephalus, Classified Congenital	
Pregnancy Complicated By	
Syphillis	
Connecting Terms	
Lists (Partial)	
Consider Transports in Motion / Stationary	
Contracture	
Arthritis (M169)	
Joint	
Contrast Medium	
Coronary	
Implied Disease	
Coxarthrosis (M169)	
Created Codes	
C-Section	

Inert Uterus	
D	
Date of Surgery Block	
Death	
SIDS	
Definitions	
Adjectival Modifiers	
And Types of Diagnostic Entities	
Multiple One Term Entity	
One Term Entity	
Reported with Multiple Conditions	
Deformity	
<1 Year of Age	
Arthritis	
Deletion of Part II	
Delivery	
Dementia, Alzheimer's	
Diabetic	
Coma Necessitating Surgery	
Diagnostic Term Chart	
Diagnostic Terms	
Special HIV	
Dialysis	
Diaphragmatic Hernia in K44	
Digitalis Intoxication	
Digitalis Toxicity	
Disease	
Classified to Injury	
Implied	
Hypertension	
Renal	
Plural Form	
Dissociative Disorder (F449)	
Do Not Relate	
Dog Bite	
Doubtful Diagnosis	
Apparently	
Doubtful Qualifying Expressions	
Interpretations of	
Perhaps	
Possibly	
Presumably	
Drowning	13
ATV	250
Drug Examples (Appendix H)	
Drug Use NOS (F199)	
Drug(s)	105
Acute Intoxication	200
Administered 1 Year or More	
Administered for Procedure	
Administered for Procedure	
And Alcohol	
Chemotherapy	
Do Not Assume a Disease Condition	
Do Not Assume Sequela, One Year or More	
E-code Followed by Complication	

Examples (Appendix H)	
Immunosuppression	
For Surgery	
Induced	
Intoxication (Therapy)	
One Drug in Part I, Another in Part II	
Overdose	
Percentage in Blood	
Poisoning	
Combination of Drugs / Poisoning	
Reaction	
Two or More Drugs in Therapy	
Due To Named Medical Procedure (Steps 1-5)	
Duration	
Conflict in Durations	68
Do Not Use to Qualify Condition Congenital	
Inconsistent	
Drug Therapy	
Prefer	
Spaces	
Spar of Dates	
Two Conditions with One Duration	
Dysmenorrhea (N946)	
Dysplasia of Lung NOS (Q336)	
Anything Indexed to Q336, see Intent of Certifier	
E	
Early Infancy	197
E-Code	
Edema (Acute, Chronic)	
Do Not Relate	75
Due To Inhaled Chemicals	
Due To Radiation	
Effect of Duration on Assignment of Codes	
Effects of External Cause of Injury and External Cause of Poisoning	
Embolism	
From a Site	73
Implied Site of Disease	
To a Site	
Encephalopathy	
Name Implies Site, Do Not Relate	76
Special Diagnostic Entities AIDS / HIV	
Endocrine / Metabolic Disorders, see Infant	
Enema	
Barium	362 363
Water (tap)	
Epilepsy (Traumatic)	
Erythremia (C940)	
Examples	
Due To Cardiopulmonary Resuscitation	360
Fracture Site Qualified Pathological	
Non-Union	
Old Fracture	
Reported with Laceration, Contusions, etc.	
Sequela	
Sequera	
Surgical Assumption	
Surgical Example	

Transports (In Motion, Stationary)	247
Exceptions	
Conditions Classifiable to	
I20 - I25 except I250	
Exceptions To Relating and Modifying (example)	
Excessive Codes To Delete	
External Cause	
Anthrax	
Aspiration, Ingestion, Inhalation,	
Assumption Of Nature Of Injury Code When Not Reported, also with Disease Reported	
Burns	
Child Abuse, Battering and Other Maltreatment	
Exceptions, Specifies Homicide	
Complications of	
Cause Code Concept	
Medical and Surgical Care	
Medical Care	
Medical Procedures other than Surgery	
Prophylactic/Non Therapeutic Surgery	
Radiation During Medical Care	
Surgery	
Surgical Procedures (List Not All Inclusive)	
Compression Chest, Crushed Chest	
Conditions Qualified As Traumatic	
Exception Emphysema, Encephalitis, Meningitis	
Exceptions if Due to Nontraumatic Condition	
No Provisions To Code Traumatic	
Stated Traumatic (See List)	
Traumatic Form Only When Stated	
Drowning and Submersion Results Of Motor Vehicle Accident	
Drugs, Medicaments, And Biological Substances Causing Adverse Effects in Therapeutic U	
E - Code Only	
E - Code Only Evidence of Residual Effects	
Falls	
Firearms And Firearm Injuries	
Fires (Includes Burns, Gases, Fumes)	
Hanging And Mechanical Strangulation.	
Implied Site Of Injury	
Ingestion, Inhalation Of Gasses Fumes, Vapors	
Lightning	
Manner Of Death	
Misadventures to Patients During Surgical And Medical Care	
Most Specific	
Multiple Injuries	
N and E Code List	
N Code Only List	
Nature Of Injury Without Mention Of External Cause	
Place Of Occurrence	
Placement Of Nature Of Injury	
Order of Entry	
Poisoning	
Poisoning By Alcohol and Drugs	
Poisoning By Combination Of Drugs	
Poisoning By Drugs	
Specified Types/Sites Of Injuries	
434	2b January 2007

Use Of Ampersand	224, 301, 364
Use Of Tabular List	
F	
Fall, Fell.	
Building	
Examples	
Exiting, Entering Transport	
Ladder	
Stairs	
Traumatic Cerebral Thrombosis	
Traumatic Coreonal Thionhoosis	
Fibrosis	
Radiation	266 267
Firearms, see External	· · · ·
Self Inflicted NOS	
With Injury (Bullet, Entering, Exiting, Shot, Etc.)	
Format	2.5
Condition Entered Above Line 1(a)	
Condition Reported As Due To 1(a), 1(b), or 1 (c)	
Condition Reported Between Lines In Part I	
Conditions In Duration Box	
Conditions Reported In Part II	
Connecting Terms	
Deletion of Due To	
More than 4 Due To Statements	
Not Indicating a Due To Relationship	
Numbering Of Causes Reported In Part I (Partial)	40
Punctuation Marks	
Reformat Up	
Reported Between Lines	
Reported In Part II	
Same Line	
Fracture (any site) (T142)	
Bilateral, Both, Multiple	
Examples	
Fracture Site Qualified Pathological (All Reported On Certificate as Pathological Of That Site)	
Non-Union	
Old Fracture	
Reported With Laceration, Contusions, etc	
Sequela	
Surgical Example	
Transports (In Motion, Stationary)	
Fumes & Vapors (Respiratory Conditions)	
G	
Gangrene (Necrosis)	
Adjectival Modifier Reported With Multiple Conditions	28
Diabetic	
Come Necessitating Surgery	
Garbage Truck Accident	
Gastrectomy	
Gastrointestinal Bypass	
General Paresis (A521)	
Genitourinary Conditions Due To Surgical Procedure	
Gestation	
Gonarthrosis (M179)	
Gout (M109)	

Н	
Healed	
Hemolytic Anemia (D589)	
Hemorrhage (GI)(Traumatic)	
Hemorrhagic	
Hemorrhagic Purpura NOS (D693)	
Hepatoxicity	
History of	
HIV/AIDS	
Related Conditions	
Treat as Separate One-Term Entity	
HIV/AIDS Due to Blood Transfusion	
House	
Fire With Lightning	
Struck By Lightning	
Hyperaldosteronism (E269)	
Hyperalimentation (E68)	
Hyperglycemia (surgery)	
Hyperparathyroidism (E213)	
Hypothyroidism	
Hypotonic Labor (O622)	
Hypotonic Uterus Dysfunction (O622)	
I	
I20 - I25 except I250 - Exception	27
Immunosupression	
Implication of Malignancy	
Does Not Apply	177
Implied Disease	
Coronary	
Implied Site of Disease Condition	
Inadequate Uterus Contraction (O622)	
Inconsistent Duration	
Infant, Infantile	
Endocrine/Metabolic Disorders	197
Infarction	1,7,
Complications as first entry on lowest used line	338
Conditions of Different Site	
Conditions of Unspecified Site	
Effect of Duration	
Sequela of Cerebral	
Infection	
Exceptions to relating	74
Injury	
Combination Code, code each site separately	24
Exceptions (Do Not Relate)	
Injury (ies) (Generalized)(Internal)(Multiple)	
Activity Codes	
As Disease Conditions	
As Disease Conditions	
By Terrorism	
By Terrorisin	
Multiple	
N and E Codes Nature of	
Nature of	
Placement of codes	

Reported due to	
S000 - T149 (Birth Trauma)	
Single site	
Specified types	
Intent of Certifier	
Arthrosis (M199)	
Biliary Cirrhosis NOS (K745)	
Bleeding Varices, Varices (I839)	
Cataract (H269)	
Cerebral Sclerosis (G379)	
Cervical Dystocia (O622)	
Cesarean Delivery for Inertia Uterus (O622)	
Coxarthrosis (M169)	
Diaphragmatic Hernia in K44	
Dissociative Disorder (F449)	
Drug Use NOS - Named Drug Use (F11- F16, F18- F19)	
Dysmenorrhea (N946)	
Dysplasia of Lung NOS (Q336)	
Erythomia (C940)	
Fracture (any site)(T142)	
General Paresis (A521) Gonarthrosis (M179)	
Gout (M109)	
Hemolytic Anemia (D589)	
Hemorylic Allenna (D389)	
Hyperaldosteronism (E269)	
Hyperparathyroidism (E207)	
Hypoplasia of Lung NOS (Q336)	
Hypotonic Labor (O622).	
Hypotonic Uterus Dysfunction (O622)	
Inadequate Uterus Contractions (O622)	
Injury (S000 - T149)	
Intracranial Non Traumatic hemorrhage of Fetus and Newborn (P52)	
Kyphosis (M402)	
Lactase Deficiency (E730)	
Lupus Erythematosis (L930), Lupus	
Mental Disorder (any F99)	
Myopathy (G729)	
Organisms and Infections NOS (B99)	
Osteonecrosis (M879)	
Paralysis (any G81, G82, G83 excluding senile paralysis)	
Personality Change (Enduring) (F629)	
Personality Disorder (F609)	
Pneumoconiosis (J64)	
Pneumonia in J188 or J189, Broncho, Lobar, etc.	
Polyarthrosis (M159)	
Polycythemia (D45) Psychosis (any F29)	
Psychotic Episode NOS (F239)	
Scoliosis (M419)	
Sideroblastic Anemia (D643)	
Starvation NOS (T730)	
Thrombocytopenia (D696)	
Tobacco Use (F179)	
Uterine Inertia During Labor (O622)	
Viral Hepatitis as Chronic Viral Hepatitis	

nterpret all these statements to mean <u>poisoning</u> by drug and code as po treatment:	
ntoxication by Drug	
ntoxication by Drug ntracranial Nontraumatic Hemorrhage of Fetus and Newborn (P52)	
nvalid Codes	
{	122
Kyphosis (M402)	
-	
Laceration	
Injuries as disease conditions	
Misadventure	
Non traumatic fetus and newborn	
Lactase Deficiency (E730)	
Less than 5 Yrs / Suicide (X60-X84)(Code Acc)	
.ightning	
Lowest Used Line / Surgery	
Exceptions	
r .SD	
Lupus (L930)	
ириз (1990)	12/
Major Revisions	Λ
Malignant Hypertension	
Aalignant Neoplasms	171
All Sites but one Qualified Metastatic	
All Sites Metastatic or on the List	
All Sites Qualified Metastatic	
Anatomical System	
Categories	
Coding Concept	
Common Sites List	
Implication of Malignancy	
Independent (primary) sites	
Kaposi's Sarcoma	
Lymphatic, Hematopoietic	
Mass or lesion with malignant neoplasms	
Mesothelioma	
Metastases	
Common sites	
NOS	
Metastatic	
From a Site	164
More Than One Site Qualified Metastatic	
Morphology Implying Site and Independent Anatomical Site	
Multiple Sites	
Neoplasm Stated to be Secondary	
No Site With Morphological Type	
Other Morphological Types Of Neoplasms	
Primary Site	
Indicated	
Unknown	
Reject Coding	
Secondaries	
Single Morphological Type and Site	
Site Specific Neoplasms	
Sites with Prefixes or Imprecise Definitions	
Special Instruction - Lung	

Special Instruction - Lymph Nodes	
Terms Synonymous With Metastasis or Metastatic	
Two or More Sites Metastatic	
C40, C41, C42, C43, C44, C45, C46, C47, C49, C70, C71, C72	
C80	
Without Specification of Site	
Manner of Death	
Homicide, Suicide (Transports)	
Marks	
Mass	
Maternal (Diabetes)	
Medical Procedures	
Metastatic	
All Sites but one Qualified Metastatic	
All Sites Stated Metastatic	
Metastatic Mesothelioma	
Metastatic Neoplasms	100, 10,
of the Same Site (whether stated metastatic or not)	173
Metastatic Neoplasms (see also Malignant Neoplasms)	173
More Than One Malignant Neoplasm	170
No Site But Type Qualified Metastatic	
One Site Qualified Metastatic	
Single Type Other Than Common Site	
Site Specific	
Neoplasms Qualified Metastatic	
Misadventure	
Misadventure Surgical / Medical	
More than 14 Codes	
Motor Vehicle NOS is not a car	
Multiple Injuries	
Bilateral	238
Both	
More than One Site	
Multiple	
Single Site	
Multiple One-Term Entity	
Exceptions	
1	
Myopathy (G729)	
N	
N and E	
Natural Cause	
Neoplasm, Neoplasms (see also Malignant Neoplasms)	202
Complications of Drugs	
Complications of Surgical Procedures	
Do Not Relate	
Morphological Types	
Newborn or Neonatal	
Endocrine / Metabolic Disorders	
P703 - P720, P722 - P749	
Nontherapeutic Surgery	
Numbering of Causes Reported in Part I	
0	
Occlusion	
Ill-Defined (I99)	
Lowest Used Line in Part I	

NOS reported	73
Of a Site	
Old Injuries (dates, no dates)	
Old Polio	
One-Term Entity	
Open Verdict Certificate	
Order of Entry	
General	11
N&E	
Organisms and Infections NOS (B99)	
P	200
PAM	
Parentheticals, Parentheses	
Percentage of Burns	
Percentage of Drugs in Blood	
Perinatal Conditions (P703-P720, P722-P749)	
Personality Disorder (F609)	
Place of Occurrence of External Cause	
Plural	
Form of Disease	
Pneumoconiosis (J64)	
Pneumonia	
Complications of Surgery	
Doubtful Diagnosis	
Due to trauma	
Exceptions to Modifying	
In J188 or J189	
Infectious Conditions	
Lowest Used Line Complication	
Operative Delivery (Pregnancy)	
Parenthetical	
Post Operative	
Qualified as Post Operative	
Traumatic	
With R00-R99	
Polyarthrosis (M159)	
Polycythemia (D45)	
Postmortem	
Post-Operative List	222
Qualified Post Operative	
Postsurgical Conditions	
Pregnancy, Childbirth, Puerperium	
Abortion	
Anesthetic	
Childbirth	
C-Section	
HIV	
Operation	
Presumably (End of Line)	
Preterm Delivery	
Preterm Labor	
Probably (End of Line)	
Beginning of Line (Part II)	
Products of Combustion	
Prophylactic Surgery	
Psychotic Episode NOS (F239)	
• • • • • •	

Punctuation Marks	
Pyelonephritis with calculus	
Ŕ	
Radiation	
Fibrosis	
Relating and Modifying	
Do Not Relate	
Arteriosclerosis	
Congenital Anomaly NOS	
Hernias	
Hypertension	
Infection NOS	
Neoplasms	
Paralysis	
Ulcers	
Residual Effects	
Rheumatic Heart Diseases	· · · · · · · · · · · · · · · · · · ·
Active and Chronic	
Heart Diseases Described as Rheumatic	
Rheumatic Fever and Heart Disease Jointly Reported	
Valvular Disease Not Indicated to be Rheumatic	
Valvular Disease Reported Due To	
Valvular Disease Reported Jointly	
Rickets Rule Out (Ruled Out, R/O)	
Russian Roulette	
S	
Scoliosis (M419)	134
Secondhand Smoke	
Sequela	
Paralysis, Traumatic	84
Terrorism (U00 - U99)	
Sequela of	110
Acute Poliomyelitis (B91)	
Cerebrovascular Disease	
Direct Obstetric Cause	
External Causes (Y850 - Y899)	
Hyperalimentations (E68)	
Infectious and Parasitic Diseases (B948-B949)	
Inflammatory Diseases of Central Nervous System (G09)	
Injuries, Poisonings, and Other Consequences of External Cause	
Leprosy (B92)	
Malnutrition and Other Nutritional Deficiencies (E640 - E649)	
Special Note for Infectious Categories	
Trachoma (B940)	
Tuberculosis (B900 - B909)	
Viral Encephalitis (B941)	
Viral Hepatitis (B942)	
Sex Limitations	
Sideroblastic Anemia (D643)	
SIDS	
Slash	
Snowmobile	
Space Accident	
Stationary Transports	
Alighting, Boarding, Entering, Leaving, Exiting	

Status of Victim	246
Status Of Vicunit	
Subacute (Code Acute)	
Subdural Hematoma	
Substitute Codes	
Surgery	107
Brain Tumor Removal	313
for BO	
Pneumonia postgastrectomy	
PO BO	
PO Ileus	
PO peritonitis	
PO Wound Infection	
Postgastrectomy Dumping Syndrome	
Reason for Postsurgical Condition	
Relating Surgery to Specified Site	
Cancers	
Reported Due To Surgery	
Synonymous Sites	
T	
Terrorism Classification	408
Therapy	
Named	
Threats to Breathing	
Thrombocytopenia (D696)	
Tobacco Use (F179)	
Toxic Conditions	
Toxic Poisoning	
Due to Disease	
Trachoma	
Transport Accident	
Traffic / Nontraffic	
Traumatic Disease Condition (coma, etc)	
Emphysema, Encephalitis, Meningitis	
Tuberculosis (see Arrested)	
Twin	
Two or more External Causes	
U	
Ulcer With Internal Hemorrhage	70
Unclassified	
Unconsciousness	
Underlying Cause	
Use of Ampersand	
Aspiration	
Exceptions	
Surgery	
Uterine Inertia During Labor (O622)	
V	
VS (versus)	15 16 217 251 287
W	
	252
Water Transport Accidents	
Weight (Early Infancy, Newborn)	
γ	
Y40 – Y59 Deves Dislaging in Theorem	200
Drugs/Biologicals in Therapy	
Y60 - Y69	

Misadventures (Surgical/Medical)	
Y83	
Abnormal (Surgical)	
Y84	
Abnormal (Medical)	