2b Errata for Year 2008

Page#	Content to be Corrected	Corrections
42	Instruction c, 3 rd example change	Corrected page attached
182	Replace Table	Corrected page attached

Part C Format

I	(a)	Congestive heart failure	I500		
	(b)	Influenza	J1110		
	(c)	1. Pulmonary emphysema	J439	J449	C349
	(d)	2. COPD			
Π		3. Cancer of lung			

Enter the codes for the conditions numbered 1, 2, and 3 on I(c) in the order indicated by the certifier. Do not enter a code on I(d) or in Part II.

c. When the causes in Part I are numbered, and an entry is stated or implied as "due to" another, enter the code(s) connected by the stated or implied "due to" in the next "due to" position, followed by the codes for the **remaining numbered** causes.

Ι	(a)	1. Bronchopneumonia due to	J180		
	(b)	influenza	J1110	J841	J40

(c) 2. Pulmonary fibrosis 3. Bronchitis

Enter the code for the condition followed by the stated "due to" on I(b), followed by codes for the conditions numbered "2" and "3." Do not enter a code on I(c).

I	(a)	1. Pneumonia	J189	
	(b)	MI	I219	I251
	(c)	2. ASHD		

 $\underline{\text{Code}}$ the condition numbered "2" as a continuation of I(b). Leave I(c) blank.

10. Punctuation marks

a. Disregard punctuation marks such as a period, comma, semicolon, colon, dash, slash, question mark, or exclamation mark when placed at the end of a line in Part I. Do not apply this instruction to a hyphen (-), which indicates a word is incomplete.

I	(a)	Myocardial infarct?	I219	
	(b)	Meningitis, mastoiditis	G039	H709
	(c)	Otitis media	H669	

Disregard the punctuation marks and code the conditions reported on I(a), I(b), and I(c) as indicated by the certifier

Part C Format

I	(a) Chronic rheumatic	I099	I958
	(b) heart disease, chronic hypotension		
	(c) Cancer	C80	

Regard the conditions reported on I(b) as a continuation of I(a). Do not enter a code on I(b).

b. When conditions are separated by a slash (/), code each condition as indexed.

I	(a)	Cardiac arrest/respiratory	I469	R092	J189
		arrest/pneumonia			
	(b)	ASHD	I251		

Disregard the slash and code conditions as indexed.

- c. When a dash (-) or slash (/) is used to separate sites reported with one condition and the combination of the sites is indexed to a single ICD-10 code, disregard the punctuation and code as indexed. This does not apply to commas.
 - I (a) Cardiac-respiratory arrest I469

<u>Code</u> as one code assignment since the 2 sites are indexed as Arrest, cardiorespiratory.

I (a) Cardiac, respiratory arrest I469 R092

<u>Code</u> each site separately since this instruction does not apply to commas.

I (a) Cardiac respiratory arrest I469

<u>Code</u> as one code assignment since the 2 sites are indexed as Arrest, cardiorespiratory.

11. Conditions in the duration box

When a condition is entered in the duration block, code the condition on the same line where it is reported.

Ι	(a) Arteriosclerotic heart disease(b)(c)	<u>Duration</u> CVA	I251	I64
II	Arteriosclerosis		I709	

<u>Code</u> the condition reported in the duration block as the last entry on I(a).

- b. When mitral insufficiency, incompetence, or regurgitation is jointly reported with mitral stenosis NOS (or synonym), code all these conditions as rheumatic unless there are indications to the contrary.
 - I (a) Mitral insufficiency with mitral stenosis I051 I050

<u>Code</u> the mitral insufficiency as rheumatic since it is reported with mitral stenosis and there is no indication to the contrary.

4. Valvular diseases not indicated to be rheumatic

In the Classification, certain valvular diseases, i.e., disease of mitral valve (except insufficiency, incompetence, and regurgitation without stenosis) and disease of tricuspid valve are included in the rheumatic categories even though not indicated to be rheumatic. This classification is based on the assumption that the vast majority of such diseases are rheumatic in origin. Do not use these diseases to qualify other heart diseases as rheumatic. Code these diseases as nonrheumatic if reported due to one of the nonrheumatic causes on the following list.

I (a) Pericarditis I319 (b) Mitral stenosis I050

<u>Although</u> mitral stenosis is classified to a rheumatic category, do not use it to qualify the pericarditis as rheumatic.

a. When valvular heart disease (I050-I079, I089 and I090) <u>not</u> stated to be rheumatic is reported due to:

A1690	C73-C759	E804-E806	J030
A188	C790-C791	E840-E859	J040-J042
A329	C797-C798	E880-E889	J069
A38	C889	F110-F169	M100-M109
A399	D300-D301	F180-F199	M300-M359
A500-A549	D309	I10-I139	N000-N289
B200-B24	D34-D359	I250-I259	N340-N399
B376	D440-D45	I330-I38	Q200-Q289
B379	E02-E0390	I420-I4290	Q870-Q999
B560-B575	E050-E349	I511	R75
B908	E65-E678	I514-I5150	T983
B909	E760-E769	I700-I710	Y400-Y599
B948	E790-E799	J00	Y883
C64-C65	E802	J020	

Code nonrheumatic valvular disease (I340-I38) with appropriate fourth character.

I	(a)	Mitral stenosis and aortic stenosis	I342	I350
	(b)	Hypertension	I10	

<u>Code</u> I(a) as separate one-term entities to nonrheumatic mitral and aortic stenosis since they are reported "due to" a nonrheumatic condition.

I	(a)	Mitral insufficiency	I340
	(b)	Goodpasture's syndrome & RHD	M310 I099

 $\underline{\text{Code}}$ I(a) to nonrheumatic mitral insufficiency since it is reported "due to" a nonrheumatic condition. Apply this instruction even though rheumatic heart disease is entered as the second entry on I(b).