NSFG 2011-2013 Female Questionnaire: Detailed Outline by Section

Section	Main Topics
Section A	 Respondent demographic characteristics (age; DOB; opposite-sex marital/cohabitation status; race and Hispanic origin; primary language) Household roster (age; sex; relationship of each member to respondent) Introduction to Life History Calendar Education (degrees; date of high school and college graduation; highest grade completed; date last attended) Basic information about her childhood family background and her parents Her experience as a minor with living in a foster home
Section B	 Age at first menstrual period (menarche) Current pregnancy status Number of pregnancies Detailed pregnancy history (more details for pregnancies in last 5 years) Confirmation of pregnancy history Care of nonbiological children (women 18–44) Adoption (current plans to adopt; child characteristics she prefers; previous attempts to adopt) (women 18–44)
Section C	 Marital history and characteristics of each husband; more details for 1st and/or current husband Details on current cohabiting partner, if there is one Cohabitation history and selected details on each former cohabiting partner Whether the respondent has had biological children with each of her husbands and cohabiting partners Expectations to marry or cohabit (if not married or cohabiting) Ever had sexual intercourse (directly asked if never married, never pregnant and never cohabited) Main reason why respondent has not had sexual intercourse (if she reported never having had intercourse) Age and date of first intercourse Details on first sexual partner (if not already discussed in the interview) Date and age of first intercourse after menarche Sex education (R younger than 25 only), including timing relative to first sex Number of sexual partners (in lifetime; in past 12 months; before 1st marriage) Recent (last 12 months) partner history (or last partner ever, if none in the past 12 months); more details on current partners

Section D	 Sterilizing operations (respondent and current husband/cohabiting partner) Desire for sterilization reversal (only for tubal ligations and vasectomies) Nonsurgical sterility and fertility problems (respondent and husband/cohabiting partner)
Section E	 Ever-use of contraceptive methods, how emergency contraception was obtained, discontinuation of use, and reasons for dissatisfaction with selected methods Details on first method ever used (even if before first sexual intercourse) Method use at first sexual intercourse Months during which she had intercourse for past 3-4 years or since first intercourse (if within the last 3-4 years) Contraceptive method history by month, for past 3-4 years or since first method used Method used at first and last sex, with up to 3 partners in the last 12 months Wantedness of each pregnancy (by respondent and by father of pregnancy) Happiness to be pregnant scale Further details on circumstances surrounding pregnancies in last 3 years (including wantedness with that partner) Current method use, reasons for current nonuse Reasons for recent pill use and type of IUD used recently Consistency of contraceptive use (including frequency of sex in past 4 weeks; condom use; any method use)
Section F	 Use of medical services related to birth control and reproduction in the last 12 months (services include receipt of: birth control method; checkup or medical test related to using birth control; counseling about birth control; sterilization; counseling about getting sterilized; emergency contraception; information about emergency contraception; pregnancy test; abortion; Pap smear; pelvic exam; prenatal care; post-pregnancy care; testing or treatment for sexually transmitted disease (STD)) Provider and payment information for each visit for these services in last 12 months (more detail if specific clinic is cited) Activation of clinic lookup if service was received at a clinic First service ever received is asked of women 15-24 years of age, including when received, and type of provider If clinic is regular source of medical care Asked about Pap, Pelvic, and HPV test (timing of last test, main reason for last test, age at first test, abnormal results, how often will need test, ever visited a clinic

Section G	 Desire for (wanting) a/another baby (respondent and current husband/cohabiting partner) Intentions to have a/another baby, asked individually or jointly, as appropriate Number of additional children (respondent/respondent and husband) intend to have When expect next child to be born, asked individually or jointly, as appropriate
Section H	 Infertility services (to help get pregnant; to help prevent miscarriage) Infertility diagnoses received, if ever pursued medical help Vaginal douching Health problems related to child-bearing (pelvic inflammatory disease; diabetes, both gestational and nongestational; uterine fibroids; endometriosis; problems with ovulation or menstruation) Physical disabilities/limitations Experience with cancer Breast cancer screening and risk HIV testing experience (some items limited to last 12 months) Clinic where HIV test was received, if within the last 12 months HPV vaccine-related knowledge (all respondents) and experience (respondents 15-24)
Section I	 Usual source of health care Health insurance coverage in last 12 months Residence as of April 1, 2010 Place of birth (date came to U.S., if born outside of the U.S.) Religion and attendance of religious services, at age 14 and currently Work in past 12 months and current work status (respondent and current husband/cohabiting partner) Attitudes: including relationships, sex, condom use, gender roles, and parenthood

Section J (ACASI)

- General health, including height and weight
- Numbers of pregnancies ending in live birth, abortion, or other outcomes in the past 5 years
- School suspension/expulsion (for respondents 15-24 years old)
- Substance use (cigarettes; alcohol; marijuana; cocaine; crack; crystal meth, illicit injected drugs)
- Sexual experience with males (vaginal intercourse, oral sex, and anal sex; condom use at last occurrence of each type of sex; timing of oral sex relative to vaginal intercourse (for respondents 15-24 who have had both types of sex); non-voluntary intercourse with males (asked only for respondents 18 or older); numbers of male partners in lifetime; numbers of male partners in last 12 months (including numbers by specific type of sex); and other HIV/STD risk behaviors)
- Sex with females, including number of female partners
- Sexual orientation and attraction
- Whether doctor had asked specific questions in last 12 months about sexual risk-related behaviors
- STD experience (some items limited to last 12 months)
- Individual earnings, family income, sources of income, types of public assistance, and economic insecurity during the previous year