## Appendix 7b: List of Restricted-Use (RDC-only) Analytic Variables for Male File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use male file, but are made available through the NCHS Research Data Center. Please see Appendix 7a for a similar list of RDC-only variables for the female respondent and pregnancy files. Please see Appendix 7c for further information on the variables that have been **created or modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use male file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
INRSCRRACE	screener	SC-6 R's race as reported in screener	raw
CMBIRTH	Α	Century month (CM) date for R's date of birth (DOB)	computed
HISPGRP 1-5	Α	AC-2 Hispanic subgroup - 1st - 5th reported	raw
RRACE 01-14	Α	AC-3 Race of respondent - 1st - 14th reported	raw
RACEBEST	Α	AC-4 Race that best describes respondent (for those who reported > 1 race)	raw
OBSERVE	Α	AC-5 Interviewer-observed race if R refused to report a race	raw
USUALRES[x]	Α	AD-2 Whether this household is this member's usual residence (up to 15 HH members reported)	raw
SEX[x]	Α	AD-3 Sex of each household member (up to 15 HH members reported)	raw
AGE[x]	Α	AD-4 Age of each household member (up to 15 HH members reported)	raw
RELAR[x]	Α	AD-5 Relationship of each household member to R (up to 15 HH members reported)	raw
INROSCNT	Α	Number of persons in the household, as reported in main interview	computed
WPLOCATN	Α	AD-8 Location of R's current wife or cohabiting partner, if not in household	raw
RELWOM[x]	Α	AD-9 Relationship of each child in household to R's wife or cohabiting partner (data in RELWOM2 RELWOM15)	raw
INHIGRADE	Α	AE-3 Respondent's highest grade ever attended	raw
EARNHS M	Α	AE-7 Month high school diploma obtained	raw
CMHSGRAD	Α	CM date for high school graduation	computed
INLSTGRADE	Α	Highest grade of elem/junior/high school R attended	computed
MYSCHOL M	Α	AE-9 Month R last attended elem/jr/hi sch-R not in sch/no dipl	raw
CMLSTSCH	Α	CM date when R last attended elem/jr/hi sch-not in sch/no dipl	computed
EARNBA M	Α	AE-12 Month R received Bachelor's degree	raw
CMBAGRAD	Α	CM date when R received Bachelor's degree	computed
INEXPGRADE	Α	AE-14 Highest grade expected to complete	raw
BOTHBIOL	Α	Whether R lives with both biological parents	computed
BOTHADOP	Α	Whether R lives with both adoptive parents	computed
INWTHPARNW	Α	Respondent's current living situation with parents	computed
INLVSIT14F	Α	AF-3 Parental figures at age 14 - female	raw
INLVSIT14M	Α	AF-4 Parental figures at age 14 - male	raw
INWOMRASDU	Α	AF-5 Mother or mother-figure who mostly raised R	raw
INMOMDEGRE	Α	AF-6 Education of repondent's mother or mother-figure	raw
INMOMFSTCH	Α	AF-9 Respondent's mother's or mother-figure's age at first birth	raw
INMANRASDU	Α	AF-11 Father or father-figure who mostly raised R	raw
INMNYFSTER	Α	AF-14 Number of foster homes R lived in	raw
INAGEFSTER	Α	AF-16 Age last left foster care	raw
INNUMCOH1	Α	AG-4 Number of women R has lived with-excl wives-R ever married	raw
INNUMCOH2	Α	AG-6 Number of women R has lived with-R never marr & ever cohab	raw
INNUMCOHAB	Α	Number of female cohabiting partners (excluding wives)	computed
VASEC_M	В	BB-4 Month R had vasectomy or other sterilizing operation	raw
VASEC_Y	В	BB-4 Year R had vasectomy or other sterilizing operation	raw
CMVASEC	В	CM date for R's vasectomy or other male sterilizing operation	computed
VASREV_M	В	BB-7 Month when R had vasectomy reversed	raw
VASREV_Y	В	BB-7 Year when R had vasectomy reversed	raw
CMRVRS	В	CM date of R's vasectomy reversal	computed

### Appendix 7b: List of Restricted-Use (RDC-only) Analytic Variables for Male File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use male file, but are made available through the NCHS Research Data Center. Please see Appendix 7a for a similar list of RDC-only variables for the female respondent and pregnancy files. Please see Appendix 7c for further information on the variables that have been **created or modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use male file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
MARRDATE M	С	CA-2 Month of marriage to current wife	raw
CMCURMAR	С	CM date when current marriage began	computed
STRTWFCP M	С	CA-5 Month 1st began living together w/ current W/P	raw
CMCURCOH	С	CM date when R began living with current wife or cohabiting partner	computed
INCMSTRTWP	С	CM date when current union began	computed
CWPDOB M	С	CB-1 Month when R's current W/P was born	raw
CWPDOB Y	С	CB-1 Year when R's current W/P was born	raw
CMCWPDOB	С	CM date for DOB of current wife/partner	computed
CWPHISP	С	CB-3 Hispanic origin - Current W/P	raw
CWPRACE1-5	С	CB-4 Race of current W/P (up to 5 mentions)+C200	raw
CWPRACEB	C	CB-5 If more than 1 race given for R's W/P, the one that best describes her	raw
CWPCHDOB M -			
CWPCHDOB M8	С	CG-6 Month of birth of bio child w/current W/P (up to 8 reported)	raw
CMCHDOB -		(Lipinos)	
CMCHDOB8	С	CM date of biological child R has fathered with current wife or partner (up to 8 reported)	computed
INCWPOKAGE-			
INCWPOKAGE4	С	CI-12 Current age of CWP's child R lived with (up to 4 reported)	raw
INCWPNBAGE-			
INCWPNBAGE6	С	CJ-12 Current age of other nonbio child R lived with (up to 6 reported)	raw
MARDATEN M	D	DB-1m Month of marriage to former wife (most recent partner)	raw
CMMARP	D	CM date of marriage to former wife (most recent partner)	computed
STRTLIVE M	D	DB-4m Month began cohab with former W/P (most recent partner)	raw
STRTLIVE Y	D	DB-4y Year began cohab with former W/P (most recent partner)	raw
CMCOHP	D	CM began cohab with former W/P (most recent partner)	computed
WIFEDIED M	D	DB-8m Month former wife died (most recent partner)	raw
WIFEDIED Y	D	DB-8y Year former wife died (most recent partner)	raw
CMWIDP	D	CM date when former wife died (most recent partner)	computed
DIVORFIN M	D	DB-9m Month divorce from former wife was finalized (most recent partner)	raw
DIVORFIN Y	D	DB-9y Year divorce from former wife was finalized (most recent partner)	raw
CMDIVP	D	CM date when divorce from former wife was finalized (most recent partner)	computed
ANNULLED M	D	DB-10m Month marriage with former wife was annulled (most recent partner)	raw
ANNULLED Y	D	DB-10y Year marriage with former wife was annulled (most recent partner)	raw
CMANNP	D	CM date when marriage with former wife was annulled (most recent partner)	computed
STOPLIVE M	D	DB-11m Month last lived with former W/P (most recent partner)	raw
STOPLIVE Y	D	DB-11y Year last lived with former W/P (most recent partner)	raw
CMSTOPP	D	CM date last lived with former W/P (most recent partner)	computed
MARDATEN M2	D	DB-1m Month R married former wife (2nd most recent partner in 12 months)	raw
CMMARP2	D	CM date of marriage to former wife(2nd most recent partner in last 12 mos)	computed
STRTLIVE M2	D	DB-4m Month began cohab w/ former W/P (2nd most recent partner in last 12 mos)	raw
STRTLIVE Y2	D	DB-4y Year began cohab w/ former W/P (2nd most recent partner in last 12 mos)	raw
CMCOHP2	D	CM began cohab w/former W/P (2nd most recent partner in last 12 mos)	computed
CMUNIONP2	D	CM date when union began w/former W/P (2nd most recent partner in last 12 mos)	computed
			100patea

### Appendix 7b: List of Restricted-Use (RDC-only) Analytic Variables for Male File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use male file, but are made available through the NCHS Research Data Center. Please see Appendix 7a for a similar list of RDC-only variables for the female respondent and pregnancy files. Please see Appendix 7c for further information on the variables that have been **created or modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use male file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
WIFEDIED M2	D	DB-8m Month former wife died(2nd most recent partner in last 12 mos)	raw
WIFEDIED Y2	D	DB-8y Year wife died (2nd most recent partner in last 12 mos)	raw
CMWIDP2	D	CM date when former wife died(2nd most recent partner in last 12 mos)	computed
DIVORFIN M2	D	DB-9m Month divorce from former wife was final(2nd most recent partner)	raw
DIVORFIN Y2	D	DB-9y Year divorce from former wife was final (2nd most recent partner)	raw
CMDIVP2	D	CM date when divorce from former wife was final (2nd most recent partner)	computed
ANNULLED M2	D	DB-10m Month of annulment from former wife (2nd most recent partner)	raw
ANNULLED Y2	D	DB-10y Year of annulment from former wife (2nd most recent partner)	raw
CMANNP2	D	CM date of annullment from former wife (2nd most recent partner)	computed
STOPLIVE M2	D	DB-11m Month last lived w/former W/P (2nd most recent partner)	raw
STOPLIVE Y2	D	DB-11y Year last lived with former W/P (2nd most recent partner)	raw
CMSTOPP2	D	CM date last lived with former W/P (2nd most recent partner)	computed
MARDATEN M3	D	DB-1m Month R married former wife (3rd most recent partner in last 12 mos)	raw
CMMARP3	D	CM date of marriage to former wife(3rd most recent partner in last 12 mos)	computed
STRTLIVE_Y3	D	DB-4y Year began cohab w/ former W/P(3rd most recent partner in last 12 mos)	raw
STRTLIVE M3	D	DB-4m Month began cohab w/ former W/P(3rd most recent partner in last 12 mos)	raw
CMCOHP3	D	CM began cohab w/former W/P(3rd most recent partner in last 12 mos)	computed
CMUNIONP3	D	CM date when union began w/former W/P (3rd most recent P in last 12 mons)	computed
WIFEDIED M3	D	DB-8m Month former wife died(3rd most recent partner in last 12 mos)	raw
WIFEDIED Y3	D	DB-8y Year former wife died(3rd most recent partner in last 12 mos)	raw
CMWIDP3	D	CM date when former wife died(3rd most recent partner in last 12 mos)	computed
DIVORFIN M3	D	DB-9m Month divorce from former wife was final (3rd most recent partner)	raw
DIVORFIN Y3	D	DB-9y Year divorce from former wife was final (3rd most recent partner)	raw
CMDIVP3	D	CM date when divorce from former wife was final (3rd most recent partner)	computed
ANNULLED_M3	D	DB-10m Month of annulment from former wife (3rd most recent partner)	raw
ANNULLED_Y3	D	DB-10y Year of annulment from former wife (3rd most recent partner)	raw
CMANNP3	D	CM date of annullment from former wife (3rd most recent partner)	computed
STOPLIVE_Y3	D	DB-11y Year last lived with former W/P (3rd most recent partner)	raw
STOPLIVE_M3	D	DB-11m Month last lived w/former W/P (3rd most recent partner)	raw
CMSTOPP3	D	CM date last lived with former W/P (3rd most recent partner)	computed
PXPAGE	D	DD-11 Age of partner at last sex with R (most recent partner)	raw
PXRELAGE	D	DD-12 P older/younger/same age as R at last sex (most recent partner)	raw
PXRELYRS	D	DD-13 # of years age diff btwn R & P at last sex (most recent partner)	raw
PXPAGE2	D	DD-11 Age of 2nd-to-last partner at last sex with R	raw
PXRELAGE2	D	DD-12 2nd-to-last P older/younger/same age as R at last sex	raw
PXRELYRS2	D	DD-13 # of years age diff btwn R & 2nd-to-last P at last sex	raw
PXPAGE3	D	DD-11 Age of 3rd-to-last partner at last sex with R	raw
PXRELAGE3	D	DD-12 3rd-to-last P older/younger/same age as R at last sex	raw
PXRELYRS3	D	DD-13 # of years age diff btwn R & 3rd-to-last P at last sex	raw
PXHISP	D	DD-15 R's most recent partner is of Hispanic origin	raw
PXRACE1-5	D	DD-16 Race of R's most recent partner (up to 5 mentions)	raw
PXBEST	D	DD-17 If more than 1 race given for R's most recent partner, the one that best describes her	raw

## Appendix 7b: List of Restricted-Use (RDC-only) Analytic Variables for Male File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use male file, but are made available through the NCHS Research Data Center. Please see Appendix 7a for a similar list of RDC-only variables for the female respondent and pregnancy files. Please see Appendix 7c for further information on the variables that have been **created or modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use male file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
PXHISP2	D	DD-15 R's 2nd-to-last partner is of Hispanic origin	raw
PXRACE6-10	D	DD-16 Race of R's 2nd-to-last partner (up to 5 mentions)	raw
PXBEST2	D	DD-17 If more than 1 race given for R's 2nd-to-last partner, the one that best describes her	raw
PXHISP3	D	DD-15 R's 3rd-to-last partner is of Hispanic origin	raw
PXRACE11-15	D	DD-16 Race of R's 3rd-to-last partner (up to 5 mentions)	raw
PXBEST3	D	DD-17 If more than 1 race given for R's 3rd-to-last partner, the one that best describes her	raw
PXDOB M	D	DE-1 Month former W/P was born (most recent partner)	raw
PXDOB Y	D	DE-1 Year former W/P was born (most recent partner)	raw
CMDOBP	D	CM date for DOB of former W/P (most recent partner)	computed
PXANYCHN	D	DE-5 # of childrn (bio/adop/fos) partner had whn rel'p began (last p)	raw
PXDOB M2	D	DE-1 Month 2nd-to-last partner(former W/P) was born	raw
PXDOB Y2	D	DE-1 Year 2nd-to-last partner (former W/P) was born	raw
CMDOBP2	D	CM date for DOB of R's 2nd-to-last partner in last 12 mos (former W/P)	computed
PXANYCHN2	D	DE-5 # of children (bio/adopted/foster) 2nd-to-last partner had	raw
PXDOB M3	D	DE-1 Month 3rd-to-last partner(former W/P) was born	raw
PXDOB Y3	D	DE-1 Year 3rd-to-last partner (former W/P) was born	raw
CMDOBP3	D	CM date for DOB of R's 3rd-to-last partner in last 12 mos (former W/P)	computed
PXANYCHN3	D	DE-5 # of children (bio/adopted/foster) 3rd-to-last partner had	raw
PXCXBORN M1-4	D	DH-6 Month of birth of bio child with most recent partner (up to 4 reported)	raw
cmchdob[11-14]	D	CM date of biological child R has fathered with most recent partner (up to 4 reported)	computed
PXCXBORN_M11-14	D	DH-6 Month of birth of bio child with 2nd-to-last partner (up to 4 reported)	raw
cmchdob[21-24]	D	CM date of biological child R has fathered with 2nd to last most recent partner (up to 4 reported)	computed
PXCXBORN M21-25	D	DH-6 Month of birth of bio child with 3rd-to-last partner (up to 5 reported)	raw
cmchdob[31-35]	D	CM date of biological child R has fathered with 3rd to last most recent partner (up to 5 reported)	computed
INPXOKAGE,			
INPXOKAGE2-5	D	DJ-10 Age of (most recent) partner's child R lived with (up to 5 reported)	raw
INPXOKAGE11-13	D	DJ-10 Age of (2nd-to-last) partner's child R lived with (up to 3 reported)	
INPXOKAGE21-22	D	DJ-10 Age of (3rd-to-last) partner's child R lived with (up to 2 reported)	
INPXNBAGE,			
INPXNBAGE2-3	D	DK-10 Age of other nonbio child R cared for with (most recent partner) (up to 3 reported)	raw
INPXNBAGE11-12	D	DK-10 Age of other nonbio child R cared for with (2nd-to-last partner) (up to 2 reported)	raw
INPXNBAGE21-23	D	DK-10 Age of other nonbio child R cared for with (3rd-to-last partnerr) (up to 3 reported)	raw
FPFIRST_M	D	DL-1 Month of first sexual intercourse	raw
FPFIRST_Y	D	DL-1 Year of first sexual intercourse	raw
CMFSTSEX	D	CM for date of first sexual intercourse	computed
FSTSEXAGE	D	Age at first sexual intercourse (based on CMFSTSEX)	computed
FPAGE	D	DL-2 R's age at first sexual intercourse	raw
FPPAGE	D	DL-7 1st partner's age at R's first sexual intercourse	raw
FPRELAGE	D	DL-8 Was 1st partner older/younger/same age as R at 1st sex	raw
FPRELYRS	D	DL-9 # of years 1st partner older/younger than R at 1st sex	raw
INNFORMCOHAB	E	Number of Former Cohabiting Partners	computed
FWMAREND_M	E	EB-2 Month of Marriage - 1st Former Wife	raw

## Appendix 7b: List of Restricted-Use (RDC-only) Analytic Variables for Male File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use male file, but are made available through the NCHS Research Data Center. Please see Appendix 7a for a similar list of RDC-only variables for the female respondent and pregnancy files. Please see Appendix 7c for further information on the variables that have been **created or modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use male file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
CMMARW	E	CM date of Marriage - 1st Former Wife	computed
STRTLIVE M4	E	EB-5 Month Began Cohabiting (Premar) - 1st Former Wife	raw
STRTLIVE Y4	E	EB-5 Year Began Cohabiting (Premar) - 1st Former Wife	raw
CMCOHW	E	CM at Start of Premarital Cohabitation - 1st Former Wife	computed
INCMUNIONW	E	CM Date When Coresidence (Union) Began - 1st Former Wife	computed
WIFEDIED M4	E	EB-9 Month Wife Died-1st Former Wife	raw
WIFEDIED Y4	Е	EB-9 Year Wife Died-1st Former Wife	raw
CMWIDW	E	CM Date When Wife Died - 1st Former Wife	computed
DIVORFIN M4	E	EB-10 Month Divorce Final-1st Former Wife	raw
DIVORFIN Y4	E	EB-10 Year Divorce Final-1st Former Wife	raw
CMDIVW	E	CM Date When Divorce Final - 1st Former Wife	computed
ANNULLED M4	E	EB-11 Month Marriage Annulled - 1st Former Wife	raw
ANNULLED Y4	E	EB-11 Year Marriage Annulled - 1st Former Wife	raw
CMANNW	E	CM Date When Marriage Annulled - 1st Former Wife	computed
STOPLIVE M4	E	EB-12 Month Last Lived Together - 1st former wife	raw
STOPLIVE Y4	E	EB-12 Year Last Lived Together - 1st former wife	raw
CMSTOPW	E	CM Stopped Living with 1st Former Wife	computed
FWMAREND M2	E	EB-2 Month of Marriage - 2nd Former Wife	raw
CMMARW2	E	CM Date of Marriage - 2nd Former Wife	computed
STRTLIVE M5	E	EB-5 Month Began Cohabiting (Premar) - 2nd Former Wife	raw
STRTLIVE_Y5	E	EB-5 Year Began Cohabiting (Premar) - 2nd Former Wife	raw
CMCOHW2	E	CM at Start of Premarital Cohabitation - 2nd Former Wife	computed
CMUNIONW2	E	CM Date When Coresidence (Union) Began - 2nd Former Wife	computed
WIFEDIED_M5	E	EB-9 Month Wife Died-2nd Former Wife	raw
WIFEDIED_Y5	E	EB-9 Year Wife Died-2nd Former Wife	raw
CMWIDW2	E	CM Date When Wife Died - 2nd Former Wife	computed
DIVORFIN_M5	E	EB-10 Month Divorce Final-2nd Former Wife	raw
DIVORFIN_Y5	E	EB-10 Year Divorce Final-2nd Former Wife	raw
CMDIVW2	E	CM Date When Divorce Final - 2nd Former Wife	computed
ANNULLED_M5	E	EB-11 Month Marriage Annulled - 2nd Former Wife	raw
ANNULLED_Y5	E	EB-11 Year Marriage Annulled - 2nd Former Wife	raw
CMANNW2	E	CM Date When Marriage Annulled - 2nd Former Wife	computed
STOPLIVE_M5	E	EB-12 Month Last Lived Together - 2nd former wife	raw
STOPLIVE_Y5	E	EB-12 Year Last Lived Together - 2nd Former wife	raw
CMSTOPW2	E	CM Stopped Living with 2nd Former Wife	computed
FWMAREND_M3	E	EB-2 Month of Marriage - 3rd former Wife	raw
CMMARW3	E	CM Date of Marriage - 3rd former Wife	computed
STRTLIVE_M6	E	EB-5 Month Began Cohabiting (Premar) - 3rd Former Wife	raw
STRTLIVE_Y6	E	EB-5 Year Began Cohabiting (Premar) - 3rd Former Wife	raw
CMCOHW3	E	CM at Start of Premarital Cohabitation - 3rd former Wife	computed
CMUNIONW3	E	CM Date When Coresidence (Union) Began - 3rd former Wife	computed
WIFEDIED_M6	E	EB-9 Month Wife Died-3rd former Wife	raw

# Appendix 7b: List of Restricted-Use (RDC-only) Analytic Variables for Male File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use male file, but are made available through the NCHS Research Data Center. Please see Appendix 7a for a similar list of RDC-only variables for the female respondent and pregnancy files. Please see Appendix 7c for further information on the variables that have been **created or modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use male file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
WIFEDIED Y6	Е	EB-9 Year Wife Died-3rd Former Wife	raw
CMWIDW3	E	CM Date When Wife Died - 3rd former Wife	computed
DIVORFIN M6	E	EB-10 Month Divorce Final-3rd former Wife	raw
DIVORFIN Y6	E	EB-10 Year Divorce Final-3rd Former Wife	raw
CMDIVW3	E	CM Date When Divorce Final - 3rd former Wife	computed
ANNULLED M6	E	EB-11 Month Marriage Annulled - 3rd former Wife	raw
ANNULLED Y6	E	EB-11 Year Marriage Annulled - 3rd Former Wife	raw
CMANNW3	E	CM Date When Marriage Annulled - 3rd former Wife	computed
STOPLIVE M6	E	EB-12 Month Last Lived Together - 3rd former wife	raw
STOPLIVE Y6	E	EB-12 Year Last Lived Together - 3rd Former wife	raw
CMSTOPW3	E	CM Stopped Living with 3rd former Wife	computed
FWMAREND M4	E	EB-2 Month of Marriage - 4th former Wife	raw
CMMARW4	E	CM Date of Marriage - 4th former Wife	computed
STRTLIVE M7	E	EB-5 Month Began Cohabiting (Premar) - 4th Former Wife	raw
STRTLIVE Y7	E	EB-5 Year Began Cohabiting (Premar) - 4th Former Wife	raw
CMCOHW4	E	CM at Start of Premarital Cohabitation - 4th former Wife	computed
CMUNIONW4	E	CM Date When Coresidence (Union) Began - 4th former Wife	computed
WIFEDIED_M7	E	EB-9 Month Wife Died-4th former Wife	raw
WIFEDIED_Y7	E	EB-9 Year Wife Died-4th Former Wife	raw
CMWIDW4	E	CM Date When Wife Died - 4th former Wife	computed
DIVORFIN_M7	E	EB-10 Month Divorce Final-4th former Wife	raw
DIVORFIN_Y7	E	EB-10 Year Divorce Final-4th Former Wife	raw
CMDIVW4	E	CM Date When Divorce Final - 4th former Wife	computed
ANNULLED_M7	E	EB-11 Month Marriage Annulled - 4th former Wife	raw
ANNULLED_Y7	E	EB-11 Year Marriage Annulled - 4th Former Wife	raw
CMANNW4	E	CM Date When Marriage Annulled - 4th former Wife	computed
STOPLIVE_M7	E	EB-12 Month Last Lived Together - 4th former wife	raw
STOPLIVE_Y7	E	EB-12 Year Last Lived Together - 4th Former wife	raw
CMSTOPW4	E	CM Stopped Living with 4th former Wife	computed
STRTLIVE_M14	E	EB-5 Month Began Cohabiting - 1st Cohab Partner	raw
STRTLIVE_Y14	E	EB-5 Year Began Cohabiting - 1st Cohab Partner	raw
INCMCOHFC11	E	CM Began Living with 1st Former Cohabiting Partner	computed
STOPLIVE_M14	E	EB-12 Month Last Lived Together - 1st Cohab partner	raw
CMSTOPFC11	E	CM Stopped Living with 1st Cohabiting Partner	computed
FWPDOB_M	E	EC-1 Month Former Wife Was Born - 1st	raw
FWPDOB_Y	E	EC-1 Year Former Wife Was Born - 1st	raw
CMFWPDOB	E	CM DOB for R's 1st former wife described in E	computed
FWPDOB_M2	E	EC-1 Month former wife Was Born - 2nd	raw
FWPDOB_Y2	E	EC-1 Year former wife Was Born - 2nd	raw
CMFWPDOB2	E	CM DOB for R's 2nd former wife described in E	computed
FWPDOB_M3	E	EC-1 Month former wife Was Born - 3rd	raw
FWPDOB_Y3	E	EC-1 Year former wife Was Born - 3rd	raw

# Appendix 7b: List of Restricted-Use (RDC-only) Analytic Variables for Male File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use male file, but are made available through the NCHS Research Data Center. Please see Appendix 7a for a similar list of RDC-only variables for the female respondent and pregnancy files. Please see Appendix 7c for further information on the variables that have been **created or modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use male file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
CMFWPDOB3	E	CM DOB for R's 3rd former wife described in E	computed
FWPDOB M4	E	EC-1 Month former wife Was Born - 4th	raw
FWPDOB Y4	Е	EC-1 Year former wife Was Born - 4th	raw
CMFWPDOB4	E	CM DOB for R's 4th former wife described in E	computed
FWPDOB M11	E	EC-1 Month 1st Cohab Partner was Born	raw
FWPDOB Y11	Е	EC-1 Year 1st Cohab Partner was Born	raw
CMFWPDOB11	E	CM DOB for R's 1st cohab partner described in E	computed
FWPHISP	E	EC-3 R's 1st former wife is of Hispanic origin	raw
FWPRACE1-5	E	EC-4 Race of R's 1st former wife (up to 5 mentions)	raw
FWPRACEB	E	EC-5 If more than 1 race given for R's 1st former wife, the one that best describes her	raw
FWPHISP11	E	EC-3 R's 1st cohab partner is of Hispanic origin	raw
FWPRACE51-55	E	EC-4 Race of R's 1st cohab partner (up to 5 mentions)	raw
FWPRACEB11	E	EC-5 If more than 1 race given for R's 1st cohab partner, the one that best describes her	raw
FWPCHDOB M1-5	E	ED-6 Month of birth of bio child w/1st former wife (up to 5 reported)	raw
cmchdob[41-45]	E	CM date of biological child R has fathered with 1st former wife (up to 5 reported)	computed
FWPCHDOB M11-14	E	ED-6 Month of birth of bio child w/2nd former wife (up to 4 reported)	raw
cmchdob[51-54]	E	CM date of biological child R has fathered with 2nd former wife (up to 4 reported)	computed
FWPCHDOB M21-23	E	ED-6 Month of birth of bio child w/3rd former wife (up to 3 reported)	raw
cmchdob[61-63]	E	CM date of biological child R has fathered with 3rd former wife (up to 3 reported)	computed
FWPCHDOB M101-104	E	ED-6 Month of birth of bio child w/1st Cohab Partner (up to 4 reported)	raw
cmchdob[141-144]	E	CM date of biological child R has fathered with 1st cohabiting partner (up to 4 reported)	computed
INFWPOKAGE[2-5]	E	EE-10 Age of 1st FW's child R lived with (up to 5 reported)	raw
INFWPOKAGE[11-14]	E	EE-10 Age of 2nd FW's child R lived with (up to 4 reported)	raw
INFWPOKAGE[21-25]	E	EE-10 Age of 3rd FW's child R lived with (up to 5 reported)	raw
INFWPOKAGE[31-33]	Е	EE-10 Age of 4th FW's child R lived with (up to 3 reported)	raw
INFWPOKAGE[101-105]		EE-10 Age of 1st CP's child R lived with (up to 5 reported)	raw
INFWPNBAGE[2-3]	E	EF-10 Age of other nonbio child R cared for with 1st FW (up to 3 reported)	raw
INFWPNBAGE[11-12]	E	EF-10 Age of other nonbio child R cared for with 2nd FW (up to 2 reported)	raw
INFWPNBAGE21	E	EF-10 Age of other nonbio child R cared for with 3rd FW (up to 1 reported)	raw
INFWPNBAGE31	E	EF-10 Age of other nonbio child R cared for with 4th FW (up to 1 reported)	raw
INFWPNBAGE[101-104]	E	EF-10 Age of other nonbio child R cared for with 1st CP (up to 4 reported)	raw
OBCDOB_M -			
OBCDOB_M10	F	FA-9m Month of birth of bio child (up to 10 reported)	raw
cmchdob[151-160]	F	CM date of biological child R has fathered with other partners (up to 10 reported)	computed
INOBCMAGEX[2-10]	F	FA-11 Age of mother when this bio child was born (up to 10 children reported)	raw
INOTNBAGE[2-9]	F	FB-10 Age of other nonbio child cared for by R (up to 9 reported)	raw
INOTPRGN	F	FC-3 Number of Pregnancies Ending in Miscarriage/Stillbirth/Abortion	raw
INOTMSN	F	FC-5 Number of Pregnancies Ending in Miscarriage	raw
INOTSTN	F	FC-6 Number of Pregnancies Ending in Stillbirth	raw
INOTABN	F	FC-7 Number of Pregnancies Ending in Abortion	raw
INTOTPRG	F	FC-8 Total Number of Times R Made Someone Pregnant	raw

## Appendix 7b: List of Restricted-Use (RDC-only) Analytic Variables for Male File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use male file, but are made available through the NCHS Research Data Center. Please see Appendix 7a for a similar list of RDC-only variables for the female respondent and pregnancy files. Please see Appendix 7c for further information on the variables that have been **created or modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use male file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
INOTPREGS	F	Number of Pregnancies Ending in Miscarriage/Stillbirth/Abortion	computed
INTOTPREGS C	F	Total Number of Pregnancies Collected Throughout Interview	computed
INTOTPREGS R	F	Total Number of Times R Reports He Made Someone Pregnant	computed
NUM12MO	F	FE-2 Number of female sexual partners in last 12 months (if R reported 7 or more)	raw
NUMLIFE	F	FE-1 Number of female sexual partners in lifetime (if R reported 7 or more)	raw
			computed in post-
INBIODOB1-10	F	CM dates of R's biological children, in chronological order	processing
INCRALL	G	Number of eligible coresidential children 0-18	computed
INCRALLU5	G	Number of eligible coresidential children< age 5	computed
INCRALL518	G	Number of eligible coresidential children ages 5-18	computed
INCRMALU5	G	Number of eligible male coresidential children < age 5	computed
INCRMAL518	G	Number of eligible male coresidential children ages 5-18	computed
INCRFEMU5	G	Number of eligible female coresidential children < age 5	computed
INCRFEM518	G	Number of eligible female coresidential children ages 5-18	computed
NRAMOUNT	G	GC-3a Amount of child support paid	raw
NRUNIT	G	GC-3u How often R paid the reported child support amount: per week, month, year	raw
NRYRSUPP	G	Yearly child support (where applicable & definable)	computed
INCOVERHOW01-04	I	IA-4 Type of current health care coverage (up to 4 mentions)	raw
INAGECANCER	I	IC-7a Age when R was first told he had cancer	raw
CANCTYPE	I	IC-7b Type of cancer R (first) had	raw
CNTRY10	J	JA-1 R living in US on April 1, 2010	raw
STRUS M	J	JA-8m Month R came to the US to stay	raw
STRUS Y	J	JA-8y Year R came to the US to stay	raw
CMSTRUS	J	CM date when non-US-born R came to US to stay	computed
RELRSD	J	JB-1 Religion in which respondent was raised	raw
RELRSD1	J	JB-2 Religion in which respondent was raised	raw
RELNOW	J	JB-5 Current religious affiliation	raw
RELNOW1	J	JB-6 Current religious affiliation	raw
BEGMIL M	J	JC-2m Month R began military service	raw
BEGMIL_Y	J	JC-2y Year R began military service	raw
CMBEGMIL	J	CM date when R began military service	computed
ENDMIL M	J	JC-3m Month R ended military service	raw
ENDMIL Y	J	JC-3y Year R ended military service	raw
CMENDMIL	J	CM date when R ended military service	computed
INDOLASTWK1-5	J	JE-1 What R was doing last week (employment status) (up to 5 mentions)	raw
INRNUMJOB	J	JE-3 Number of jobs R worked last week or last week R worked	raw
INSPLSTWK1-5	J	JF-1 Wife/partner doing what last week (employment status) (up to 5 mentions)	raw
INSPNUMJOB	J	JF-3 Number of jobs W/P worked last week or last week worked	raw
			computed in post-
INCHES	K	Height (converted to inches)	processing
			computed in post-
RWEIGHT	K	Weight (pounds)	processing

## Appendix 7b: List of Restricted-Use (RDC-only) Analytic Variables for Male File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use male file, but are made available through the NCHS Research Data Center. Please see Appendix 7a for a similar list of RDC-only variables for the female respondent and pregnancy files. Please see Appendix 7c for further information on the variables that have been **created or modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use male file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
			computed in post-
BMI	K	Body Mass Index (BMI) with one decimal place	processing
INAGESMK	K	KC-0a2 Age when R first began smoking cigarettes	raw
INPREGTOT2	K	KD-2 Number of times R made someone pregnant	raw
INPREGACASI	K	Number of pregnancies R reported fathering (in ACASI)	computed
INNUMABORT	K	KD-3 # pregnancies fathered by R that ended in abortion	raw
INNUMLIVEB	K	KD-4 # pregnancies fathered by R that ended in live birth	raw
INAGEVAGR	K	KE-2b R's age at first vaginal intercourse	raw
WANTSEX1	K	KF-1 How much R wanted his first vaginal intercourse to happen	raw
HOWOLD	K	KF-1b R's Age at First Vaginal Intercourse	raw
EVRFORCD	K	KF-2 R Ever Forced by Female to Have Vaginal Intercourse	raw
AGEFORC1	K	KF-3 R's age at first forced vaginal sex by female	raw
GIVNDRG2	K	KF-4a How forced by female: R was given alcohol/drugs	raw
SHEBIGOL	K	KF-4b How forced by female: she was bigger than R or grown up, R young	raw
ENDRELA2	K	KF-4c How forced by female: she said relationship would end if no sex	raw
WRDPRES2	K	KF-4d How forced by female: R was pressured by her words but no threats of harm	raw
THRTPHY2	K	KF-4e How forced by female: R was threatened with physical hurt/injury	raw
PHYSHRT2	K	KF-4f How forced by female: R was physically hurt/injured	raw
HELDDWN2	K	KF-4g How forced by female: R was physically held down	raw
PARTSLIF 1	K	KG-1 Number of female partners in lifetime	raw
PARTSLFV	K	KG-1v Verify # Female Sex Partners in Entire Life (any type of sex)	raw
PARTSLIF 2	K	KG-1 Number of female partners in lifetime, if previous information was incorrect	raw
INOPPLIFENUM	K	Number of opposite-sex partners in lifetime for all types of sex	computed
PARTS12 1	K	KG-2 Number of female partners in past 12 months	raw
PARTS12V	K	KG-2v Verify # Fem Sex Partners in Last 12 Months (any type of sex)	raw
PARTS12 2	K	KG-2 Number of female partners in past 12 months, if previous information was incorrect	raw
INOPPYEARNUM	K	Number of opposite-sex partners in last 12 months for all types of sex	computed
NEWYEAR	K	KG-2YR re-ask # female partners in last 12 months	raw
NEWLIFE	K	KG-2LF re-ask # female partners in lifetime	raw
INVAGNUM12	K	KG-2YRa # female partners past 12 months had vaginal sex with	raw
INORALNUM12	K	KG-2YRb # female partners past 12 months had oral sex with, either giving or receiving	raw
INANALNUM12	K	KG-2YRc # female partners past 12 months had anal sex with	raw
CURRPAGE	K	KG-3a Age of R's 1st Current Partner at Last Sex	raw
RELAGE	K	KG-3b Is 1st Current Partner Older/Younger/Same Age	raw
HOWMUCH	K	KG-3c Age Difference between 1st Current Partner & R	raw
CURRPAGE2	K	KG-3a Age of R's 2nd Current Partner at Last Sex	raw
RELAGE2	K	KG-3b Is 2nd Current Partner Older/Younger/Same Age	raw
HOWMUCH2	K	KG-3c Age Difference between 2nd Current Partner & R	raw
CURRPAGE3	K	KG-3a Age of R's 3rd Current Partner at Last Sex	raw
RELAGE3	K	KG-3b Is 3rd Current Partner Older/Younger/Same Age	raw
HOWMUCH3	K	KG-3c Age Difference between 3rd Current Partner & R	raw
EVRFORC2	K	KI-1 R Ever Been Forced by a Male to Have Sex	raw

### Appendix 7b: List of Restricted-Use (RDC-only) Analytic Variables for Male File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use male file, but are made available through the NCHS Research Data Center. Please see Appendix 7a for a similar list of RDC-only variables for the female respondent and pregnancy files. Please see Appendix 7c for further information on the variables that have been **created or modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use male file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
AGEFORC2	K	KI-2 R's Age at First Forced Sex by a Male	raw
GIVNDRG3	K	KI-3a How forced by male: given alcohol/drugs	raw
HEBIGOLD	K	KI-3b How forced by male: He was bigger than R or grown up, R young	raw
ENDRELA3	K	KI-3c How forced by male: he said relationship would end if no sex	raw
WRDPRES3	K	KI-3d How forced by male: R was pressured by his words, but no threat of harm	raw
THRTPHY3	K	KI-3e How forced by male: R was threatened with physical hurt/injury	raw
PHYSHRT3	K	KI-3f How forced by male: R was physically hurt/injured	raw
HELDDWN3	K	KI-3g How forced by male: R was physically held down	raw
INSAMLIFENUM	K	Number of same-sex partners in lifetime	computed
INSAMYEARNUM	K	Number of same-sex partners in last 12 months	computed
MALEPRTS 1	K	KJ-1 Number of male partners in lifetime	raw
MALEPRTSV	K	KJ-1v Verify number of Male Sex Partners in Entire Life	raw
MALEPRTS 2	K	KJ-1 Number of male partners in lifetime, if previous information was incorrect	raw
MALPRT12 1	K	KJ-2 Number of Male Sex Partners in Last 12 Months	raw
MALPRT12V	K	KJ-2v Verify Number of Sex Partners in Last 12 Months	raw
MALPRT12 2	K	KJ-2 Number of Male Sex Partners in Last 12 Months	raw
MALPRTHISP	K	KH-6 R's current/most recent same-sex partner is of Hispanic origin	raw
MALPRTRACE1	K	KH-7 Race of R's current/most recent same-sex partner - 1st mention	raw
MALPRTRACE2	K	KH-7 Race of R's current/most recent same-sex partner - 2nd mention	raw
MALPRTRACE3	K	KH-7 Race of R's current/most recent same-sex partner - 3rd mention	raw
MALPRTRACE4	K	KH-7 Race of R's current/most recent same-sex partner - 4th mention	raw
MALPRTRACE5	K	KH-7 Race of R's current/most recent same-sex partner - 5th mention	raw
INSAMORAL12	K	KJ-2YRa Number of male (same-sex) partners in last year for oral sex	raw
INRECEPANAL12	K	KJ-2YRb Number of male (same-sex) partners in last year for receptive anal sex	raw
ININSERANAL12	K	KJ-2YRc Number of male (same-sex) partners in last year for insertive anal sex	raw
INSAMESEX1	K	KJ-3 R s age at first sexual experience with same-sex (male) partner	raw
INMSMNONMON	K	KJ-4 Number of non-monogamous male (same-sex) partners in last 12 months	raw
INPUBASTYP1	K	KL-5 Types of public assistance respondent/HH received in last calendar year (original-1st mention)	raw
PUBASTYP2	K	KL-5 Types of public assistance respondent/HH received in last calendar year (2nd mention)	raw
PUBASTYP3	K	KL-5 Types of public assistance respondent/HH received in last calendar year (3rd mention)	raw
PUBASTYP4	K	KL-5 Types of public assistance respondent/HH received in last calendar year (4th mention)	raw
NUMRACE	A recode	Intermediate variable for multiple race reporting (used for HISPRACE2)	intermediate
INNUMKDHH	A recode	Number of children under 18 living in the household (RECODE)	recode
INNUMFMHH	A recode	Number of family members living in the household (RECODE)	recode
INCSPBBHH	A recode	Number of R's and his current wife/partner's biological children (18 or younger) (RECODE)	recode
INCSPSBHH	A recode	Number of R's nonbiological children (18 or younger) who are the biological children of his current wife/partner (RECODE)	recode
INCSPOKDHH	A recode	Number of all other children (18 or younger) living in the household with R and his current wife/partner (RECODE)	recode
INEDUCAT	A recode	Numbers of years of schooling (RECODE)	recode
INHIEDUC	A recode	Highest level of education (RECODE)	recode
HISPRACE	A recode	Race & Hispanic origin of respondent - 1977 OMB standards (RECODE)	recode
HISPRACE_I	A recode	HISPRACE imputation flag	imputation flag
INPARAGE14	A recode	Parental living situation at age 14 (RECODE)	recode

### Appendix 7b: List of Restricted-Use (RDC-only) Analytic Variables for Male File

**NOTE:** This appendix lists all analytic NSFG variables that have been suppressed or modified on the public-use male file, but are made available through the NCHS Research Data Center. Please see Appendix 7a for a similar list of RDC-only variables for the female respondent and pregnancy files. Please see Appendix 7c for further information on the variables that have been **created or modified** for inclusion on the public-use NSFG files.

Most of these variables have been included on the NSFG public-use male file in some form – e.g., with fewer categories, with some values top- or bottom-coded, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables remains accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the public-use file with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
INEDUCMOM	A recode	Education of Repondent's mother (RECODE)	recode
INAGEMOMB1	A recode	Respondent's mother's age at first birth (RECODE)	recode
INVRY1STSX	B - F recode	CM date of 1st sex (RECODE)	recode
INVRY1STAG	B - F recode	R's age at 1st sex (RECODE)	recode
INSEXMAR	B - F recode	Months between 1st intercourse and 1st marriage (RECODE)	recode
INSEXUNION	B - F recode	Months between 1st intercourse and 1st coresidential union or interview (marriage or cohabitation) (RECODE)	recode
FSEXPAGE	B - F recode	Age of 1st sexual partner at 1st sex (RECODE)	recode
FSEXPAGE_I	B - F recode	FSEXPAGE imputation flag	imputation flag
INNONMARR	B - F recode	Number of nonmarital cohabitations (RECODE)	recode
INTIMESCOH	B - F recode	Total number of cohabitations (RECODE)	recode
INMARDAT01-05	B - F recode	CM date of R's 1st - 5th marriages (RECODE)	recode
INMARDIS01-05	B - F recode	CM date when R's 1st - 5th marriages ended (RECODE)	recode
INMAR1DISS	B - F recode	Months btw/1st marriage & dissolution (or interview) (RECODE)	recode
INCOHAB1	B - F recode	CM date of 1st cohabitation (incl. premarital cohabitation) (RECODE)	recode
INCOH1DUR	B - F recode	Duration (in months) of R's first cohabitation (RECODE)	recode
INDATBABY1	B - F recode	CM date of 1st live birth (RECODE)	recode
LSEXPAGE	B - F recode	Age of last (or most recent) partner at last sex (RECODE)	recode
LSEXPAGE_I	B - F recode	LSEXPAGE imputation flag	imputation flag
INLIFPRTNR	B - F recode	Number of opposite-sex sexual partners in lifetime (RECODE)	recode
INPARTS1YR	B - F recode	Number of opposite-sex sexual partners in last 12 months (RECODE)	recode
INNONLIVEB	B - F recode	Number of non-live birth pregnancies R has fathered (RECODE)	recode
INCOMPREG	B - F recode	Number of completed pregnancies R has fathered (RECODE)	recode
INABORTION	B - F recode	Number of abortions R has fathered (RECODE)	recode
INLOSSNUM	B - F recode	Number of spontaneous pregnancy losses R has fathered (RECODE)	recode
INNUMCRU18	G recode	Number of coresidential children (<= 18 yrs old) (RECODE)	recode
INLABORFOR	J recode	Respondent's activities last week (RECODE)	recode
INPOVERTY	K recode	Poverty level income (RECODE)	recode
REGION	geographic	Geographic region (4-category)	recode