


Hemovigilance Module Adverse Reaction Hypotensive Transfusion Reaction

*Facility ID#:	NHSN Adverse Reaction #:			
Patient Informatio	n			
*Patient ID:		*Date of Birth:/		
_*Sex: ∐M				
Social Security #:	Secondary ID:	Medicare #:		
Last Name:		Middle Name:		
Ethnicity (Specify):		nic or Latino Unknown Declined to respond		
Race (Select all that apply):	☐American Indian or ☐Asian Alaska Native ☐Native Hawaiian or ☐White Pacific Islander	☐ Black or African American ☐ Unknown ☐ Declined to respond		
Preferred Language (Specify from the list provided):	Interpreter Needed: Yes No Declined to Respond Unknowr		
□ Tra		☐ AB+ ☐ O- ☐ O+ ☐ Blood type not done nal ABO / Rh - ☐ Transitional ABO / Transitional Rh Group O/Transitional Rh ☐ Group AB/Transitional Rh		
Patient Medical Hi	story			
List the patient's ad	dmitting diagnosis. <i>(Use ICD-10 Diagn</i>	ostic codes/descriptions)		
Code:	Description:			
Code:	Description:			
Code:	Description:			
	· ·			
List the patient's ur	nderlying indication for transfusion. <i>(U</i>	se ICD-10 Diagnostic codes/descriptions)		
Code:	,	se ICD-10 Diagnostic codes/descriptions)		
•	Description:			
Code:	Description: Description:	. ,		
Code: Code: Code: List the patient's co	Description: Description:			
Code: Code: Code: List the patient's co	Description: Description: Description: Description: Description: Description:	ansfusion related to the adverse UNKNOWN		
Code: Code: Code: List the patient's coreaction. (Use ICD	Description: Description: Description: Description: Description: Description: Description: Description: Description:	ansfusion related to the adverse ☐ UNKNOWN ☐ NONE		

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). CDC 57.312 Rev.3, v9.2

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering, and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS H21-8, Atlanta, GA 30333, ATTN: PRA (0920-0666).



•	rent hospital or outpatient stay. (Use ICD-10 Procedure	
Code:	Description:	
Code:	Description:	
Code:	Description:	
Additional Information		
Transfusion History		
Has the patient received	a previous transfusion?] UNKNOWN
Blood Product:	□ WB □ RBC □ Platelet □ Plasma □ Cryoprecipita	te Granulocyte
Date of Transfusion:	/	
Was the patient's adve	rse reaction transfusion-related?	0
If yes, provide informat	ion about the transfusion adverse reaction.	
Type of transfusion adv	verse reaction:	STR
	☐ PTP ☐ TACO ☐ TAD ☐ TA-GVHD ☐ TRALI	☐ UNKNOWN
OTHER Spe	ecify	
Reaction Details		
*Date reaction occurred:_	// *Time reaction occurred: : : Tin	me unknown
*Facility location where pa	atient was transfused:	
Is this reaction associated w	vith an incident?	
Investigation Results		
Investigation Results * Hypotensive transfer	usion reaction	
	usion reaction	
* Hypotensive transferance *Case Definition	usion reaction d during or within 1 hour of cessation of transfusion:	
* Hypotensive transfer *Case Definition Check all that occurred		
* Hypotensive transfer *Case Definition Check all that occurred	d during or within 1 hour of cessation of transfusion:	
* Hypotensive transfer *Case Definition Check all that occurred All other adverse	d during or within 1 hour of cessation of transfusion:	
* Hypotensive transfermation *Case Definition Check all that occurred All other adverse Hypotension Check all that apply:	d during or within 1 hour of cessation of transfusion:	n definitions do not
* Hypotensive transfer *Case Definition Check all that occurred All other adverse Hypotension Check all that apply: Hypotension occurred	d during or within 1 hour of cessation of transfusion: reactions presenting with hypotension are excluded. urs, does not meet the criteria above. Other, more specific reaction	n definitions do not
* Hypotensive transfer *Case Definition Check all that occurred All other adverse Hypotension Check all that apply: Hypotension occurapply.	d during or within 1 hour of cessation of transfusion: reactions presenting with hypotension are excluded. urs, does not meet the criteria above. Other, more specific reaction	
* Hypotensive transfer *Case Definition Check all that occurred All other adverse Hypotension Check all that apply: Hypotension occurapply. Other signs and symptoms	d during or within 1 hour of cessation of transfusion: reactions presenting with hypotension are excluded. urs, does not meet the criteria above. Other, more specific reaction: (check all that apply)	
* Hypotensive transfer *Case Definition Check all that occurred All other adverse Hypotension Check all that apply: Hypotension occurapply. Other signs and symptoms: Generalized: Cardiovascular:	d during or within 1 hour of cessation of transfusion: reactions presenting with hypotension are excluded. ars, does not meet the criteria above. Other, more specific reaction: (check all that apply) Chills/rigors	
* Hypotensive transfer *Case Definition Check all that occurred All other adverse Hypotension Check all that apply: Hypotension occurapply. Other signs and symptoms Generalized:	d during or within 1 hour of cessation of transfusion: reactions presenting with hypotension are excluded. urs, does not meet the criteria above. Other, more specific reaction: (check all that apply) Chills/rigors Fever Nausea/vomit	ing
*Case Definition Check all that occurred All other adverse Hypotension Check all that apply: Hypotension occurapply. Other signs and symptoms: Generalized: Cardiovascular: Cutaneous:	d during or within 1 hour of cessation of transfusion: reactions presenting with hypotension are excluded. urs, does not meet the criteria above. Other, more specific reaction: (check all that apply) Chills/rigors Fever Nausea/vomit Shock Flushing Jaundice	ing s)
* Hypotensive transfer *Case Definition Check all that occurred All other adverse Hypotension Check all that apply: Hypotension occurapply. Other signs and symptoms: Generalized: Cardiovascular:	d during or within 1 hour of cessation of transfusion: reactions presenting with hypotension are excluded. Irs, does not meet the criteria above. Other, more specific reaction: (check all that apply) Chills/rigors Fever Nausea/vomit Shock Edema Flushing Jaundice Other rash Pruritus (itching) Urticaria (hive	ing s)
*Case Definition Check all that occurred All other adverse Hypotension Check all that apply: Hypotension occurapply. Other signs and symptoms: Generalized: Cardiovascular: Cutaneous:	d during or within 1 hour of cessation of transfusion: reactions presenting with hypotension are excluded. Its, does not meet the criteria above. Other, more specific reaction: (check all that apply) Chills/rigors Fever Nausea/vomit Shock Edema Flushing Jaundice Other rash Pruritus (itching) Urticaria (hive Disseminated intravascular coagulation Hemoglobiner Positive antibody screen	ing s)
* Hypotensive transfer *Case Definition Check all that occurred All other adverse Hypotension Check all that apply: Hypotension occurapply. Other signs and symptoms: Generalized: Cardiovascular: Cutaneous: Hemolysis/Hemorrhage:	d during or within 1 hour of cessation of transfusion: reactions presenting with hypotension are excluded. Irs, does not meet the criteria above. Other, more specific reaction: (check all that apply) Chills/rigors Fever Nausea/vomit Shock Edema Flushing Jaundice Other rash Pruritus (itching) Urticaria (hive Disseminated intravascular coagulation Hemoglobiner Positive antibody screen Abdominal pain Back pain Flank pain	ing s) mia



	☐ Hypoxemia	☐ Shortness of breath				
Other: (specify)						
*Severity						
•	or experience any of the	e following?				
□ No treatment red		☐ Symptomatic treat	tment only			
☐ Hospitalization,	☐ Hospitalization, inlouding prolonged hospitalization ☐ Life-threatening reaction					
☐ Disability and/or incapacitation ☐ Congenital anomaly or birth defect(s) of the fetus						
Other medically	important conditions	☐ Death	Unknown or no	t stated		
*Imputability						
		the transfusion and the r				
 '		ould explain hypotension that could explain hypote		ion is the most likely		
	hat could readily explain	n hypotension are presen	nt.			
Evidence is clearl	y in favor of a cause oth	er than the transfusion, b	but transfusion can	not be excluded.		
☐ There is conclusive evidence beyond reasonable doubt of a cause other than the transfusion.						
☐ The relationship b	between the adverse rea	action and the transfusion	n is unknown or not	stated.		
Responds rapidly	/ (i.e., within 10 minutes	ansfusion and supportive) to cessation of transfus essation of transfusion a	ion and supportive			
Did the transfusion occ	·] YES				
When did the reaction of	occur in relation to the tr	ansfusion?				
Occurs less than 15 minutes after the start of the transfusion.						
Onset is between	n 15 minutes after start a	and 1 hour after cessation	n of transfusion.			
Module-generated Des						
NOTE: Designations for cas application based on respon				d in the NHSN		
*Do you agree with th ^Please indicate your o	e <u>case definition</u> designetion	gnation?	☐ YES	□ NO		
*Do you agree with th	e <u>severity</u> designation	?	☐ YES	□NO		
^Please indicate your o	designation					
*Do you agree with th ^Please indicate your o	e <u>imputability</u> designa designation	tion?	☐ YES	□ NO		
Patient Treatment						
	s): ct the type of medication	n)	YES □ NO	UNKNOWN		
☐ Antipyretics	Antihistamines	☐ Inotropes/Vasopressor	rs 🔲 Bronchodila	tor 🗌 Diuretics		



	Intravenous Immuno Antithymocyte globu		traveno osporin		Corticos	teroids	☐ Antibi	otics
_ Volu	ıme resuscitation (Intr	•	•					
☐ Res	piratory support <i>(Sele</i>] Mechanical ventilation			e ventilation	☐ Oxygen			
☐ Ren	al replacement therap] Hemodialysis 🏻 🔲 F			,	o-Venous Hemo	ofiltratio	on	
☐ Phle	ebotomy er Specify:							
Outcome								
Cause	_	· ·	ion to o		Minor or no se	_	☐ Not de Not deterr —	
Component	Details							
*Was a partic	cular unit implicated	d in (i.e., respo	onsible	e for) the a	dverse	☐ Ye	s 🗌 No	□ N/A
Transfusion Start and End Date/Time	*Component code (check system used)	Amount transfused at reaction onset	(Requ	number ired for on and)	*Unit expiration Date/Time	*Bloc	od group it	Implic ated Unit?
^IMPLICATED	· · · · · · · · · · · · · · · · · · ·							
// :	☐ ISBT-128 ☐ Codabar ————————	☐ Entire unit ☐ Partial unit mL			:	□ A- □B+ □ O-	□ A+ □ B □ AB- □ A □ O+ □ N	B+ Y
	☐ ISBT-128 ☐ Codabar —————————	☐ Entire unit ☐ Partial unit mL				□ A- □B+ □ O-	□ A+ □ B □ AB- □ A □ O+ □ N	B+ N
Custom Field	ds							
Label				Label				
Comments								
Comments								