

Hemovigilance Module Adverse Reaction Transfusion Associated Dyspnea

*Required for saving

*Facility ID#:	NHSN Adverse Reaction #:								
Patient Information									
*Patient ID: *Date of Birth:/_									
*Sex: M F									
Social Security #:	Secondary ID:	Medicare #:							
Last Name:	First Name:	Middle Name:							
Ethnicity (Specify):	☐ Hispanic or Latino ☐ Not Hispa	anic or Latino Unknown	Declined to respond						
Race (Select all that apply):	☐American Indian or ☐Asian Alaska Native ☐Native Hawaiian or ☐White Pacific Islander	□Black or African American □Unknown	☐Middle Eastern or North African ☐Declined to respond						
Preferred Language (Specify from the list provided):	Interpreter Needed: Yes No Declined to Respond Unknown							
*Blood Group: A- A+ B- B+ AB- AB- O- O+ Blood type not done Transitional ABO / Rh + Transitional ABO / Rh - Transitional ABO / Transitional Rh Group A/Transitional Rh Group B/Transitional Rh Group A/Transitional Rh									
Patient Medical H	istory								
List the patient's a	dmitting diagnosis. (Use ICD-10 Dia	gnostic codes/descriptions)							
Code:	Description:								
Code:	Description:								
Code:	Description:								
List the patient's u	nderlying indication for transfusion.	(Use ICD-10 Diagnostic code	es/descriptions)						
Code:	Description:								
Code:									
Code:	Description:								
List the patient's comorbid conditions at the time of the transfusion related to the adverse reaction. (Use ICD-10 Diagnostic codes/descriptions) UNKNOWN									
Code:	Description:								
Code:	Description:								
Code:	Description:								

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). CDC 57.315 Rev. 3, v9.2

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering, and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS H21-8, Atlanta, GA 30333, ATTN: PRA (0920-0666).



Transfusion Associated Dyspnea

	nedical procedure including past procedures and procedures to be UNKNOWN ant hospital or outpatient stay. (Use ICD-10 Procedure					
Code:	Description:					
Code:	Description:					
Code:						
Additional Information						
Transfusion History						
Has the patient received a previous transfusion?						
If yes, provide informatio Type of transfusion adve	e reaction transfusion-related?					
Reaction Details						
	// *Time reaction occurred::					
*Facility location where pat						
Is this reaction associated wit						
Investigation Res						
* Transfusion associated	l dyspnea (TAD)					
*Case Definition Check all that apply: Acute respiratory distress occurring within 24 hours of cessation of transfusion. Allergic reaction, TACO, and TRALI definitions are not applicable.						
Other signs and symptoms:	(check all that apply)					
Generalized:	☐ Chills/rigors ☐ Fever ☐ Nausea/vomiting					
Cardiovascular:	☐ Blood pressure decrease ☐ Shock					
Cutaneous:	☐ Edema ☐ Flushing ☐ Jaundice ☐ Other rash ☐ Pruritus (itching) ☐ Urticaria (hives)					
Hemolysis/Hemorrhage:	☐ Disseminated intravascular coagulation☐ Hemoglobinemia☐ Positive antibody screen					
Pain:	☐ Abdominal pain ☐ Back pain ☐ Flank pain ☐ Infusion site pain					
Renal:	☐ Hematuria ☐ Hemoglobinuria ☐ Oliguria					
Respiratory:	☐ Bilateral infiltrates on chest x-ray ☐ Bronchospasm ☐ Cough ☐ Hypoxemia ☐ Shortness of breath					



Other: (specify)							
*Severity							
Did the patient receive or experience any of the following?							
☐ No treatment required ☐ Symptomatic treatment only							
☐ Hospitalization, inlcuding prolonged hospitalization ☐ Life-threatening reaction							
☐ Disability and/or incapacitation ☐ Congenital anomaly or birth defect(s) of the fetus							
☐ Other medically important conditions ☐ Death ☐ Unknown or not stated							
*Imputability							
Which best describes the relationship between the transfusion and the reaction?							
☐ Patient has no other conditions that could explain symptoms.							
☐ There are other potential causes that could explain symptoms, but transfusion is the most likely cause.							
Other present causes are most likely, but transfusion cannot be ruled out.							
Evidence is clearly in favor of a cause other than the transfusion, but transfusion cannot be excluded.							
☐ There is conclusive evidence beyond reasonable doubt of a cause other than the transfusion.							
☐ The relationship between the adverse reaction and the transfusion is unknown or not stated.							
Did the transfusion occur at your facility?							
Module-generated Designations							
NOTE: Designations for case definition, severity, and imputability will be automatically assigned in the NHSN application based on responses in the corresponding investigation results section above.							
*Do you agree with the <u>case definition</u> designation?							
*Do you agree with the <u>severity</u> designation?							
*Do you agree with the <u>imputability</u> designation?							
Patient Treatment							
Did the patient receive treatment for the transfusion reaction? If yes, select treatment(s): Medication (Select the type of medication)							
□ Antipyretics □ Antihistamines □ Inotropes/Vasopressors □ Bronchodilator □ Diuretics □ Intravenous Immunoglobulin □ Intravenous steroids □ Corticosteroids □ Antibiotics □ Antithymocyte globulin □ Cyclosporin □ Other							
☐ Volume resuscitation (Intravenous colloids or crystalloids)							
 ☐ Respiratory support (Select the type of support) ☐ Mechanical ventilation ☐ Noninvasive ventilation ☐ Oxygen 							
 □ Renal replacement therapy (Select the type of therapy) □ Hemodialysis □ Peritoneal □ Continuous Veno-Venous Hemofiltration □ Phlebotomy 							



								.,,,,,,,				
Other Specify:												
Outcome												
*Outcome: Death Major or long-term sequelae Minor or no sequelae Not determined Date of Death:/ ^If recipient died, relationship of transfusion to death: Definite Probable Possible Doubtful Ruled Out Not determined Cause of death: Was an autopsy performed? Yes No												
Component Details												
*Was a particular unit implicated in (i.e., responsible for) the adverse reaction?												
Transfusion Start and End Date/Time	*Component code (check system used)	Amount transfused at reaction onset	^Unit number (Required for Infection and TRALI)		*Unit expiration Date/Time	*Blood group of unit		Implic ated Unit?				
^IMPLICATED	UNIT											
// :	☐ ISBT-128 ☐ Codabar	☐ Entire unit ☐ Partial unit mL			:	. □ A- □B+	□ A+ □ B- □ AB- □ AB+ □ O+ □ N/A	Y				
	☐ ISBT-128 ☐ Codabar	☐ Entire unit ☐ Partial unit mL				□ A- □B+	□ A+ □ B- □ AB- □ AB+ □ O+ □ N/A	N				
Custom Field	ds				·		· ·					
Label				Label								
Comments												