## 2023 NHSN Urinary System Infection (USI) Checklist

Documentation Review Checklist		
USI – Urinary System Infection (kidney, ureter, bladder, urethra, or perinephric space; excluding UTI)		
USI-Urinary System Infection		
Element	Element Met	Date
Urinary system infections must meet at least <u>one</u> of the following criteria:		
<ol> <li>Patient has organism(s) identified from fluid (not urine) or tissue from affected site by a culture or non-culture based microbiologic testing method, which is performed for purposes of clinical diagnosis or treatment, for example, not Active Surveillance Culture/Testing (ASC/AST).</li> </ol>		
<ol> <li>Patient has an abscess or other evidence of infection on gross anatomical exam, during invasive procedure, or on histopathologic exam.</li> </ol>		
<ol><li>Patient has <u>one</u> of the following signs or symptoms:</li></ol>		1
• Fever (>38.0°C)		
<ul> <li>Localized pain or tenderness*</li> </ul>		
AND at least one of the following:		
a. Purulent drainage from affected site.		
<ul> <li>b. Organism(s) identified from blood by a culture or non-culture based microbiologic testing method, which is performed for purposes of clinical diagnosis or treatment, for example, not Active Surveillance Culture/Testing (ASC/AST)</li></ul>		
documentation of antimicrobial treatment for urinary system infection.		
<ol> <li>Patient ≤ 1 year of age has at least <u>one</u> of the following signs or symptoms:</li> </ol>		
• Fever (>38.0°C)		
• Hypothermia (<36.0°C)		
Apnea*		
Bradycardia*		
Lethargy*		
<ul> <li>Vomiting*</li> </ul>		
AND at least <u>one</u> of the following:		
a. Purulent drainage from affected site.		
<ul> <li>b. Organism(s) identified from blood by a culture or non-culture based microbiologic testing method, which is performed for purposes of clinical diagnosis or treatment, for example, not Active Surveillance Culture/Testing (ASC/AST)</li></ul>		
*With no other recognized cause documented by physician		
<ul> <li>Reporting instruction:</li> <li>Report infections following circumcision in newborns as SST-CIRC.</li> </ul>		

