NHSN Dialysis Event ARBSI Report Quick Reference

NHSN Helpdesk: nhsn@cdc.gov

How to Create an NHSN Access Related Bloodstream Infection Report

1. From the navigation bar, select 'Analysis' and 'Generate Data Sets'

Analysis Generate Data Sets


Generate new data sets; overwrite old ones – this ensures the report will be created using the most up-to-date data.

2. From the navigation bar, select 'Reports.' Open the following folders. in order:



- Numerators
- Denominators


3. Locate the report and click 'Run Report:'



Optional: Click 'Modify Report' to customize the report to your needs.



On the Time Period tab, change the timeframe to the period of interest:



Once modifications are made, scroll down and click

The year and calendar quarter of the data (e.g., 2014Q1 is Jan, Feb, Mar 2014)

The number (count) of Access Related Bloodstream Infections (ARB) at the facility The mean or average rate of Dialysis Event ARB for all of NHSN (per 100 patient-months) The facility's percentile rank for ARB as compared to all of NHSN (lower is better)

Access Type	Summary Yr/Qtr	Months	Number Access Related Bloodstream Infections	Patient- months	Access Related Bloodstream Infection Rate/100 patient-months	NHSN Access Related Bloodstream Infection Rate/100 patient-months	Incidence Density p-value	Incidence Density Percentile
Fistula	2014Q1	3	0	300	0.00	0.23	0.7954	50
Graft	2014Q1	3	1	110	0.91	0.51	0.5435	82
Tunneled	2014Q1	3	1	100	1.00	2.55	0.3559	38

How to Read an NHSN Access Related Bloodstream (ARB) Infection Report

The vascular access type that applies to each row

The number of months that had data in each quarter

The number (count) of patient-months at the facility

The rate of ARB at the facility (per 100 patientmonths)

The probability that the facility's rate is statistically different than the rate for all of NHSN (a p-value less than 0.05 is usually considered statistically significant)

- NHSN Dialysis Event Access Related Bloodstream Infection: a
 positive blood culture with the suspected source identified as
 the vascular access site or uncertain.
- Dialysis event data are stratified by vascular access type because infection risk varies by type.
- Regularly share the data with front line staff to engage them in prevention.
- Go to http://www.cdc.gov/dialysis/prevention-tools/coreinterventions.html for BSI prevention resources.

National Center for Emerging and Zoonotic Infectious Diseases

Division of Healthcare Quality Promotion

